# Errata for Simon et al. (1994)

### Participants of Mathmatics for Economics Classes

### 2017년 1월 11일

### 1 p.49

• 6th line: 5x + 6 should be 5x - 6 (2016f 송영석)

# 2 p.67

• Figure 3.20: y intercept is a (not b) (2016sp 이준현)

# 3 p.71

• In the Equation (2) of Example 4.2,  $P(L) = \Pi(f(L))$  (2016f 송영석)

### 4 p.177

• The last equation

$$\mathbf{x} = (I - A)^{-1}$$

should be

$$\mathbf{x} = (I - A)^{-1}\mathbf{c}$$

(2016f 배근태)

### 5 p.275

• q<sub>1</sub> should be q<sub>2</sub> (2016sp 이준현)

$$\mathbf{q} = (q_1, q_2) = (f_1(x_1, x_2, x_3), f_2(x_1, x_2, x_3)) \equiv F(x_1, x_2, x_3)$$

# 6 p.321

The first equation should be:

$$\begin{pmatrix} \frac{\partial F}{\partial x_1}(\mathbf{x}^*) \\ \vdots \\ \frac{\partial F}{\partial x_n}(\mathbf{x}^*) \end{pmatrix}$$

### 7 p.327

In theorem 14.4,

$$H = F \circ A : \mathbb{R}^s \to \mathbb{R}^m$$

(2016su 박준현)

#### 8 p.337

In Figure 15.2, two axis should be x, y, not  $x_1, x_2$  (2016su 이가영)

### 9 p.342

In Theorem 15.2,

Then, there is a  $C^1$  function  $y = y(x_1, \dots, x_k)$  defined on an open ball B about ...

(2016su 박준후)

### 10 p.349

In Example 15.12, .. is perpendicular (or normal) to the plane

$$Ax + By + Cz = D$$

(2016su 이가영)

#### 11 p.400

(In Theorem 17.3) Let  $F: U \to \mathbb{R}^1$  be a  $C^2$  function whose domain is an open set U in  $\mathbb{R}^n$ . (2016su  $\bigcirc \bigcirc \bigcirc \nearrow$ )

# 12 p.455

In Equation 11,

$$f(x^*(a); a) = f(a; a) = \cdots$$

### 13 p.458

•  $D^2$  should be: (2016sp 이준현)

$$D^{2}f(\mathbf{x}^{*}) = \begin{pmatrix} \frac{\partial^{2}f}{\partial x_{1}^{2}} & \cdots & \frac{\partial^{2}f}{\partial x_{n}x_{1}} \\ \vdots & \ddots & \vdots \\ \frac{\partial^{2}f}{\partial x_{1}x_{n}} & \cdots & \frac{\partial^{2}f}{\partial x_{n}^{2}} \end{pmatrix}$$