

AIM: Python program to read each row from a given csv file and print a list of strings.

Algorithm:

Step 1: Import csv

Step 2: Open the csv file.

Step 3: Set data = csv.reader(csv file, delimiter = ',', quotechar = '|')

Step 4: Iterate each row in data.

print join(row)

Step 5: Stop.

Result: program run successfully and verified.

26/1/23

Program:

```
import csv
with open('emp.csv', newline='') as csvFile:
    data = csv.reader(csvFile, delimiter=',', quotechar='"')
    for row in data:
        print(','.join(row))
```

emp.csv

empid	Name	Age	Salary
01	Aneesh	28	15000
02	Manu	27	20000
03	Varun	26	10000
04	Kiran	22	18000
05	Athira	24	21000

Output:

empid, Name, Age, Salary.

01, Aneesh, 28, 15000

02, Manu, 27, 20000

03, Varun, 26, 10000

04, Kiran, 22, 18000

05, Athira, 24, 21000



AIM: Python program to read a file line by line and store it in to a list.

Algorithm:

Step 1: `L = ['python\n', 'Programming\n', 'language\n']`

Step 2: Write the content to file

Step 3: read the content using `readlines()`

Step 4: set `count = 0`

Step 5: for line in lines:

`count = count + 1`

`print("line {}: {}".format(count, line.strip()))`

Result: program ran successfully and verified.



Program:

```
L = ['Python', 'Programming', 'Language']
```

```
file1 = open('myfile.txt', 'w')
```

```
file1.writelines(L)
```

```
file1.close()
```

```
file1 = open('myfile.txt', 'r')
```

```
lines = file1.readlines()
```

```
count = 0
```

```
for line in lines:
```

```
    count += 1
```

```
    print("line {}: {}".format(count, line.strip()))
```

Output:

Line1: Python

Line2: Programming

Line3: Language.



AIM: Python program to copy odd lines of one file to others.

Algorithm:

- Step 1: Open file in read mode
- Step 2: Open another file in write mode.
- Step 3: Read the content of the file line by line
- Step 4: Close the file
- Step 5: Open file in read mode.
- Step 6: Read the content of the file.
- Step 7: Print the content
- Step 8: Close all files
- Step 9: Stop

2023  
20/1/23



### PROGRAM:

```
fn = open('bcd.txt', 'a')
fn1 = open('nfile.txt', 'w')
cont = fn.readlines()
type(cont)
for i in range(0, len(cont)):
    if (i % 2 != 0):
        fn1.write(cont[i])
    else:
        pass
fn1.close()
fn1 = open('nfile.txt', 'a')
cont1 = fn1.read()
print(cont1)
fn.close()
fn1.close()
```

bcd.txt

10, Administration, 200, 1700  
20, Marketing, 201, 1800  
30, Purchasing, 114, 1700  
40, Human resources, 203, 2400  
50, Shipping, 121, 1500

Output:

10, Administration, 200, 1700

30, Purchasing, 114, 1600

50, Shipping, 121, 1500