

个人简历

周明东

August 7, 2018

Contents

0.1	Info	1
0.2	Skills	1
0.3	Education Experience	1
0.4	Work Experience	1
0.5	Present	2
0.6	Code Show	2
0.7	Graph Show	4

0.1 Info

Name : 周明东
Tel : 13922835173
E-mail : dong_zhou_gxbs@sina.com
GitHub : <https://github.com/catRat>
WeChat : wxid_k9jodo5f837m22

0.2 Skills

- 熟练使用 Window 操作系统, 了解 Linux 操作系统. 两年 Ubuntu 操作系统使用经验.
- 熟练使用 Excel, 包括 Excel 的常用函数, Excel 的数据透视表.
- 熟练使用 Word, PowerPoint.
- 熟练使用 R, SPSS, Python.
- 熟练使用 R 进行数据的清理, 包括
 - 长格式与宽格式的转化,
 - 日期值处理,
 - 字符数据处理,通过写 R 脚本, 并在批处理环境下运行, 往往可以高效地处理数据.
- 熟练使用 R 的 ggplot2 完成数据可视化工作.
- 熟练使用 SQL 语言.
- 熟练使用 R 完成假设检验, 差异分析, 回归分析, 时间序列分析.
- 了解 Shiny Server, 能够搭建 Shiny Server. 如果公司有意向搭建 Shiny Server, 那么那些周期性地制作的表格将可以以 web 形式, 可视化地, 交互地展现.
- 了解 tex 语言, 此文档使用 tex 语言编写. 一个简单的报告的样本在 <https://github.com/catRat/CV/blob/master/gamereport.pdf>.

0.3 Education Experience

2013-2017 河池学院, 应用统计学, 专业课程是概率论和数理统计
2012-2013 广西百色市祈福高级中学
2009-2012 广西百色市百色民族高级中学
2007-2009 广西那坡县那坡民族初级中学
2005-2007 广西那坡县百合乡百合中学
1999-2005 广西那坡县百合乡那乐村那乐小学

0.4 Work Experience

2017 至今, 鸿安货运代理集团深圳 office 价格运营部文员, 主要职责是完成船东航线价格数据库的更新, booking report 报表和 volum report 报表的制作.

0.5 Present

我目前还在公司的岗位中, 将于 2018 年 09 月 03 日离开公司. 现在的我积极考虑换工作.

0.6 Code Show

利用 R 的数据结构和工具, 我能够高效地完成往往需要 VBA 才能完成的工作. 以下为了完成某一数据处理工作而写的 R 脚本, 欢迎阅读. 我也可以写 Pyhont 脚本, 之所以不写, 是因为如果一个工具能够很好地完成某种任务, 为什么还要考虑其他工具?

```
GetCode <- function(x = 'cosco') {  
  # Change the carrier name to carrier  
  # code-name.  
  s <- c()  
  for(i in seq(x)) {  
    s[i] <- switch((x[i]),  
      APL = "APLU",  
      CMA = "CMDU",  
      COSCO = "COSU",  
      EMC = "EGLV",  
      HMM = "HDMU",  
      HPL = "HLCU",  
      MSK = "MAEU",  
      MSC = "MSCU",  
      OOCL = "OOLU",  
      PIL = "PABV",  
      SML = "SMLM",  
      HBS = "SUDU",  
      WHL = "WHLC",  
      YML = "YMLU",  
      ZIM = "ZIMU",  
      ONE = "ONEY",  
      cat(x[i], "is not a recognized type\n")  
    )  
  }  
  return(s)  
}
```

```
GetId <- function(x = 'COSU') {  
  # Change the carrier code-name to  
  # contract id.  
  s <- c()  
  for(i in seq(x)) {  
    s[i] <- switch((x[i]),  
      APLU = "EB18/1668",  
      CMDU = "18-0807",  
      COSU = "ATN18888",  
    )  
  }  
  return(s)  
}
```

```

    EGLV = "SC71586",
    HDMU = "1817202",
    HLCU = "S18ANC119",
    MAEU = "37238211",
    MSCU = "18-218TPC",
    OOLU = "PE184717",
    PABV = "ANO170044",
    SMLM = "AEF182888",
    SUDU = "LHKC8000027",
    WHLC = "YTN18-164N",
    YMLU = "651518",
    ZIMU = "Z18462HK",
    ONEY = "SHAN00006",
    cat(x[i], "is not a recognized type\n")
  )
}
return(s)
}

Select <- function(x, id, set) {
  # selcet dataframe by charactor
  j <- which(names(x) == id)
  selector <- FALSE
  for(i in seq(set)) {
    selector <- x[, j] == set[i] | selector
  }
  return(x[which(selector),])
}

# Version: 6 -- 'black cat'
# Author: Mingdong Zhou
# Encoding: utf-8
# The goal is to finish the task that
# update the price per carrier per line to catapalt system.
# It need two input,
# both there path name must be fixed, one is carrier.csv
# another is rate.csv.
# The carrier.csv format must be one data element one line
# and the rate.csv must be do not have variable name.
library(readr)
library(writexl)
source('GetCode.R')
source('GetId.R')
source('Select.R')
name <- scan("carrier.csv", what = "charatar")
name <- name[which(!duplicated(name))]
name <- toupper(name)
codeName <- GetCode(name)
contractId <- GetId(codeName)
rate <- read_csv("rate.csv", col_names = FALSE)

```

```

names(rate)[c(7, 8, 10)] <- c("Carrier", "ETD", "X20GP")
rate$Carrier <- as.character(rate$Carrier)
rate <- Select(rate, id = "Carrier", set = codeName)
rate$ETD <- as.character(rate$ETD)
rate$ETD <- as.Date(rate$ETD, "%m/%d/%Y")
rate$ETD[rate$ETD < Sys.Date()] <- Sys.Date()
rate$ETD <- as.character(rate$ETD, "%m/%d/%Y")
len <- 10:13
rate[, len] <- round(rate[, len])
rm(len)
ContractId <- c()
for(i in seq(dim(rate)[1])) {
  for(r in seq(codeName)) {
    if((rate$Carrier[i]) == codeName[r]) {
      ContractId[i] <- contractId[r]
    }
  }
}
rm(i, r)
rate$ContractId <- ContractId
rate$idetification <-
  rep(paste("SPRC", format(Sys.Date(), "%y%m%d"), sep = ""),
      dim(rate)[1])
rate <- rate[c(18, 1:4, 7:9, 15:17, 10:13)]
rate <- rate[!duplicated(rate), ]
rate <- rate[which(!is.na(rate$X20GP)), ]
write.csv(rate, "update.csv", row.names = FALSE)
keyWord <- paste(codeName, contractId, sep = "_")
write.csv(keyWord, "keyword.csv", row.names = FALSE)
cat("Done! Outing in file keyword.csv and update.csv\n",
    date())
rm(list = ls())

```

0.7 Graph Show



