

Table 1. Overview of Study Definitions and Predictors

	LVO	END %	Clinical (Uni)	Clinical (Multi)	Radiological (Uni)	Radiological (Multi)
Mazya et al. 2018	ACA BAS ICA ICAT MCA PCA VA	9.0%	Heart failure	No multivariable analysis done	none	none
Shi et al. 2025	BAS ICA MCA VA	12.1%	Higher SBP variability Higher admission SBP	Admission SBP > 150mmHg SBP variability >24 mmHg highest quartile of 24h SBP variability highest quartile of admission SBP	Higher Tmax>6s volume	Tmax>6s volume - highest quartile
Seners et al. 2021	BAS ICA MCA	12.1%	Male sex	none	Longer thrombus More proximal occlusion	Longer thrombus More proximal occlusion Thrombus>9mm
Kim et al. 2022	ICA MCA	19.1%	Higher baseline NIHSS Hypertension	Higher baseline NIHSS Hypertension	Extracranial ICA occlusion	Extracranial ICA occlusion Tandem occlusion
Saleem et al. 2020	ACA BAS ICA MCA PCA	19.7%	none	none	none	none
He et al. 2021	ICA MCA	20.2%	Higher baseline glucose	Higher baseline glucose	Longer SVS SVS ≥9.45 mm	Longer SVS SVS ≥9.45 mm
Hu et al. 2025	BAS ICA MCA VA	22.1%	Age Delayed antiplatelet therapy	Delayed antiplatelet therapy	Isolated ICA occlusion Tmax >4s volume	Isolated ICA occlusion
Heitkamp et al. 2025	ICA MCA	23.5%	Higher pre-stroke mRS Lower baseline NIHSS No Afib No IVT	Higher pre-stroke mRS	Adverse events during EVT General anesthesia Higher no of passes Intracranial ICA Longer admission-to-groin-puncture time Unsuccessful recanalisation (TICI<2b)	Adverse events during EVT General anesthesia Higher no of passes ICH within 24h Longer admission-to-groin-puncture time
Boulenoir et al. 2022	ICA	24.0%	none	IVT Non-atheromatous etiology	none	none
Boulenoir et al. 2021	BAS ICA MCA	29.7%	Diabetes mellitus absent Non-atheromatous etiology	none	Intracranial occlusion post-IVT Suprabulbar ilCAo	Suprabulbar ilCAo
Lee et al. 2020	ICAT MCA	34.6%	Diabetes mellitus present Older age	No multivariable analysis done	Higher Tmax>6s volume Larger CTP core Proximal LVO: M1/ICAT	No multivariable analysis done
Itabashi et al. 2023	ICA	37.0%	Diabetes mellitus present EVT Higher baseline NIHSS IVT	No multivariable analysis done	none	No multivariable analysis done
Min et al. 2020	ICA MCA	38.6%	none	none	Insular lesions	Insular lesions
Gwak et al. 2021	ICA MCA	39.4%	IVT Shorter onset-to-door time	IVT	Higher Tmax>6s volume Mismatch vol ≥32.77 mL (Tmax >6s – DWI) Tmax 4-6s vol ≥55.20 mL (mild hypoperfusion) Tmax >6s vol ≥53.73 mL (critical hypoperfusion)	Mismatch vol ≥32.77 mL (Tmax >6s – DWI) Tmax 4-6s vol ≥55.20 mL (mild hypoperfusion) Tmax >6s vol ≥53.73 mL (critical hypoperfusion)
Gwak et al. 2022	ICA MCA	39.4%	IVT Shorter onset-to-door time	IVT	Poor perfusion profile	Poor perfusion profile
Broccolini et al. 2024	MCA	41.8%	AFib Current anticoagulant therapy Current antiplatelet therapy	AFib	Dominant M2	none
Wang et al. 2022	ACA ICA MCA	48.7%	NFL	NFL NFL >55.03 pg/ml	none	none