

# Overview of Predictors of END

|                        | LVO                               | END % | Clinical (Uni)                                                    | Clinical (Multi)                                                                                                              | Radiological (Uni)                                                                                                                                                   | Radiological (Multi)                                                                                                                   |
|------------------------|-----------------------------------|-------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Mazya et al. 2018      | ACA, BAS, ICA, ICAT, MCA, PCA, VA | 9.0%  | Heart failure                                                     | No multivariable analysis done                                                                                                | None                                                                                                                                                                 | None                                                                                                                                   |
| Shi et al. 2025        | BAS, ICA, MCA, VA                 | 12.1% | Higher SBP variability, Higher admission SBP                      | Admission SBP > 150mmHg, SBP variability >24 mmHg, highest quartile of 24h SBP variability, highest quartile of admission SBP | Higher Tmax>6s volume                                                                                                                                                | Tmax>6s volume - highest quartile                                                                                                      |
| Seners et al. 2021     | BAS, ICA, MCA                     | 12.1% | Male sex                                                          | None                                                                                                                          | Longer thrombus, More proximal occlusion                                                                                                                             | Longer thrombus, More proximal occlusion, Thrombus>9mm                                                                                 |
| Kim et al. 2022        | ICA, MCA                          | 19.1% | Higher baseline NIHSS, Hypertension                               | Higher baseline NIHSS, Hypertension                                                                                           | Extracranial ICA occlusion                                                                                                                                           | Extracranial ICA occlusion, Tandem occlusion                                                                                           |
| Saleem et al. 2020     | ACA, BAS, ICA, MCA, PCA           | 19.7% | None                                                              | None                                                                                                                          | None                                                                                                                                                                 | None                                                                                                                                   |
| He et al. 2021         | ICA, MCA                          | 20.2% | Higher baseline glucose                                           | Higher baseline glucose                                                                                                       | Longer SVS, SVS ≥9.45 mm                                                                                                                                             | Longer SVS, SVS ≥9.45 mm                                                                                                               |
| Hu et al. 2025         | BAS, ICA, MCA, VA                 | 22.1% | Age, Delayed antiplatelet therapy                                 | Delayed antiplatelet therapy                                                                                                  | Isolated ICA occlusion, Tmax >4s volume                                                                                                                              | Isolated ICA occlusion                                                                                                                 |
| Heitkamp et al. 2025   | ICA, MCA                          | 23.5% | Higher pre-stroke mRS, Lower baseline NIHSS, No Afib, No IVT      | Higher pre-stroke mRS                                                                                                         | Adverse events during EVT, General anesthesia, Higher no of passes, Intracranial ICA, Longer admission-to-groin-puncture time, Unsuccessful recanalisation (TICI<2b) | Adverse events during EVT, General anesthesia, Higher no of passes, ICH within 24h, Longer admission-to-groin-puncture time            |
| Boulenoir et al. 2022  | ICA                               | 24.0% | None                                                              | IVT, Non-atheromatous etiology                                                                                                | None                                                                                                                                                                 | None                                                                                                                                   |
| Boulenoir et al. 2021  | BAS, ICA, MCA                     | 29.7% | Diabetes mellitus absent, Non-atheromatous etiology               | None                                                                                                                          | Intracranial occlusion post-IVT, Suprabulbar iICAo                                                                                                                   | Suprabulbar iICAo                                                                                                                      |
| Lee et al. 2020        | ICAT, MCA                         | 34.6% | Diabetes mellitus present, Older age                              | No multivariable analysis done                                                                                                | Higher Tmax>6s volume, Larger CTP core, Proximal LVO: M1/ICAT                                                                                                        | No multivariable analysis done                                                                                                         |
| Itabashi et al. 2023   | ICA                               | 37.0% | Diabetes mellitus present, EVT, Higher baseline NIHSS, IVT        | No multivariable analysis done                                                                                                | None                                                                                                                                                                 | No multivariable analysis done                                                                                                         |
| Min et al. 2020        | ICA, MCA                          | 38.6% | None                                                              | None                                                                                                                          | Insular lesions                                                                                                                                                      | Insular lesions                                                                                                                        |
| Gwak et al. 2021       | ICA, MCA                          | 39.4% | IVT, Shorter onset-to-door time                                   | IVT                                                                                                                           | Higher Tmax>6s volume, Mismatch vol ≥32.77 mL (Tmax >6s – DWI), Tmax 4-6s vol ≥55.20 mL (mild hypoperfusion), Tmax >6s vol ≥53.73 mL (critical hypoperfusion)        | Mismatch vol ≥32.77 mL (Tmax >6s – DWI), Tmax 4-6s vol ≥55.20 mL (mild hypoperfusion), Tmax >6s vol ≥53.73 mL (critical hypoperfusion) |
| Gwak et al. 2022       | ICA, MCA                          | 39.4% | IVT, Shorter onset-to-door time                                   | IVT                                                                                                                           | Poor perfusion profile                                                                                                                                               | Poor perfusion profile                                                                                                                 |
| Broccolini et al. 2024 | MCA                               | 41.8% | AFib, Current anticoagulant therapy, Current antiplatelet therapy | AFib                                                                                                                          | Dominant M2                                                                                                                                                          | None                                                                                                                                   |
| Wang et al. 2022       | ACA, ICA, MCA                     | 48.7% | NFL                                                               | NFL, NFL >55.03 pg/ml                                                                                                         | None                                                                                                                                                                 | None                                                                                                                                   |