Markdown/Bookdown Tutorial

Catarina Pien

2020-10-13

Contents

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")
```

Chapter 1

Introduction

1.1 Directions to start a book (after downloading packages described)

1. Open R Studio
2. File - New Project - New Directory - New Book Project
3. Save where you think it should be.
4. To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.org/tinytex/.
5. If you have errors when trying to compile the book, go to the debug website provided in your warnings.

1.2 Structure of book

- There will be multiple Rmd (R Markdown) files - one for each chapter.
- File naming:
  - index.Rmd
  - 01-yourchapter1title.Rmd
  - 02-yourchapter2title.Rmd

- Each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading `#`.

1.3 Other tips

- In your _output.yml file: delete “bookdown::pdf_book: includes: in_header: preamble.tex latex_engine: xelatex citation_package: natbib keep_tex: yes” and replace the “bookdown::epub: default” with “bookdown::html_document2: default”
- In your index.Rmd file, add “always_allow_html: yes” to the options at the top

Chapter 2

Rmd Basics for crafting your document

2.1 Display

2.1.1 Font

- *Italics*: `_text_` or `*text*`
- **Bold**: `__text__` (two underscores) or `**text**`
- Subscripts e.g. H_2O `H~2~O`

2.1.2 Blockquotes

Use `>`

```
> "To sustainably manage the water resources of California, in cooperation with
> other agencies, to benefit the state's people and protect, restore, and enhance the
> natural and human environments."
>
> --- DWR
```

> "To sustainably manage the water resources of California, in cooperation with other agencies, to benefit the state's people and protect, restore, and enhance the natural and human environments."
>
> — DWR

2.1.3 Indent Text

Use `|`

```
| Here you can
|  indent and separate
|   lines
|    for fun
|   patterns
|  like
| this
```

Here you can
 indent and separate
  lines
   for fun
  patterns
 like
this

2.1.4 Text in a gray block

Enclose in ``` or indent by 4 spaces

````
```
Here is a chunk of code
```
````

Result:

```
Here is a chunk of code
```

2.1.5 Equations

Equations
Surround with `$`

```
$a^2 + b^2 = c^2$
```

$a^2 + b^2 = c^2$.

Alternatively for a more complicated equation:

```
\begin{equation}
  f\left(k\right) = \binom{n}{k} p^k\left(1-p\right)^{n-k}
  \label{eq:binom}
\end{equation}
```

(The #eq:binom can be used to reference this equation later)

$$f\left(k\right) = \binom{n}{k} p^k \left(1-p\right)^{n-k} \tag{2.1}$$

2.2 Organization

2.2.1 Headers:

```
# Header 1 (Largest)
## Header 2
### Header 3
```

Header with no numbering:

```
### Header {-}
```

2.2.2 Lists:

2.2.2.1 Use *, -, or +

```
* peas
* apples
* carrots
  * baby
  * large
    * colored
    * orange
```

- peas
- apples
- carrots
  - baby
  - large
    * colored
    * orange

2.2.2.2 Use numbers:

```
1. Enter data
2. QAQC
3. Publish Data
```

1. Enter data
2. QAQC
3. Publish Data

2.2.3 Tabs

Use `{.tabset}` and header levels. Sub-headers (exactly one level down) will become tabs.

```
### Project {.tabset}
#### Part A
#### Part B
```

2.2.4 Code, Plotting, Captions

2.2.4.1 Code

- Insert R Chunk
- Write code in chunk



Figure 2.1: Inserting R Chunk

```
data("iris")
summary(iris)
```

```
##    Sepal.Length    Sepal.Width     Petal.Length    Petal.Width
##  Min.   :4.300   Min.   :2.000   Min.   :1.000   Min.   :0.100
##  1st Qu.:5.100   1st Qu.:2.800   1st Qu.:1.600   1st Qu.:0.300
##  Median :5.800   Median :3.000   Median :4.350   Median :1.300
##  Mean   :5.843   Mean   :3.057   Mean   :3.758   Mean   :1.199
##  3rd Qu.:6.400   3rd Qu.:3.300   3rd Qu.:5.100   3rd Qu.:1.800
##  Max.   :7.900   Max.   :4.400   Max.   :6.900   Max.   :2.500
##        Species
##  setosa    :50
##  versicolor:50
##  virginica :50
##
##
##
```

2.2.4.2 Plot

```
library(ggplot2)
ggplot(iris, aes(x = Sepal.Length, y = Petal.Length)) + geom_point()
```



2.2.4.3 Figure options

- fig.align = “center” “right” “left”

- fig.asp = ratio of width:height, height is calculated from fig.width*fig.asp
- fig.margin = TRUE (place figure in figure margin)
- fig.fullwidth = TRUE (figure is across full width)
- fig.width
- fig.height
- fig.dim = c(8,6) (width, height)
- fig.link - add a link to the figure
- fig.cap = figure caption
- out.width, out.height - specify output size
  - out.width = "50%" (can then include two figures side by side)
  - out.width = 8
- out.extra - miscellaneous
  - out.extra = 'angle=90'

2.2.4.4 Image caption

````
A normal paragraph.



```
{r iris-fig, fig.cap='A scatterplot of the data `cars` using **base** R graphics. '}
plot(cars)  # a scatterplot
```
````

A normal paragraph.

A scatterplot of the data 'cars' using **base** R graphics. A scatterplot of the data `iris` using **ggplot.**

```
ggplot(iris, aes(x = Sepal.Length, y = Sepal.Width)) + geom_point()
```

2.3 Tables

Use `kable`

```
library(knitr)
knitr::kable(head(iris), "simple",  caption = "Table with caption")
```



Figure 2.2: A scatterplot of the data ‘cars‘ using **base** R graphics.

Table 2.1: Table with caption

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa

2.4 Images

```
![Here are some baby salmon](salmon.jpg)
```

```
Figure: \\ref{fig:iris-fig}
Chapter of this book: \\ref{intro}
```

```
```{r iris-fig, fig.cap='(ref:iris-fig)', fig.align = 'center'}
ggplot(iris, aes(x = Sepal.Length, y = Sepal.Width)) + geom_point()
```
```

Figure 2.4: See name of figure (iris-fig)

```
You can label chapter and section titles using `{#label}` after them,
e.g., we can reference Chapter \\ref{intro}.
If you do not manually label them, there will be automatic labels anyway,
e.g., Chapter \\ref{RCoding}.
```

- See table: 2.1
- See figure: 2.2
- Go to intro: 1

2.5.2 Citations

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2020) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Chapter 3

Coding

3.1 Chunks

Use “chunks” for code
Surround by tick marks

```
```
Code here
```
## Chunk details
```

See 2 for more info

3.2 Chunk details

Value	What it does
eval	whether to evaluate the code
echo	whether to display code along with its results
warning	whether to display warnings
error	whether to display errors
message	whether to display messages
tidy	whether to reformat code in a tidy way when displaying
results	“markup”, “asis”, “hold”, “hide”
cache	whether to cache results for future renders
comments	comment character to preface results with
fig.width	default = 7
fig.height	default = 7

Chapter 4

Interactive tools

4.1 Plotly

Install plotly.

4.1.1 Code

```
library(plotly)
data("iris")

summary(iris)
```

```
##   Sepal.Length    Sepal.Width     Petal.Length    Petal.Width
##  Min.   :4.300   Min.   :2.000   Min.   :1.000   Min.   :0.100
##  1st Qu.:5.100   1st Qu.:2.800   1st Qu.:1.600   1st Qu.:0.300
##  Median :5.800   Median :3.000   Median :4.350   Median :1.300
##  Mean   :5.843   Mean   :3.057   Mean   :3.758   Mean   :1.199
##  3rd Qu.:6.400   3rd Qu.:3.300   3rd Qu.:5.100   3rd Qu.:1.800
##  Max.   :7.900   Max.   :4.400   Max.   :6.900   Max.   :2.500
##        Species
##  setosa    :50
##  versicolor:50
##  virginica :50
##
##
##
```

4.1.2 Plot

Different ways to code:

```
plot_ly(iris, x = ~Sepal.Width, y = ~Sepal.Length, type = "scatter",
        hoverinfo = "text",
        text = ~paste('</br> Species: ', Species,
                      '</br> Petal Length: ', Petal.Length,
                      '</br> Petal Width: ', Petal.Width))
```




```
iris %>%
  plot_ly(x = ~Sepal.Length, y = ~Petal.Length) %>%
  add_lines()
```




```
p <- ggplot(iris, aes(x = Sepal.Width, y = Sepal.Length)) + facet_wrap(~Species) +  geom_point()
ggplotly(p)
```



4.2 Leaflet

Install leaflet.

```
library(leaflet)
library(viridis)
library(lubridate)
Stations <- read.csv("StationsMetadata.csv")
summary(Stations)
```

```
##    Station          StationName        StartDateDataset   EndDateDataset
##  Length:138         Length:138         Length:138         Length:138
##  Class :character   Class :character   Class :character   Class :character
##  Mode  :character   Mode  :character   Mode  :character   Mode  :character
##
##
##
##     Agency             Latitude       Longitude      HydrologicArea
##  Length:138         Min.   :37.65   Min.   :-122.1   Length:138
##  Class :character   1st Qu.:37.84   1st Qu.:-121.7   Class :character
##  Mode  :character   Median :38.04   Median :-121.6   Mode  :character
```

```
##                     Mean   :38.02   Mean   :-121.6
##                     3rd Qu.:38.16   3rd Qu.:-121.5
##                     Max.   :38.79   Max.   :-121.1
##     Basin              County          HabitatType
##  Length:138         Length:138         Length:138
##  Class :character   Class :character   Class :character
##  Mode  :character   Mode  :character   Mode  :character
##
##
##
```

```
Station2 <- Stations %>%
  mutate(Year1 = year(as.Date(StartDateDataset, format = "%m/%d/%Y")),
         Year2 = year(as.Date(EndDateDataset, format = "%m/%d/%Y")),
         Range = Year2-Year1)
```

Make map - Color by factor

```
# Palette from viridis
  staPal <- colorFactor("viridis", domain = Stations$Agency)

Stations %>% # name of data
  leaflet() %>%
  addTiles() %>%
  addCircleMarkers(
    color = ~staPal(Agency),
    stroke = FALSE,
    fillOpacity = 0.9,
    lng = ~Longitude,
    lat = ~Latitude,
    labelOptions = labelOptions(noHide = F),
    popup = ~paste(Station, ":", StationName, "<br/>",
                   "Agency:", Agency)) %>%
    addLegend(pal = staPal,
              values = ~Agency,
              position = "bottomright")
```



Make map - size and color by numeric

```
staPal2 <- colorNumeric("viridis", domain = Station2$Range)

Station2 %>%
  leaflet() %>%
  addTiles() %>%
  addCircleMarkers(
    color = ~staPal2(Range),
    radius = ~Range,
    stroke = FALSE,
    fillOpacity = 0.5,
    lng = ~Longitude,
    lat = ~Latitude,
    labelOptions = labelOptions(noHide = F),
    popup = ~paste(Station, ":", StationName, "<br/>",
                   "Agency:", Agency)) %>%
    addLegend(pal = staPal2,
              values = ~Range,
              position = "bottomright")
```


+
−
Roseville
Eldorado National Forest
Sacramento
Santa Rosa
Vacaville
Napa
Fairfield
Petaluma
Stanislaus National Forest
Concord
Stockton
Richmond
Berkeley
San Francisco
Tracy
South San Francisco
Hayward
Modesto
San Mateo
Fremont
Turlock
Milpitas
San Jose
Merced
Range
0
5
10
15
20
25
30
Leaflet | © OpenStreetMap contributors, CC-BY-SA

References

4.3 Bookdown

- https://rstudio.com/wp-content/uploads/2015/02/rmarkdown-cheatsheet.pdf
- https://bookdown.org/yihui/rmarkdown/
- https://github.com/rstudio/bookdown-demo

4.4 RMarkdown

- Handy cheatsheet: https://rstudio.com/wp-content/uploads/2016/03/rmarkdown-cheatsheet-2.0.pdf
- Rosie's tutorial: https://cawater.sharepoint.com/teams/des-owq-ee/Shared%20Documents/Forms/AllItems.aspx?csf=1&web=1&e=Rzuj2c&cid=3e988094-c52e-4997-bb80-d748370a6d0e&RootFolder=%2Fteams%2Fdes-owq-ee%2FShared%20Documents%2FGuides%20and%20Procedures%2FRMarkdown%20Tutorial&FolderCTID=0x012000D268E5AEEC570C48A762CD4EB78D71AA
- Chunk options: https://yihui.org/knitr/options/

4.5 Plotly Annotations and Labels

- https://plotly.com/r/text-and-annotations/

4.6 Leaflet

- https://allthisblog.wordpress.com/2016/10/12/r-311-with-leaflet-tutorial/

- https://learn.r-journalism.com/en/mapping/leaflet_maps/leaflet/

4.7 Example Book

- https://interagencyecologicalprogram.github.io/Status-and-Trends/Summer.html#recent-trends-summer-2004-2018

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2020). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.20.