Qualitative retrieval examples: visual CLIP baseline and VLM-description retrieval

Query | same target | different target

	Query	CLIP #1	CLIP #2	CLIP #3	CLIP #4	LLaVA #1	LLaVA #2	LLaVA #3	LLaVA #4
Q1									
	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21	Artist 18 / Style 21
Q2									
	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21	Artist 11 / Style 21
Q3									
	Artist 16 / Style 20	Artist 16 / Style 20	Artist 16 / Style 20	Artist 16 / Style 20	Artist 16 / Style 20	Artist 16 / Style 20	Artist 16 / Style 20	Artist 16 / Style 20	Artist 18 / Style 20
Q4									
	Artist 1 / Style 21	Artist 1 / Style 21	Artist 1 / Style 21	Artist 1 / Style 21	Artist 8 / Style 21	Artist 1 / Style 21	Artist 1 / Style 21	Artist 1 / Style 21	Artist 1 / Style 21