axyntel.

Axyntel Brand Guidelines

April 1, 2026

Confidential

Table of Contents

1. Brand Overview
2. Logo
3. Color Palette
4. Typography
5. Iconography
6. Imagery and Photography
7. Components
8. Voice and Tone Guidelines
9. Report Template Standards
10. Application Examples
Appendix A: Quick Reference

1. Brand Overview

1.1 Mission

Axyntel exists to eliminate guesswork from B2B decisions. We deliver research intelligence that is structured, evidence-based, and actionable – enabling teams to move faster with greater confidence.

1.2 Vision

To become the default research layer for every consequential B2B decision – from market entry to vendor selection to competitive strategy.

1.3 Brand Promise

Every deliverable we produce is grounded in primary sources, structured for clarity, and designed to compress weeks of research into hours.

1.4 Brand Personality

Trait	Description
Authoritative	We speak from evidence, not opinion.
Precise	Every claim is specific and quantifiable.
Efficient	We respect the reader's time. No padding.
Accessible	Expert-level thinking, presented clearly.

1.5 Brand Voice

The Axyntel voice is that of a senior analyst presenting to a board of directors. Confident without arrogance. Thorough without being verbose. Every sentence earns its place.

Core principles:

- Confident and direct
- Precise and evidence-driven
- No fluff, no hype, no filler
- Authoritative but accessible

1.6 Tagline

> *"Research Intelligence for B2B Decisions"*

Use the tagline in marketing contexts, below the logo on cover pages, and in email signatures. Never modify or paraphrase it.

1.7 Legal Entities

- **CATDEV LLC** – Registered in Florida, United States
- **CATDEV OU** – Registered in Estonia, European Union
- **Domain**: axyntel.com

---

2. Logo

2.1 Primary Logo

The Axyntel logo is a wordmark: **axyntel.** – entirely lowercase, terminated by a period in Electric Blue (#3B82F6). The period is a deliberate design element representing precision and finality.

```
axyntel.
^^^^^^^^ Fraunces Semibold (600), lowercase
       ^ Electric Blue period (#3B82F6)
```

2.2 Logo Font

- **Typeface**: Fraunces
- **Weight**: SemiBold (600)
- **Style**: Lowercase only
- **Period color**: Electric Blue (#3B82F6)

2.3 Minimum Size

- **Digital**: 80px wide minimum
- **Print**: 20mm wide minimum
- Never render the logo smaller than these minimums. Legibility is non-negotiable.

2.4 Clear Space

Maintain clear space around the logo equal to the height of the letter "x" in the wordmark on all four sides. No other elements, text, or graphics may enter this zone.

```
    ___________________________
   |                           |
   |   [x]                     |
   |   [x]  axyntel.  [x]      |
   |   [x]                     |
   |                           |
```

```
    ___________________________

   [x] = height of the letter "x"
```

2.5 Preferred Usage

Context	Logo Color	Background
Primary (preferred)	Snow (#F1F5F9) text, Electric Blue period	Midnight (#0A0F1E)
On dark surfaces	Snow (#F1F5F9) text, Electric Blue period	Navy (#111832)
On light surfaces	Midnight (#0A0F1E) text, Electric Blue period	White (#FFFFFF)
Monochrome (print)	Black text and period	White

2.6 Logo Misuse

Do NOT:

- Stretch, skew, or rotate the logo
- Change the typeface
- Recolor the period to anything other than Electric Blue (except monochrome contexts)
- Add drop shadows, outlines, gradients, or glow effects
- Place the logo on busy or low-contrast backgrounds
- Alter the letter spacing
- Capitalize any letters
- Remove the period
- Animate the logo without brand team approval

3. Color Palette

3.1 Primary Colors

Midnight

The foundation of Axyntel's visual identity. Used for primary backgrounds and dark surfaces.

Property	Value
Hex	#0A0F1E
RGB	10, 15, 30
Usage	Primary background, dark surfaces, title pages

Navy

Elevated surface color. Creates depth and layering within dark interfaces.

Property	Value
Hex	#111832
RGB	17, 24, 50
Usage	Cards, elevated surfaces, secondary backgrounds

Electric Blue

The signature accent color. Draws attention and signals interactivity.

Property	Value
Hex	#3B82F6
RGB	59, 130, 246
Usage	Primary accent, CTAs, highlights, the logo period

Electric Light

A softer variant of Electric Blue for secondary emphasis and interactive states.

Property	Value
Hex	#60A5FA
RGB	96, 165, 250
Usage	Hover states, secondary accent, links on dark backgrounds

3.2 Neutral Colors

Snow

Property	Value
Hex	#F1F5F9
RGB	241, 245, 249
Usage	Headlines on dark backgrounds, primary text on dark

Silver

Property	Value
Hex	#CBD5E1
RGB	203, 213, 225
Usage	Body text on dark backgrounds, descriptions

Steel

Property	Value
Hex	#64748B
RGB	100, 116, 139
Usage	Secondary text, muted elements, captions, timestamps

Slate

Property	Value
Hex	#1E2642
RGB	30, 38, 66
Usage	Borders, dividers, subtle separators on dark backgrounds

3.3 Semantic Colors

Success

Property	Value
Hex	#22C55E
RGB	34, 197, 94
Usage	Positive indicators, checkmarks, confirmation states

Danger

Property	Value
Hex	#EF4444
RGB	239, 68, 68
Usage	Negative indicators, alerts, destructive actions

3.4 Report Colors (Light Background Context)

Reports and PDFs use a light-background palette for body content, with the dark palette reserved for title pages and accent elements.

Name	Hex	RGB	Usage
Body Text	#1E293B	30, 41, 59	Paragraph text in reports
Heading Text	#0F172A	15, 23, 42	Section headings, titles
Background	#FFFFFF	255, 255, 255	Page background
Subtle Background	#F8FAFC	248, 250, 252	Table alternating rows, callout boxes

3.5 Color Accessibility

- All text-on-background combinations must meet WCAG 2.2 AA contrast minimums (4.5:1 for normal text, 3:1 for large text).
- Snow (#F1F5F9) on Midnight (#0A0F1E) achieves a contrast ratio of approximately 16.5:1.
- Body Text (#1E293B) on White (#FFFFFF) achieves a contrast ratio of approximately 13.2:1.
- Electric Blue (#3B82F6) on Midnight (#0A0F1E) achieves approximately 5.2:1 – acceptable for large text and UI components, but avoid for small body copy.

---

4. Typography

4.1 Type Families

Fraunces (Display / Headlines)

- **Source**: Google Fonts
- **Classification**: Old-style serif with variable optical sizing
- **Weights used**: SemiBold (600), Bold (700)
- **Purpose**: Headlines, the logo wordmark, report titles, section headers

Inter (Body / UI)

- **Source**: Google Fonts
- **Classification**: Geometric sans-serif
- **Weights used**: Regular (400), Medium (500), SemiBold (600)
- **Purpose**: Body text, UI elements, navigation, captions, buttons

JetBrains Mono (Data / Code)

- **Source**: JetBrains
- **Classification**: Monospace
- **Weights used**: Regular (400), Medium (500)
- **Purpose**: Code snippets, data tables, technical identifiers, metrics

4.2 Type Scale

Element	Font	Weight	Size	Line Height	Letter Spacing
Display	Fraunces	700	48px / 3rem	1.1	-0.02em
H1	Fraunces	700	36px / 2.25rem	1.2	-0.015em
H2	Fraunces	600	28px / 1.75rem	1.3	-0.01em
H3	Inter	600	22px / 1.375rem	1.4	-0.005em
H4	Inter	600	18px / 1.125rem	1.4	0

Element	Font	Weight	Size	Line Height	Letter Spacing
Body Large	Inter	400	18px / 1.125rem	1.6	0
Body	Inter	400	16px / 1rem	1.6	0
Body Small	Inter	400	14px / 0.875rem	1.5	0
Caption	Inter	500	12px / 0.75rem	1.4	0.02em
Overline	Inter	600	11px / 0.6875rem	1.4	0.08em
Code	JetBrains Mono	400	14px / 0.875rem	1.6	0
Data	JetBrains Mono	500	16px / 1rem	1.4	0

4.3 Report Typography

For PDF reports and printed materials, adjust sizes for the print medium:

Element	Font	Weight	Size	Line Height
Report Title	Fraunces	700	32pt	1.2
Section Heading	Fraunces	600	20pt	1.3
Subsection	Inter	600	14pt	1.4
Body	Inter	400	11pt	1.6
Table Data	Inter	400	10pt	1.4
Footnote	Inter	400	8pt	1.4

4.4 Typography Rules

- Never use more than two type families on a single page (Fraunces + Inter, or Inter + JetBrains Mono).
- Headlines always use Fraunces. Body always uses Inter. Data always uses JetBrains Mono.
- Maintain consistent vertical rhythm using a 4px baseline grid.
- Paragraphs: use 1em (16px) spacing between paragraphs, not indentation.
- Maximum line length: 65-75 characters for body text to ensure readability.

---

5. Iconography

5.1 Icon Style

Axyntel uses outline-style (stroke) icons exclusively. Filled icons are not part of the brand vocabulary.

- **Stroke weight**: 2px

- **Line caps**: Round
- **Line joins**: Round
- **Corner radius**: Proportional to icon size

5.2 Icon Sizes

Size	Usage
16px	Inline with body text, table indicators, compact UI
20px	Navigation items, list icons, form field icons
24px	Section headers, primary actions, standalone icons

5.3 Icon Colors

Icons inherit color from their context:

- **Electric Blue (#3B82F6)**: Highlighted or active icons
- **Steel (#64748B)**: Neutral or inactive icons
- **Snow (#F1F5F9)**: Icons on dark backgrounds
- **Body Text (#1E293B)**: Icons in report/light contexts

5.4 Icon Library

Preferred source: Lucide Icons (lucide.dev). Lucide provides the consistent stroke style, 2px weight, and rounded aesthetic that aligns with the Axyntel brand.

---

6. Imagery and Photography

6.1 Guiding Principles

Axyntel's visual language is rooted in data, structure, and clarity. Imagery should feel analytical, not decorative.

6.2 Preferred Imagery

- **Abstract data visualizations**: Network graphs, node maps, structured grids
- **Geometric patterns**: Subtle, derived from data structures
- **Gradient glows**: Soft Electric Blue or Electric Light glows on dark backgrounds
- **Charts and diagrams**: Clean, minimal, using the brand color palette

6.3 Background Treatments

- Dark backgrounds (Midnight or Navy) with subtle radial gradient glows
- Gradient direction: from Electric Blue (center/top) fading into Midnight
- Noise texture: optional, at 2-4% opacity for subtle depth

- Never use solid flat backgrounds on marketing materials; always add subtle dimensionality

6.4 What to Avoid

- Stock photography of people shaking hands, pointing at screens, or generic office scenes
- Clipart or cartoon illustrations
- Generic AI-generated imagery (glowing brains, robot hands, etc.)
- Overly saturated or neon color treatments
- Busy or cluttered compositions
- Low-resolution or pixelated assets

---

7. Components

7.1 Buttons

Primary Button

- **Background**: Electric Blue (#3B82F6)
- **Text**: White (#FFFFFF)
- **Font**: Inter SemiBold (600), 14px
- **Padding**: 12px 24px
- **Border radius**: 8px (rounded-lg)
- **Hover**: Electric Light (#60A5FA) background
- **Active**: Darken Electric Blue by 10%
- **Disabled**: 50% opacity

Secondary Button

- **Background**: Transparent
- **Border**: 1px solid Slate (#1E2642)
- **Text**: Snow (#F1F5F9) on dark; Body Text (#1E293B) on light
- **Font**: Inter SemiBold (600), 14px
- **Padding**: 12px 24px
- **Border radius**: 8px
- **Hover**: Slate background at 50% opacity

Ghost Button

- **Background**: Transparent
- **Border**: None
- **Text**: Electric Blue (#3B82F6)
- **Font**: Inter Medium (500), 14px
- **Padding**: 8px 16px

- **Hover**: Electric Blue at 10% opacity background

7.2 Cards

- **Background**: Navy (#111832)
- **Border**: 1px solid Slate (#1E2642)
- **Border radius**: 16px (rounded-xl)
- **Padding**: 24px
- **Shadow**: None by default; subtle shadow on hover if interactive
- **Hover (if interactive)**: Border transitions to Electric Blue at 50% opacity

7.3 Badges / Pills

- **Background**: Electric Blue (#3B82F6) at 10% opacity
- **Text**: Electric Blue (#3B82F6) or Electric Light (#60A5FA)
- **Font**: Inter Medium (500), 12px
- **Padding**: 4px 12px
- **Border radius**: 9999px (full pill)
- **Variants**: Success (green at 10% opacity), Danger (red at 10% opacity)

7.4 Tables

- **Header row**: Navy (#111832) background, Snow (#F1F5F9) text, Inter SemiBold
- **Body rows**: Alternating between transparent and Midnight (#0A0F1E) at 50% opacity
- **Borders**: 1px solid Slate (#1E2642) horizontal rules
- **Cell padding**: 12px 16px
- **Font**: Inter Regular (400), 14px for data; JetBrains Mono for numeric data

Report Tables (Light Context)

- **Header row**: Navy (#111832) background, White text
- **Body rows**: Alternating between White and Subtle Background (#F8FAFC)
- **Borders**: 1px solid #E2E8F0 horizontal rules
- **Cell padding**: 10px 14px

7.5 Input Fields

- **Background**: Midnight (#0A0F1E)
- **Border**: 1px solid Slate (#1E2642)
- **Border radius**: 8px
- **Text**: Snow (#F1F5F9)
- **Placeholder**: Steel (#64748B)
- **Focus**: Border transitions to Electric Blue (#3B82F6)
- **Error**: Border transitions to Danger (#EF4444)
- **Padding**: 12px 16px

- **Font**: Inter Regular (400), 14px

8. Voice and Tone Guidelines

8.1 Writing Principles

Principle	Description
Be direct	Lead with the conclusion. Support with evidence.
Be precise	Quantify claims. Cite sources. Avoid generalizations.
Be efficient	Every sentence must earn its place. Cut ruthlessly.
Be honest	Acknowledge limitations. Flag uncertainty. Never overstate.

8.2 Do

- Use active voice
- Cite evidence and sources
- Use precise language and specific numbers
- Quantify claims ("34% of respondents" not "many respondents")
- Write short paragraphs (3-4 sentences maximum)
- Use bullet points for lists of three or more items
- Define acronyms on first use

8.3 Do Not

- Use buzzwords ("synergy," "leverage," "paradigm shift," "disruptive")
- Make vague promises ("best-in-class," "world-class," "cutting-edge")
- Use exclamation marks excessively (one per page maximum, and only when genuinely warranted)
- Write in passive voice unless the agent is deliberately unknown
- Use filler phrases ("it goes without saying," "at the end of the day," "in order to")
- Hedge excessively ("we think maybe possibly this could potentially")

8.4 Examples

Website Copy

Bad: "We leverage cutting-edge AI to deliver world-class research solutions that will revolutionize your business!"

Good: "Axyntel structures primary-source research into decision-ready intelligence. Clients report compressing 3-week research cycles into 48 hours."

Email Subject Lines

Bad: “Exciting News! Check Out Our Amazing New Platform!!!”

Good: “Your market intelligence report is ready – 47 sources analyzed”

Report Headers

Bad: “A Comprehensive and In-Depth Analysis of the Revolutionary Cloud Computing Market Landscape and Its Incredible Opportunities”

Good: “European Cloud Infrastructure Market: Competitive Landscape and Entry Opportunities, Q1 2026”

LinkedIn Posts

Bad: “Thrilled to announce our AMAZING new feature! We are SO excited about this game-changing innovation that will disrupt the industry!! Like and share!!”

Good: “We analyzed 2,400 vendor evaluation processes across 12 industries. The finding: 73% of B2B buyers make shortlist decisions before speaking to sales. The research that shapes that shortlist is where the leverage is. Full breakdown: axyntel.com/report”

Microcopy (Buttons, Labels)

Bad: “Click Here!” / “Submit Your Information”

Good: “View Report” / “Start Research”

---

9. Report Template Standards

9.1 Title Page

- **Background**: Midnight (#0A0F1E), full bleed
- **Logo**: axyntel. wordmark, centered, upper third
- **Title**: Fraunces Bold (700), 32pt, Snow (#F1F5F9), centered
- **Subtitle/Client**: Inter Medium (500), 14pt, Silver (#CBD5E1), centered below title
- **Date**: Inter Regular (400), 12pt, Steel (#64748B), centered
- **Confidential notice**: Inter Regular (400), 10pt, Steel (#64748B), bottom center
- **Accent**: A subtle horizontal line in Electric Blue (#3B82F6), 2px, 80px wide, between logo and title

9.2 Section Headers

- **H1**: Fraunces SemiBold (600), 20pt, Heading Text (#0F172A)
- **Accent**: A 3px horizontal line in Electric Blue (#3B82F6), spanning the full content width, immediately below the H1. 8pt spacing above and below the line.
- **H2**: Inter SemiBold (600), 14pt, Heading Text (#0F172A)
- **H3**: Inter SemiBold (600), 12pt, Body Text (#1E293B)

9.3 Body Content

- **Background**: White (#FFFFFF)
- **Text**: Body Text (#1E293B), Inter Regular (400), 11pt
- **Margins**: 1 inch (25.4mm) on all sides; 1.25 inches on left for binding when printed
- **Paragraph spacing**: 6pt after each paragraph
- **Maximum width**: Content should not exceed 6.5 inches (165mm) on a US Letter page

9.4 Citations and Footnotes

- **In-text**: Superscript numbers [1], [2], etc.
- **Footnote format**: [Number] Author/Source. "Title." Publication, Date. URL (if applicable).
- **Footnote font**: Inter Regular (400), 8pt, Steel (#64748B)
- **Footnote placement**: Bottom of the page, separated by a 1px Slate rule

Example:

> *[1] Gartner. "Market Guide for AI-Augmented Development." Gartner Research, March 2026. https://gartner.com/doc/example*

9.5 Tables in Reports

- **Header**: Navy (#111832) background, White text, Inter SemiBold (600), 10pt
- **Rows**: Alternating White / Subtle Background (#F8FAFC)
- **Borders**: 1px solid #E2E8F0
- **Numeric data**: Right-aligned, JetBrains Mono Regular (400), 10pt
- **Text data**: Left-aligned, Inter Regular (400), 10pt

9.6 Page Numbers

- **Position**: Bottom right of every page except the title page
- **Font**: Inter Regular (400), 9pt, Steel (#64748B)
- **Format**: "Page X of Y"

9.7 Headers and Footers

- **Header (pages 2+)**: Report title in Inter Regular (400), 9pt, Steel (#64748B), top left. Axyntel logo mark or "axyntel." in 9pt, top right.
- **Footer**: Page number bottom right. Optional confidentiality notice bottom left in 8pt Steel.

---

10. Application Examples

10.1 Website (Dark Theme)

The Axyntel website uses the dark palette as its foundation:

- **Background**: Midnight (#0A0F1E)
- **Navigation**: Navy (#111832) with Slate border-bottom
- **Cards**: Navy background, Slate borders, 16px border radius
- **Headings**: Fraunces, Snow (#F1F5F9)
- **Body text**: Inter, Silver (#CBD5E1)
- **CTAs**: Electric Blue buttons
- **Links**: Electric Light (#60A5FA), no underline; underline on hover
- **Footer**: Midnight background, Steel text

10.2 Reports and PDFs (Light Theme with Dark Title Page)

- **Title page**: Full dark treatment (see Section 9.1)
- **Interior pages**: White background, dark text
- **Accent usage**: Electric Blue for horizontal rules, key metrics, and chart highlights
- **Charts**: Use the full brand palette; Electric Blue for primary data series, Steel for secondary

10.3 Email Signatures

```
[Name]
[Title] | Axyntel
[email] | axyntel.com

Research Intelligence for B2B Decisions
```

- **Name**: Inter SemiBold (600), Body Text color
- **Details**: Inter Regular (400), Steel color
- **Tagline**: Inter Regular (400), italic, Steel color
- No images, no logos in email signatures (to avoid rendering issues across clients)

10.4 LinkedIn Posts

- **Tone**: Analytical, data-forward, insight-led
- **Structure**: Hook (1-2 sentences with a specific number or finding) followed by context followed by a link
- **Formatting**: Use line breaks for readability. No emoji walls. One relevant emoji per post maximum, if any.
- **Hashtags**: Maximum of 3, placed at the end. Preferred: #B2BResearch #MarketIntelligence #Axyntel

10.5 Presentation Slides

- **Background**: Midnight (#0A0F1E)
- **Title slides**: Fraunces Bold, Snow, centered
- **Content slides**: Left-aligned, Inter for body, generous whitespace
- **Data slides**: Charts and tables following the brand color palette

- **Accent**: Electric Blue for emphasis, underlines, and chart highlights
- **Avoid**: Transitions, animations, clip art, decorative elements

---

Appendix A: Quick Reference

Color Swatches

Name	Hex	Role
Midnight	#0A0F1E	Primary background
Navy	#111832	Cards, surfaces
Electric Blue	#3B82F6	Primary accent
Electric Light	#60A5FA	Secondary accent
Snow	#F1F5F9	Headlines on dark
Silver	#CBD5E1	Body on dark
Steel	#64748B	Muted text
Slate	#1E2642	Borders
Success	#22C55E	Positive
Danger	#EF4444	Negative
Body Text	#1E293B	Report body
Heading Text	#0F172A	Report headings

Font Stack

```
--font-display: 'Fraunces', Georgia, serif;
--font-body: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
--font-mono: 'JetBrains Mono', 'Fira Code', monospace;
```

CSS Custom Properties

```
:root {
  /* Primary */
  --color-midnight: #0A0F1E;
  --color-navy: #111832;
  --color-electric: #3B82F6;
  --color-electric-light: #60A5FA;

  /* Neutrals */
  --color-snow: #F1F5F9;
  --color-silver: #CBD5E1;
  --color-steel: #64748B;
```

```
  --color-slate: #1E2642;

  /* Semantic */
  --color-success: #22C55E;
  --color-danger: #EF4444;

  /* Report */
  --color-body-text: #1E293B;
  --color-heading-text: #0F172A;
  --color-bg-white: #FFFFFF;
  --color-bg-subtle: #F8FAFC;
}
```

End of Axyntel Brand Guidelines v1.0

For questions or clarifications, contact the brand team at brand@axyntel.com.