coral-pay-api-nova

```
{
  "baseUrl": "",
 "apiProtocol": "https",
  "isEncryptionUsed": true,
  "encryptionAlgorithm": "PGP",
  "numberOfApis": 3,
  "apiList": [
    {
      "url": "/name-enquiry",
      "method": "POST",
      "headers": {
        "Content-Type": "Text/Plain",
        "SecretKey": "{{Key provided by CoralPay}}"
      },
      "requestParams": [
        {
          "name": "sessionId",
          "description": "Unique session ID",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "000966720915078958283981330700",
          "remark": ""
        },
          "name": "destinationInstitutionId",
          "description": "Unique ID of the destination institution",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "000703",
          "remark": ""
        },
          "name": "accountId",
          "description": "Unique ID of the account",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "1000211487",
          "remark": ""
        }
      ],
      "responseResults": [
          "name": "sessionId",
          "description": "Unique session ID",
```

```
"dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "000966720915078958283981330700",
 "remark": ""
},
{
  "name": "destinationInstitutionId",
  "description": "Unique ID of the destination institution",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "000703",
 "remark": ""
},
  "name": "accountId",
 "description": "Unique ID of the account",
  "dateType": "String",
  "isRequired": true,
 "defaultValue": "",
  "example": "1000211487",
 "remark": ""
},
 "name": "accountName",
 "description": "Name assigned to the account ID",
  "dateType": "String",
 "isRequired": true,
  "defaultValue": "",
 "example": "Ify Obi",
 "remark": ""
},
 "name": "status",
  "description": "Status of the account",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "01",
 "remark": ""
},
 "name": "responseCode",
  "description": "Response code of the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "00",
  "remark": ""
```

```
},
  {
    "name": "responseMessage",
    "description": "Response message of the transaction",
    "dateType": "String",
   "isRequired": true,
    "defaultValue": "",
   "example": "Successful",
   "remark": ""
 },
   "name": "bvn",
   "description": "Bank Verification Number linked to the account",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "11022117237",
   "remark": ""
 },
   "name": "kycLevel",
    "description": "KYC Level of the account",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
   "example": "2",
   "remark": ""
 },
    "name": "accountType",
   "description": "Type of account",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
   "example": "Savings Account",
   "remark": ""
 },
   "name": "nameEnquiryRef",
    "description": "Unique reference returned when the name enquiry is called",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
   "example": "20240529051006228290",
   "remark": ""
 }
]
"url": "/post-credit",
```

},

```
"method": "POST",
"headers": {
 "Content-Type": "Text/Plain",
 "SecretKey": "{{Key provided by CoralPay}}"
},
"requestParams": [
    "name": "sessionId",
    "description": "Unique session ID",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
   "example": "000966444324566658283981389895",
   "remark": ""
 },
    "name": "paymentRef",
    "description": "Unique reference number for the payment",
    "dateType": "String",
    "isRequired": true,
   "defaultValue": "",
    "example": "2023012123345211290009765",
   "remark": ""
 },
   "name": "destinationInstitutionId",
   "description": "Unique ID of the destination institution",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
   "example": "000703",
   "remark": ""
 },
   "name": "creditAccount",
    "description": "Account number to be credited",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "1000211487",
   "remark": ""
 },
   "name": "creditAccountName",
    "description": "Name of the account to be credited",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "Sola Badmus",
    "remark": ""
```

```
},
{
 "name": "sourceAccountId",
  "description": "Account number of the sender",
  "dateType": "String",
 "isRequired": true,
  "defaultValue": "",
 "example": "2001223145",
 "remark": ""
},
 "name": "sourceAccountName",
 "description": "Account name of the sender",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "Ify Obi",
 "remark": ""
},
 "name": "narration",
  "description": "Narration of the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "Payment for food",
 "remark": ""
},
  "name": "channel",
  "description": "Channel where the transaction is initiated",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "USSD",
  "remark": ""
},
 "name": "group",
  "description": "Classification of the account doing the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "Corporate",
 "remark": ""
},
  "name": "sector",
  "description": "Sector of the institution",
  "dateType": "String",
```

```
"isRequired": true,
    "defaultValue": "",
    "example": "Banking",
    "remark": ""
  },
  {
    "name": "amount",
    "description": "Amount to credit the customer",
    "dateType": "Decimal",
    "isRequired": true,
    "defaultValue": "",
    "example": 5000.00,
    "remark": ""
  },
    "name": "nameEnquiryRef",
    "description": "Unique reference returned when the name enquiry is called",
    "dateType": "String",
    "isRequired": false,
    "defaultValue": "",
    "example": "20230323011254478394",
    "remark": ""
  }
],
"responseResults": [
    "name": "sessionId",
    "description": "Unique session ID",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "000966444324566658283981389895",
    "remark": ""
  },
    "name": "paymentRef",
    "description": "Unique reference number for the payment",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "2023012123345211290009765",
    "remark": ""
  },
    "name": "destinationInstitutionId",
    "description": "Unique ID of the destination institution",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "000703",
```

```
"remark": ""
},
 "name": "creditAccount",
  "description": "Account number to be credited",
  "dateType": "String",
  "isRequired": true,
 "defaultValue": "",
  "example": "1000211487",
 "remark": ""
},
  "name": "creditAccountName",
  "description": "Name of the account to be credited",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "Sola Badmus",
 "remark": ""
},
 "name": "sourceAccountId",
 "description": "Account number of the sender",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "2001223145",
 "remark": ""
},
{
 "name": "sourceAccountName",
  "description": "Account name of the sender",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "Ify Obi",
 "remark": ""
},
  "name": "narration",
  "description": "Narration of the transaction",
  "dateType": "String",
  "isRequired": true,
 "defaultValue": "",
  "example": "Payment for food",
 "remark": ""
},
{
  "name": "channel",
  "description": "Channel where the transaction is initiated",
```

```
"dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "USSD",
  "remark": ""
},
{
  "name": "group",
  "description": "Classification of the account doing the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "Corporate",
  "remark": ""
},
  "name": "sector",
  "description": "Sector of the institution",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "Banking",
  "remark": ""
},
{
  "name": "amount",
  "description": "Amount to credit the customer",
  "dateType": "Decimal",
  "isRequired": true,
  "defaultValue": "",
  "example": 5000.00,
  "remark": ""
},
  "name": "transactionDate",
  "description": "Date of the transaction",
  "dateType": "DateTime",
  "isRequired": true,
  "defaultValue": "",
  "example": "2023-03-23 10:28:25.007",
  "remark": ""
},
  "name": "responseCode",
  "description": "Response code of the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "00",
  "remark": ""
```

```
},
      "name": "responseMessage",
      "description": "Response message of the transaction",
      "dateType": "String",
      "isRequired": true,
      "defaultValue": "",
      "example": "Successful",
      "remark": ""
    },
      "name": "nameEnquiryRef",
      "description": "Unique reference returned when the name enquiry is called",
      "dateType": "String",
      "isRequired": false,
      "defaultValue": "",
      "example": "20230323011254478394",
      "remark": ""
    }
  1
},
{
  "url": "/transaction-query",
  "method": "POST",
  "headers": {
    "Content-Type": "Text/Plain",
    "SecretKey": "{{Key provided by CoralPay}}"
  },
  "requestParams": [
    {
      "name": "sessionId",
      "description": "Unique session ID",
      "dateType": "String",
      "isRequired": true,
      "defaultValue": "",
      "example": "000966367432476535828398145678",
      "remark": ""
    }
  ],
  "responseResults": [
    {
      "name": "sessionId",
      "description": "Unique session ID",
      "dateType": "String",
      "isRequired": true,
      "defaultValue": "",
      "example": "000966367432476535828398145678",
      "remark": ""
    },
    {
```

```
"name": "paymentRef",
  "description": "Unique reference number for the payment",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "2023012123345211290009765",
  "remark": ""
},
{
 "name": "destinationInstitutionId",
  "description": "Unique ID of the destination institution",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "000703",
 "remark": ""
},
{
  "name": "creditAccount",
  "description": "Account number to be credited",
  "dateType": "String",
  "isRequired": true,
 "defaultValue": "",
  "example": "1000211454",
 "remark": ""
},
{
  "name": "creditAccountName",
 "description": "Name of the account to be credited",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "Sola Badmus",
 "remark": ""
},
  "name": "sourceAccountId",
  "description": "Account number of the sender",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "2001223145",
 "remark": ""
},
  "name": "sourceAccountName",
  "description": "Account name of the sender",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
```

```
"example": "Ify Obi",
 "remark": ""
},
 "name": "narration",
 "description": "Narration of the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "Payment for food",
 "remark": ""
},
 "name": "channel",
  "description": "Channel where the transaction is initiated",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "USSD",
 "remark": ""
},
 "name": "group",
  "description": "Classification of the account doing the transaction",
  "dateType": "String",
  "isRequired": true,
 "defaultValue": "",
  "example": "Corporate",
 "remark": ""
},
{
  "name": "sector",
  "description": "Sector of the institution",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
 "example": "Banking",
 "remark": ""
},
  "name": "amount",
 "description": "Amount to credit the customer",
  "dateType": "Decimal",
  "isRequired": true,
  "defaultValue": "",
  "example": 5000.00,
 "remark": ""
},
  "name": "transactionDate",
```

```
"description": "Date of the transaction",
          "dateType": "DateTime",
          "isRequired": true,
          "defaultValue": "",
          "example": "2022-02-28T07:05:50.1994153+01:00",
          "remark": ""
        },
        {
          "name": "responseCode",
          "description": "Response code of the transaction",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "00",
          "remark": ""
        },
        {
          "name": "responseMessage",
          "description": "Response message of the transaction",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "Successful",
          "remark": ""
        }
      ]
   }
 ]
}
```