

coral-pay-api-meta

```
{
  "baseUrl": "https://api.coralpay.com",
  "apiProtocol": "https",
  "isEncryptionUsed": true,
  "encryptionAlgorithm": "PGP",
  "numberOfApis": 3,
  "apiList": [
    {
      "url": "/name-enquiry",
      "method": "POST",
      "headers": {
        "Content-Type": "Text/Plain",
        "SecretKey": "{{Key provided by CoralPay}}"
      },
      "requestParams": [
        {
          "name": "sessionId",
          "description": "Unique session ID",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "000966720915078958283981330700",
          "remark": "30-digit string consisting of a 6-digit Bank's Institution ID, followed by a 12-digit cur"
        },
        {
          "name": "destinationInstitutionId",
          "description": "Unique ID of the destination institution",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "000703",
          "remark": "See below for list of institution codes"
        },
        {
          "name": "accountId",
          "description": "Unique ID of the account",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "1000211487",
          "remark": ""
        }
      ],
      "responseResults": [
        {
          "name": "sessionId",
          "description": "Unique session ID",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "000966720915078958283981330700",
          "remark": ""
        },
        {
          "name": "destinationInstitutionId",
          "description": "Unique ID of the destination institution",
          "dateType": "String",
          "isRequired": true,
          "defaultValue": "",
          "example": "000703",
          "remark": ""
        }
      ]
    }
  ]
}
```

```

},
{
  "name": "accountId",
  "description": "Unique ID of the account",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "1000211487",
  "remark": ""
},
{
  "name": "accountName",
  "description": "Name assigned to the account ID",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "Ify Obi",
  "remark": ""
},
{
  "name": "status",
  "description": "Status of the account",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "01",
  "remark": "01 (For Active account) or 02 (for Closed/Locked/Dormant Account)"
},
{
  "name": "responseCode",
  "description": "Response code of the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "00",
  "remark": ""
},
{
  "name": "responseMessage",
  "description": "Response message of the transaction",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "Successful",
  "remark": ""
},
{
  "name": "bvn",
  "description": "Bank Verification Number linked to the account",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "11022117237",
  "remark": ""
},
{
  "name": "kycLevel",
  "description": "KYC Level of the account",
  "dateType": "String",
  "isRequired": true,
  "defaultValue": "",
  "example": "2",
  "remark": "1, 2 or 3"
},
{

```

```

        "name": "accountType",
        "description": "Type of account",
        "dateType": "String",
        "isRequired": true,
        "defaultValue": "",
        "example": "Savings Account",
        "remark": ""
    },
    {
        "name": "nameEnquiryRef",
        "description": "Unique reference that is returned when the name enquiry is called",
        "dateType": "String",
        "isRequired": true,
        "defaultValue": "",
        "example": "20240529051006228290",
        "remark": ""
    }
]
},
{
    "url": "/post-credit",
    "method": "POST",
    "headers": {
        "Content-Type": "Text/Plain",
        "SecretKey": "{{Key provided by CoralPay}}"
    },
    "requestParams": [
        {
            "name": "sessionId",
            "description": "Unique session ID",
            "dateType": "String",
            "isRequired": true,
            "defaultValue": "",
            "example": "000966444324566658283981389895",
            "remark": "30-digit string consisting of a 6-digit Bank's Institution ID, followed by a 12-digit cur"
        },
        {
            "name": "paymentRef",
            "description": "Unique reference number for the payment generated by the source institution",
            "dateType": "String",
            "isRequired": true,
            "defaultValue": "",
            "example": "2023012123345211290009765",
            "remark": ""
        },
        {
            "name": "destinationInstitutionId",
            "description": "Unique ID of the destination institution",
            "dateType": "String",
            "isRequired": true,
            "defaultValue": "",
            "example": "000703",
            "remark": "See below for list of institution codes"
        },
        {
            "name": "creditAccount",
            "description": "Account number to be credited with the payment",
            "dateType": "String",
            "isRequired": true,
            "defaultValue": "",
            "example": "1000211487",
            "remark": ""
        },
        {
            "name": "creditAccountName",

```

```

    "description": "Name of the account that is to be credited with the payment",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "Sola Badmus",
    "remark": "Max length = 200 characters"
  },
  {
    "name": "sourceAccountId",
    "description": "Account number of the sender that initiates the transaction",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "2001223145",
    "remark": ""
  },
  {
    "name": "sourceAccountName",
    "description": "Account name of the sender that initiates the transaction",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "Ify Obi",
    "remark": "Max length = 200 characters"
  },
  {
    "name": "narration",
    "description": "Narration of the transaction",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "Payment for food",
    "remark": "Max length = 300 characters"
  },
  {
    "name": "channel",
    "description": "Channel where the transaction is initiated from",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "USSD",
    "remark": "See below for list of channels"
  },
  {
    "name": "group",
    "description": "Classification of the account doing the transaction",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "Corporate",
    "remark": ""
  },
  {
    "name": "sector",
    "description": "Sector of the institution",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "Banking",
    "remark": ""
  },
  {
    "name": "amount",
    "description": "Amount to credit the customer",
    "dateType": "Decimal",

```

```
    "isRequired": true,
    "defaultValue": "",
    "example": 5000.00,
    "remark": "Must be greater than 0, with a maximum of 16 digits"
  },
  {
    "name": "nameEnquiryRef",
    "description": "Unique reference that is returned when the name enquiry is called",
    "dateType": "String",
    "isRequired": false,
    "defaultValue": "",
    "example": "20230323011254478394",
    "remark": ""
  }
],
"responseResults": [
  {
    "name": "sessionId",
    "description": "Unique session ID",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "000966444324566658283981389895",
    "remark": ""
  },
  {
    "name": "paymentRef",
    "description": "Unique reference number for the payment generated by the source institution",
    "dateType": "String",
    "isRequired": true,
    "defaultValue": "",
    "example": "202301212334,
```