Social Networks and Link Prediction


- 1. Simple heuristic based on friends of friends (FoF)
- 2. Based on machine learning ranker
- 3. Hybrid model based on a supervised random walk
- A snapshot of a social network is used to suggest new friends and entities that should link.
- Social network sites such as LinkedIn, Google+, and Facebook use a friends suggestion algorithm to help users broaden their networks.


Link Prediction

Will nodes 33 and 28 become friends in the future?

Does network structure contain enough information to predict what new links will form in the future?

What about 27 and 4?






Link Prediction Methods

In order for the proximity measures to make sense while estimating similarity among vertices, we will need to modify these measures.

We will consider such proximity measures under three different categories:

- Node-Neighborhood-Based Methods
 - Common neighbors
 - Jaccard's coefficient
 - Adamic-Adar
- All-Paths-Based Methodologies
 - PageRank
 - SimRank
- Higher-Level Approaches
 - Unseen bigrams
 - Clustering




21 of 76 **Friend Recommendation** Friendship by Number of Hops 1e+86 ■ Learn to recommend potential friends 100000 10000 ■ Facebook link creation (L. Backstorm 2011) 1000 ■92% of new friendships on 100 FB are friend of a friend 10 ■ Triadic closure (Granovetter 1973) Relative Probability of Adding a Friend ■ More common friends helps: 10000 Reliable Probabilities 1000 0001 ■ Social capital (Coleman, 1988)

25 of 76

Friends Suggestions: Facebook

Friends Suggestions

- Approximately 1.5 billion people on Facebook's network
- Each profile has about 150 friends
- That works out to about 20,000 FoFs
- We want to suggest good links, rather than overload the user with suggestions



Algorithm Sketch: Most FoF Will Not Be Good Suggestions





Figure 7.12 An example of FOF where Joe and Jon are considered FoFs to Jim

- FoF is a list of individuals who are indirectly connected to you through friends.
 - Not everybody in this list will be familiar to you.
 - E.g., I lived in Japan for five years, so just because you know me does not mean you know my friends in Japan.

42 of 76

FoF Ranking Algorithm (cont.)




- · For each FoF:
 - Determine the number of common friends.
 - Sort suggestions in decreasing order of count.

Implement the FoF Algorithm in MapReduce

- Two MapReduce jobs are required to calculate the FoFs for each user in a social network.
- Job 1: Produce a list of FoFs and number of mutual friends.
 - Job calculates the common friends for each user.
- Job 2: Sort list of FoF suggestions.
 - The second job sorts the common friends by the number of connections to your friends.


49 of 76

Friend Graph as an Adjacency List



50 of 76

Generate a List of FoFs for Jim



55 of 76

Summary on Friend Suggestion Algorithm: FoFs

- First cut at suggesting new connections on social networks
 - o Can we do better?
- Limited our exploration new connections to friends of friends
 - Other sources of new connections
 - E.g., both attended the same high school and graduated the same year; worked in the same 50-person company

Algorithm for Ranking 22.5 K FoFs

Link Suggestion Version #2: Use machine learning

22500 fof = 150*150

Two-stage system

- Step 1: Rank based on FoFs based on mutual friends (and possible other criteria such as hometown, high school, company, university).
- Step 2: Score each candidate suggestion and rerank using, say, a logistic regression model.
 - Select top N (say 1000) from step 1 and rescore using a machine learning logistic regression model.
 - Build a friend-connection model.
 - Build models at different levels:
 - Global model, local to a country, local to a type of person

71 of 76

ML Connection Model

- Goal: Expand a network for an individual (or a group)
- Data collection
- · Feature engineering
- Modeling using logistic regression or gradient-boosted decision trees (binomial logistic version)
- Evaluation in the lab (using a held-out test set)
- AB test in the wild

Friend-Link Suggestions in Social Graphs

- 1. Simple heuristic based on friends-of-friends (FoFs)
- 2. Based on machine learning ranker
- 3. Next section:
 - Hybrid model based on a supervised random walk