The Pumping Lemma for CFL's

Statement Applications

Intuition

- Recall the pumping lemma for regular languages.
- ◆It told us that if there was a string long enough to cause a cycle in the DFA for the language, then we could "pump" the cycle and discover an infinite sequence of strings that had to be in the language.

Intuition -(2)

- For CFL's the situation is a little more complicated.
- We can always find two pieces of any sufficiently long string to "pump" in tandem.
 - That is: if we repeat each of the two pieces the same number of times, we get another string in the language.

Statement of the CFL Pumping Lemma


For every context-free language L There is an integer n, such that For every string z in L of length \geq n There exists z = uvwxy such that:

- 1. $|vwx| \leq n$.
- 2. |vx| > 0.
- 3. For all $i \ge 0$, uv^iwx^iy is in L.


Proof of the Pumping Lemma

- Let the grammar have m variables.
- \bullet Pick $n = 2^m$.
- ◆Let |z| ≥ n.


Parse Tree in the Pumping-Lemma Proof




Pump Zero Times



Pump Twice



Pump Thrice Etc., Etc.



Using the Pumping Lemma

- Non-CFL's typically involve trying to match two pairs of counts or match two strings.
- ◆ Example: The text uses the pumping lemma to show that {ww | w in (0+1)*} is not a CFL.

Using the Pumping Lemma – (2)

- \bullet {0ⁱ10ⁱ | i \ge 1} is a CFL.
 - We can match one pair of counts.
- ♦ But $L = \{0^{i}10^{i}10^{i} | i \ge 1\}$ is not.
 - We can't match two pairs, or three counts as a group.
- Proof using the pumping lemma.
- Suppose L were a CFL.
- Let n be L's pumping-lemma constant.

Using the Pumping Lemma – (3)

- \bullet Consider $z = 0^n 10^n 10^n$.
- We can write z = uvwxy, where $|vwx| \le n$, and $|vx| \ge 1$.
- Case 1: vx has no 0's.
 - Then at least one of them is a 1, and uwy has at most one 1, which no string in L does.

Using the Pumping Lemma – (4)

- Still considering $z = 0^{n}10^{n}10^{n}$.
- Case 2: vx has at least one 0.
 - vwx is too short (length \leq n) to extend to all three blocks of 0's in $0^n10^n10^n$.
 - Thus, uwy has at least one block of n 0's, and at least one block with fewer than n 0's.
 - Thus, uwy is not in L.