# Enable GitHub Actions (Workflows) for an organization/repo

GitHub Actions has been turned on for our on-prem GitHub Enterprise Server, with runners ephemerally provisioned in EKS. The intention for GHA Workflows is to address "quality-of-life" improvements for teams with regards to things like quick PR validations, Slack/notification integration, etc. We *do not* intend for GHA Workflows to supplant Forge/Jenkins for regular builds, deployments, CI/CD, etc. (GHA Workflows ***only*** have EKS runners, and no Mac or Windows runners, for one.)

For guidelines on writing GitHub Workflows, please see the "Writing workflows" GitHub docs.

Currently, workflows are allowed to use actions from:

- any repo in our on-prem GitHub Enterprise Server
- any action on GitHub.com authored by GitHub (the **`actions/...`** actions, like **`actions/checkout`**)
- any action on GitHub.com authored by a "verified publisher"
- any other action we've explicitly allow-listed
    - MishaKav/**pytest-coverage-comment**@*
    - golangci/**golangci-lint-action**@*

Note that actions from GitHub.com are "magically" found; if the referenced org/repo does not exist locally, the runner will reach out to GitHub.com to see if it can be found there. This means that workflows (and examples) can typically be used as-is.

For a given repo, you can check to see if you have access to the actions runners by visiting the repo's **Settings** **Actions** **Runners** page (`https://github-ca.corp.zynga.com/`***`ORG_NAME`***`/`***`REPO_NAME`***`/settings/actions/runners`). If it looks like this:




... then the organization likely needs a one-time configuration change that any organization admin can perform.

Visit the organization **Settings** **Actions** **Runner groups** page (`https://github-ca.corp.zynga.com/organizations/`***`ORG_NAME`***`/settings/actions/runner-groups`):




... and click on the "Shared by the Enterprise" **Default** item.

This will bring you to the permissions page on which you will likely see that the "Repository access" is set to "Selected repositories" with no selected repositories. Change the dropdown to **All repositories**:




You also might want/need to allow the runner group to be used with "public" repos:




After this, GitHub will save the change and you should see the **forge-eks** runner group shared with the repo:

DeveloperServices / github-actions-poc

Code | Issues | Pull requests | Actions | Projects | Wiki | Security | Insights | Settings

General

Access

Collaborators and teams

Team and member roles

Code and automation

Branches

Tags

Rules

Actions

General

Runners

Hooks

Environments

Pages

Custom properties

# Runners

New self-hosted runner

Host your own runners and customize the environment used to run jobs in your GitHub Actions workflows. Learn more about self-hosted runners.

## There are no runners configured

Learn more about using runners to run actions on your own servers.

## Shared with this repository

| Runners | Status |
| --- | --- |
| forge-eks Enterprise forge-eks<br>Runner group: Default | Online |