DBMS MCQ

Modules

1. Introduction to DBMS
2. Introduction to SQL
3. DDL
4. Constraints
5. DML
6. Single Row Funtions
7. Group Funtions
8. SQL Joins
9. Sub Queries
10. Advanced Sub
11. Views
12. Set Operators and Pseudo Column
13. Normalization

Module 1: Introduction to DBMS

Question 1

Which of the following is not an advantage of the DBMS?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	User application data creation.		*100*
B.	Data independence and efficient access.		*0*
C.	Reduced application development time.		*0*
D.	Data integrity and security.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 2

Which Background process updates the online redo log files with the redo log buffer entries when a COMMIT occurs in the database?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	LGWR		*100*
B.	DBWn		*0*
C.	CKPT		*0*
D.	CJQn		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 3

Which files can be multiplexed?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Data Files		*100*
B.	Control Files		*0*
C.	Parameter Files		*0*
D.	Data Buffer Cache		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 4

Which Statement about the Data files is not true?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A data file Can belong to only one tablespace		*0*
B.	At least one data file is required for each tablespace		*0*
C.	Maintain the logs of the changes made to the database to enable recovery.		*100*
D.	Data File contains the data in the database, including tables, indexes, temp segments etc		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 5

Which Statement about the Oracle Initialization Parameter Files (init.ora) is not true?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	D
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Enclose in quotation marks any parameter value that contains a special character		*0*
B.	An initialization parameter file should contain only parameters and comments.		*0*
C.	Several parameters can be specified on one line, separated by a space		*0*
D.	Parameters must be specified in a predefined order.		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 6

What is not true about the Oracle Instance?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Oracle Instance provides means to access Oracle database		*0*
B.	Oracle Instance is a collection of data that is treated as a unit, which stores and retrieves related information		*100*
C.	Oracle Instance can open and use one database at a time		*0*
D.	Oracle Instance consists of SGA and background processes		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 7

Which of the following is not a part of System Global Area?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Redo log Buffer		*0*
B.	Data Buffer Cache		*0*
C.	Parameter Files		*100*
D.	Shared Pool		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 8

Which of the following statements about the Data buffer cache is not true?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Data buffer cache stores a collection of the most recently used SQL statements.		*100*
B.	Data buffer cache stores the most recently used data		*0*
C.	Data buffer cache read and write data to and from the data files		*0*
D.	Size of each buffer in the Data buffer cache is equal to the size of an Oracle Block.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 9

Which of the following statements about the Redo log buffer is not true?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The client process records changes in the redo log buffer		*100*
B.	The Redo log buffer records changes made to a database		*0*
C.	The server process records changes in the redo log buffer		*0*
D.	The Redo log buffer records the block that is changed, the location of the change and the new Value.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 10

Which of the following is not stored by the Library Cache?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Results of the SQL statements		*100*
B.	The text of SQL statement		*0*
C.	The Parse Tree: complied version of a statement.		*0*
D.	The Execution Plan		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 11

Which of the following is not true about the Shared Pool?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The shared pool can be used by multiple SQL statements for the processing of data retrieved.		*100*
B.	Shared Pool is a part of the SGA		*0*
C.	Shared Pool consists of the Library cache and the Data dictionary cache		*0*
D.	The shared pool is sized by SHARED_POOL_SIZE parameter of init.ora		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 12

Which of the following systems requires a database?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Payroll System		*0*
B.	Airline reservations system		*0*
C.	A web site that is capturing registered users		*0*
D.	All of the above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 13

Which of the following is not contained in the Program Global Area?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SQL Execution Plan		*100*
B.	Session information		*0*
C.	Cursor information		*0*
D.	SQL execution work areas		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 14

Which of the following is not a valid level of abstraction in a DBMS?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Tables		*100*
B.	Views		*0*
C.	Conceptual Schema		*0*
D.	Physical Schema		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 15

Which of the following is not among the ACID properties of a Transaction?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Independence		*100*
B.	Atomicity		*0*
C.	Consistency		*0*
D.	Durability		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 16

Which of the following are the advantages of the DBMS over a conventional file system that stores data, in terms of processing power requires a database?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above		*100*
B.	Ability to create Data Reports		*0*
C.	Efficient Querying of Data		*0*
D.	Matching and Sorting		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 17

Which of the following is not a valid type of a database management system?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	OODBMS (Operations Oriented Database Management System)		*100*
B.	NDBMS (Networked Database Management System)		*0*
C.	HDBMS (Hierarchical Database Management System)		*0*
D.	unsigned charRDBMS (Relational Database Management System)		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 18

Which of the following is not a part of the Oracle Database?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Shared Pool		*100*
B.	Data Files		*0*
C.	Control Files		*0*
D.	Redo Log Files		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 19

In an instance, multiple _____ can share an SGA.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Server Processes		*0*
B.	PMON Processes		*0*
C.	Instances		*100*
D.	Databases		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 20

Which component in the following list is not part of the System Global Area (SGA)?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Sort Area		*100*
B.	Database Buffer Cache		*0*
C.	Library Cache		*0*
D.	Shared Pool		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 2: Introduction to SQL

Question 21

What does SQL stand for?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Structured Query Language		*100*
B.	Structured Question Language		*0*
C.	Strong Question Language		*0*
D.	Strong Query Language		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 22

The Employee table contains these columns: Empno Number(4) Ename Varchar2(10) job varchar2(10) sal Varchar2(10) You need to display employee information using this query. **SELECT** Empno, Ename, Job "Employee Information" **FROM** employee; How many columns are presented after executing this query?	*MC*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	2		*0*
B.	1		*100*
C.	3		*0*
D.	0		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 23

The ITEM table contains these columns: ITEM_ID **NUMBER**(9) COST **NUMBER**(7,2) RETAIL **NUMBER**(7,2) The RETAIL and COST columns contain values greater than zero. Evaluate these two SQL statements: 1. **SELECT** item_id, (retail * 1.25) + 5.00 - (cost * 1.10) - (cost * .10) **AS** Calculated Profit **FROM** item; 2. **SELECT** item_id, retail * 1.25 + 5.00 - cost * 1.10 - cost * .10 "Calculated Profit" **FROM** item; What will be the result?	*MC*

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	One of the statements will NOT execute.		*100*
B.	Statement 1 will display the 'Calculated Profit' column heading.		*0*
C.	Statement 1 and statement 2 will return the same value.		*0*
D.	Statement 1 will return a higher value than statement 2.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 24

Which SQL statement generates the alias Annual Salary for the calculated column SALARY*12?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** ename, salary*12 **AS** INITCAP ('ANNUAL SALARY') **FROM** employees;		*0*
B.	**SELECT** ename, salary*12 **AS** Annual Salary **FROM** employees;		*0*
C.	**SELECT** ename, salary*12 Annual Salary **FROM** employees;		*0*
D.	**SELECT** ename, salary*12 'Annual Salary' **FROM** employees;		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 25

Evaluate this SQL statement: **SELECT** ename, sal, 12*sal+100 **FROM** emp; The SAL column stores the monthly salary of the employee. Which change must be made to the above syntax to calculate the annual compensation as "monthly salary plus a monthly bonus of $100, multiplied by 12"?	*MC*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**SELECT** ename, sal, 12*(sal+100) **FROM** emp;		*100*
B.	No change is required to achieve the desired results		*0*
C.	**SELECT** ename, sal, (12*sal) +100 **FROM** emp;		*0*
D.	**SELECT** ename, sal+100,*12 **FROM** emp;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 26

You need to produce output that states "Dear Customer customer_name, ". The customer_name data values come from the CUSTOMER_NAME column in the CUSTOMERS table. Which statement produces this output?	*MC*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**SELECT** 'Dear Customer ' customer_name ',' **FROM** customers;		*100*
B.	**SELECT** dear customer, customer_name, **FROM** customers;		*0*
C.	**SELECT** "Dear Customer", customer_name ',' **FROM** customers;		*0*
D.	**SELECT** 'Dear Customer ' customer_name ',' **FROM** customers;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 27

Which of the following query will correctly display each row of the Employees table only once given that Employees table may contain duplicate rows?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** distinct * from employees;		*100*
B.	**SELECT** unique rows from employees;		*0*
C.	**SELECT** * from employees;		*0*
D.	**SELECT** distinct rows from employees;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 28

What will be the output of the following query? **SELECT** 1 **FROM** employees;			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	This statement will return 1 as many times as the number of rows in the employees table.		*100*
B.	This statement will return first row of the employees table		*0*
C.	This statement will return only one row and one column in output and value will be 1.		*0*
D.	This statement will return error.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 29

What of the following statements is not true?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Clauses must be placed on separate lines.		*100*
B.	SQL statements are not case sensitive.		*0*
C.	SQL statements can be on one or more lines.		*0*
D.	Keywords cannot be abbreviated or split across lines.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 30

What is true about NULL?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	NULL is a value that is unavailable, unassigned, unknown, or inapplicable		*100*
B.	NULL is same as blank spaces		*0*
C.	NULL in a number column can be treated as zero		*0*
D.	NULL means an incorrect value		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 31

What should be the result of the expression for the employees having commission_pct as NULL? **SELECT** 12 * salary * commission_pct 'ANNSAL_COMM' **FROM** employees;			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of the above		*0*
B.	Zero		*0*
C.	NULL		*100*
D.	Unpredictable		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 32

Which SQL statement is used to extract data from a database?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SELECT		*100*
B.	GET		*0*
C.	OPEN		*0*
D.	EXTRACT		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 33

Which statement about the column aliases is not True?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	"AS" keyword must be used between the column name and the column alias		*100*
B.	A column alias renames a column heading		*0*
C.	A column alias requires double quotation marks if it contains spaces or special characters or is case sensitive		*0*
D.	Immediately follows the column name.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 34

With SQL, how do you select a column named "FirstName" from a table named "Persons"?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** Persons.FirstName ;		*0*
B.	**SELECT** FirstName **FROM** Persons;		*100*
C.	EXTRACT FirstName FROM Persons ;		*0*
D.	**SELECT FROM** persons the FirstName;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 35

In the following query, which expression is evaluated first? **SELECT** id_number, (quantity - 100 / 0.15 + 20 - 10) **FROM** inventory			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	D. 20 - 10		*0*
B.	0.15 + 20		*0*
C.	100 / 0.15		*100*
D.	quantity - 100		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 36

Which SQL statement is used to return only different values?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT DISTINCT**		*100*
B.	**SELECT** DIFFERENT		*0*
C.	**SELECT UNIQUE**		*0*
D.	**SELECT** NO DUPLICATES		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 37

Which clauses of a SELECT statement are mandatory?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SELECT and FROM		*100*
B.	Only SELECT		*0*
C.	SELECT and WHERE		*0*
D.	SELECT, FROM and WHERE		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 38

Which SELECT statement should you use if you want to display unique combinations of the POSITION and MANAGER values from the EMPLOYEE table?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** position, manager **DISTINCT FROM** employee;		*0*
B.	**SELECT DISTINCT** position, manager **FROM** employee;		*100*
C.	**SELECT** position, manager **FROM** employee;		*0*
D.	**SELECT** position, **DISTINCT** manager **FROM** employee;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 39

You are formulating queries in a SQL* Plus. Which of the following statement correctly describes how to specify a column alias?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Place the alias at the end of the statement to describe the table.		*0*
B.	Place the alias after each column separated by a comma to describe the column.		*0*
C.	Place the alias after each column separated by a space to describe the column.		*100*
D.	Place the alias at the beginning of the statement to describe the table.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 40

With SQL, how do you select all the columns from a table named "Persons"?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** *.Persons		*0*
B.	**SELECT** Persons		*0*
C.	**SELECT** [all] **FROM** Persons		*0*
D.	**SELECT** * **FROM** Persons		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 3: DDL

Question 41

What does the TRUNCATE statement do?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Removes the table		*100*
B.	Removes all rows from a table		*0*
C.	Shortens the table to 10 rows		*0*
D.	Removes all columns from a table		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 42

Which statement about data types is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The CHAR datatype should be used for fixed-length character data		*100*
B.	The TIMESTAMP data type is an extension of the VARCHAR2 data type		*0*
C.	The BLOB data type stores character data up to four gigabytes		*0*
D.	The VARCHAR2 data type stores character data up to four gigabytes		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 43

The EMPLOYEES table has these columns: LAST_NAME **VARCHAR2**(35) SALARY **NUMBER**(8,2) HIRE_DATE **DATE** Management wants to add a default value to the SALARY column. You plan to alter the table by using this SQL statement: **ALTER TABLE** EMPLOYEES **MODIFY** (SALARY **DEFAULT** 5000); What is true about your ALTER statement?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	A change to the DEFAULT value affects only subsequent insertions to the table.		*100*
B.	Column definitions cannot be altered to add DEFAULT values.		*0*
C.	Column definitions cannot be altered at add DEFAULT values for columns with a NUMBER data type		*0*
D.	All the rows that have a NULL value for the SALARY column will be updated with the value5000.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 44

You need to change the definition of an existing table. The COMMERCIALS table needs its DESCRIPTION column changed to hold varying length characters up to 2000 bytes. The column can currently hold 1000 bytes per value. The table contains 20000 rows. Which statement is valid?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**ALTER TABLE** commercials **MODIFY** (description **VARCHAR2**(2000));		*100*
B.	**ALTER TABLE** commercials **MODIFY** (description CHAR2(2000));		*0*
C.	**ALTER TABLE** commercials CHANGE (description CHAR2(2000));		*0*
D.	**ALTER TABLE** commercials CHANGE (description **VARCHAR2**(2000));		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 45

Evaluate the SQL statement: **DROP TABLE** DEPT; Which statement is false about the above SQL statement?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All views based on the DEPT table are deleted.		*100*
B.	You cannot roll back this statement.		*0*
C.	All pending transactions are committed.		*0*
D.	All indexes based on the DEPT table are dropped.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 46

Which statement describes the ROWID data type?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A hexadecimal string representing the unique address of a row in its table.		*100*
B.	Binary data up to 4 gigabytes		*0*
C.	Character data up to 4 gigabytes.		*0*
D.	Raw binary data of variable length up to 2 gigabytes.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 47

You just issued the following statement. **ALTER TABLE** marketing **DROP COLUMN** profit; Which of the following choices identified when the column will actually be removed from database?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	Immediately following statement execution.		*100*
B.	After the Alter table drop unused columns command is issued.		*0*
C.	After the Alter table set unused column command is issued.		*0*
D.	After the Alter table modify command is issued.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 48

Which of the following can be a valid table name?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Catch_#22		*100*
B.	Number		*0*
C.	1966_Invoices		*0*
D.	#Invoices		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 49

Which describes the default behaviour when you create a table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Tables are created in your schema.		*100*
B.	The table is accessible to all users.		*0*
C.	Tables are created in the public schema.		*0*
D.	Tables are created in the DBA schema.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 50

You need to modify the STUDENTS table to add a primary key on the STUDENT_ID column. The table is currently empty. Which statement accomplishes this task?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** students **ADD CONSTRAINT** stud_id_pk **PRIMARY KEY** (student_id);		*100*
B.	**ALTER TABLE** students **ADD PRIMARY KEY** student_id;		*0*
C.	**ALTER TABLE** students **ADD CONSTRAINT PRIMARY KEY** (student_id);		*0*
D.	**ALTER TABLE** students **ADD CONSTRAINT** stud_id_pk **PRIMARY KEY** student_id;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

‘

Question 51

Evaluate the SQL statement: **TRUNCATE TABLE** DEPT; Which statement is not true about the SQL statement?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It releases the storage space used by the table.		*100*
B.	It does not release the storage space used by the table.		*0*
C.	You can NOT roll back the deletion of rows after the statement executes.		*0*
D.	You must be the owner of the table or have DELETE ANY TABLE system privileges to truncate the DEPT table		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 52

Which is not a correct guideline for naming database tables?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Must begin with either a number or a letter.		*100*
B.	Must be 1-30 characters long.		*0*
C.	Should not be an Oracle Server reserved word.		*0*
D.	Must contain only A-Z, a-z, 0-9, _, $, and #.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 53

Which is a valid CREATE TABLE statement?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**CREATE TABLE** EMP9$# **AS** (empid number(2));		*100*
B.	**CREATE TABLE** EMP*123 **AS** (empid number(2));		*0*
C.	**CREATE TABLE** PACKAGE **AS** (packid num(2));		*0*
D.	**CREATE TABLE** EMP_TEST **AS** (empid number(2));		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 54

Which of these DATETIME data types cannot be used when specifying column definitions?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	INTERVAL MONTH TO DAY		*100*
B.	TIMESTAMP		*0*
C.	INTERVAL DAY TO SECOND		*0*
D.	INTERVAL YEAR TO MONTH		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 55

Which statement about a table is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The size of a table does NOT need to be specified		*100*
B.	A table can have up to 10,000 columns		*0*
C.	A table CANNOT be created while users are using the database.		*0*
D.	The structure of a table CANNOT be modified while the table is online.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 56

Consider a general employees table, which statement should you use to increase the EMP_LNAME column length to 25 if the column currently contains 3000 records?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** employee **MODIFY** emp_lname **VARCHAR2**(25);		*100*
B.	You CANNOT increases the width of the EMP_LNAME column.		*0*
C.	**ALTER TABLE** employee RENAME emp_lname **VARCHAR2**(25);		*0*
D.	**ALTER** employee **TABLE MODIFY COLUMN** emp_lname **VARCHAR2**(25);		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 57

Which statement will permanently remove all the data in, the indexes on, and the structure of the PO_DETAIL table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**DROP TABLE** po_detail;		*100*
B.	**DELETE TABLE** po_detail;		*0*
C.	**TRUNCATE TABLE** po_detail;		*0*
D.	**ALTER TABLE** po_detail **SET** UNUSED (po_num, po_line_id, product_id, quantity, unit_price);		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 58

Consider an Employees table in which the MGR_ID column currently contains employee identification numbers, and you need to allow users to include text characters in the identification values. Which statement should you use to implement this?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You CANNOT modifies the data type of the MGR_ID column.		*100*
B.	**ALTER** employee **MODIFY** (mgr_id **VARCHAR2**(15));		*0*
C.	**ALTER TABLE** employee **MODIFY** (mgr_id **VARCHAR2**(15));		*0*
D.	**ALTER** employee **TABLE MODIFY COLUMN** (mgr_id **VARCHAR2**(15));		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 59

Which CREATE TABLE statements will not fail?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**CREATE TABLE** time (time1 **NUMBER**(9));		*100*
B.	**CREATE TABLE** date (time_id **NUMBER**(9));		*0*
C.	**CREATE TABLE** time* (time_id **NUMBER**(9));		*0*
D.	**CREATE TABLE** $time (time_id **NUMBER**(9));		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 60

Examine the structure of the PRODUCT table. PRODUCT_ID **NUMBER** Primary Key PRODUCT_NAME **VARCHAR2**(25) SUPPLIER_ID **NUMBER** LIST_PRICE **NUMBER**(7,2) You need to reduce the LIST_PRICE column precision to 6 with a scale of 2 and ensure that when inserting a row into the PRODUCT table without a value for the LIST_PRICE column, a price of $5.00 will automatically be inserted. The PRODUCT table currently contains no records. Which statement should you use?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** product **MODIFY** (list_price **NUMBER**(6,2) **DEFAULT** 5);		*100*
B.	**ALTER TABLE** product **ADD OR REPLACE** (list_price **NUMBER**(8,2) **DEFAULT** 5);		*0*
C.	**ALTER TABLE** product **MODIFY COLUMN** (list_price **NUMBER**(6,2) **DEFAULT** '$5.00');		*0*
D.	You CANNOT reduces the size of the LIST_PRICE column.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE *4*: Constraint

Question 61

Which ALTER TABLE statement should you use to add a PRIMARY KEY constraint on the MANUFACTURER_ID column of the INVENTORY table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** inventory **ADD PRIMARY KEY** (manufacturer_id);		*100*
B.	**ALTER TABLE** inventory **ADD CONSTRAINT** manufacturer_id **PRIMARY KEY**;		*0*
C.	**ALTER TABLE** inventory **MODIFY** manufacturer_id **CONSTRAINT PRIMARY KEY**;		*0*
D.	**ALTER TABLE** inventory **MODIFY CONSTRAINT PRIMARY KEY** manufacturer_id;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 62

Which statement explicitly names a constraint?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** student_grades **ADD CONSTRAINT** student_id_fk **FOREIGN KEY** (student_id) **REFERENCES** students(student_id);		*100*
B.	**ALTER TABLE** student_grades **ADD FOREIGN KEY** (student_id) **REFERENCES** students(student_id);		*0*
C.	**ALTER TABLE** student_grades **ADD CONSTRAINT** NAME = student_id_fk **FOREIGN KEY** (student_id) **REFERENCES** students(student_id);		*0*
D.	**ALTER TABLE** student grades **ADD** NAMED **CONSTRAINT** student_id_fk **FOREIGN KEY** (student_id) **REFERENCES** students(student_id);		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 63

Examine the SQL statements that create ORDERS table:

```
CREATE TABLE orders
(SER_NO      NUMBER UNIQUE,
 ORDER_ID    NUMBER,
 ORDER_DATE  DATE NOT NULL,
 STATUS      VARCHAR2(10)
          CHECK (status IN ('CREDIT', 'CASH')),
 PROD_ID     NUMBER
          REFERENCES PRODUCTS(PRODUCT_ID),
 ORD_TOTAL   NUMBER
);
```

For which columns would an index be automatically created when you execute the above SQL statement?

MA

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	SER_NO		*100*
B.	ORDER_ID		*0*
C.	STATUS		*0*
D.	PROD_ID		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 64

For which of these constraints does the Oracle Server implicitly create a unique index?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	PRIMARY KEY		*100*
B.	NOT NULL		*0*
C.	FOREIGN KEY		*0*
D.	CHECK		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 65

Your attempt to disable a constraint results in the following error: ORA-02297: cannot disable constraint - dependencies exist. Which of the following types of the constraints is likely causing interference with your disablement of this one?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Foreign key Constraints		*100*
B.	Check constraints		*0*
C.	Not NULL constraints.		*0*
D.	Unique Constraints.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 66

Which is not a valid Oracle constraint type?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	CASCADE		*100*
B.	UNIQUE		*0*
C.	CHECK		*0*
D.	NOT NULL		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 67

Which constraint will ensure that the CUSTOMER_NAME column of the CUSTOMERS table always holds a value?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	NOT NULL or Primary Key		*100*
B.	Only Primary Key		*0*
C.	Unique		*0*
D.	Foreign Key		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 68

Which view should a user query to display the columns associated with the constraints on a table owned by the user?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	USER_CONS_COLUMNS		*100*
B.	USER_CONSTRAINTS		*0*
C.	USER_OBJECTS		*0*
D.	ALL_CONSTRAINTS		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 69

You need to modify the STUDENTS table to add a primary key on the STUDENT_ID column. The table is currently empty. Which statement accomplishes this task?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** students **ADD CONSTRAINT** stud_id_pk **PRIMARY KEY** (student_id);		*100*
B.	**ALTER TABLE** students **ADD PRIMARY KEY** student_id;		*0*
C.	**ALTER TABLE** students **ADD CONSTRAINT PRIMARY KEY** (student_id);		*0*
D.	**ALTER TABLE** students **ADD CONSTRAINT** stud_id_pk **PRIMARY KEY** student_id;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 70

Which statement about the CASCADE CONSTRAINTS clause is not true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The CASCADE CONSTRAINTS can be used while creating the constraint to enable automatic dropping of foreign key constraint when a primary key is dropped.		*100*
B.	The CASCADE CONSTRAINTS clause is used along with the DROP COLUMN clause.		*0*
C.	The CASCADE CONSTRAINTS clause drops all referential integrity constraints that refer to the primary and unique keys defined on the dropped columns.		*0*
D.	The CASCADE CONSTRAINTS clause also drops all multicolumn constraints defined on the dropped columns		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 71

Which data dictionary view can be used to view the details of columns involved in constraints ?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	USER_CONS_COLUMNS		*100*
B.	USER_COLS_CONSTRAINTS		*0*
C.	USER_CONSTRAINTS		*0*
D.	USER_OBJECTS		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 72

Which SQL statement defines the FOREIGN KEY constraint on the DEPTNO column of the EMP table?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**CREATE TABLE** EMP(empno **NUMBER**(4),ename VARCNAR2(35),deptno **NUMBER**(7,2) **CONSTRAINT** emp_deptno_fk **REFERENCES** dept (deptno));		*100*
B.	**CREATE TABLE** EMP(empno **NUMBER**(4),ename VARCNAR2(35),deptno **NUMBER**(7,2) **NOT NULL CONSTRAINT** emp_deptno_fk **FOREIGN KEY** deptno **REFERENCES** dept deptno);		*0*
C.	**CREATE TABLE** EMP(empno **NUMBER**(4)ename **VARCHAR2**(35),deptno **NUMBER**(7,2) **NOT NULL**, **CONSTRAINT** emp_deptno_fk **REFERENCES** dept (deptno) **FOREIGN KEY** (deptno));		*0*
D.	**CREATE TABLE** EMP (empno **NUMBER**(4),ename VARCNAR2(35),deptno **NUMBER**(7,2) **FOREIGN KEY CONSTRAINT** emp deptno fk **REFERENCES** dept (deptno));		*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 73

Which statement should be used to alter the constraints (i.e. either to enable, disable or drop a constraint)?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ALTER TABLE		*100*
B.	ALTER CONSTRAINT		*0*
C.	DROP CONSTRAINT		*0*
D.	ALTER OBJECT		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 74

Which statement is not correct about the use of constraints?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Constraints make complex queries easy		*100*
B.	Constraints enforce rules at the view level.		*0*
C.	Constraints enforce rules at the table level.		*0*
D.	Constraints prevent the deletion of a table if there are dependencies.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 75

Which statement about NOT NULL constraints is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	NOT NULL constraints can only be defined at the column level.		*100*
B.	You CANNOT add a NOT NULL constraint to an existing column using the ALTER TABLE statement		*0*
C.	You can modify the structure of a NOT NULL constraint using the ALTER TABLE statement.		*0*
D.	A NOT NULL constraint is stored in the data dictionary as a UNIQUE constraint.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 76

The PO_DETAIL table contains these columns: PO_NUM **NUMBER NOT NULL**, Primary Key PO_LINE_ID **NUMBER NOT NULL**, Primary Key PRODUCT_ID **NUMBER** Foreign Key to PRODUCT_ID column of the PRODUCT table QUANTITY **NUMBER** UNIT_PRICE **NUMBER**(5,2) Evaluate this statement: **ALTER TABLE** po_detail **ENABLE CONSTRAINT** po_num_pk; For which task would you issue this statement?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	to activate the previously disabled constraint on the PO_NUM column while creating a PRIMARY KEY index		*100*
B.	to drop and recreate the PRIMARY KEY constraint on the PO_NUM column		*0*
C.	to create a new PRIMARY KEY constraint on the PO_NUM column		*0*
D.	to enable any previously disabled FOREIGN KEY constraints that are dependent on thePO_NUM column		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 77

Which statement about constraints is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Constraints prevent a table with dependencies from being deleted.		*100*
B.	Constraints only enforce rules at the table level.		*0*
C.	You must provide a name for each constraint at the time of its creation.		*0*
D.	Constraint names are NOT required to follow the standard object-naming rules.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 78

Which syntax turns an existing constraint on?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER TABLE** table_name **ENABLE CONSTRAINT** constraint_name;		*100*
B.	**ALTER TABLE** table_name **ENABLE** constraint_name;		*0*
C.	**ALTER TABLE** table_name STATUS = **ENABLE CONSTRAINT** constraint_name;		*0*
D.	**ALTER TABLE** table_name STATUS **ENABLE CONSTRAINT** constraint_name;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 79

Which statement about creating constraints is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Constraints can be created after the table is created.		*100*
B.	Constraint names must start with SYS_C.		*0*
C.	All constraints must be defines at the column level.		*0*
D.	Information about constraints is found in the VIEW_CONSTRAINTS dictionary view.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 80

Which constraint can be defined only at the column level?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	NOT NULL		*100*
B.	UNIQUE		*0*
C.	CHECK		*0*
D.	PRIMARY KEY		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 5: DML

Question 81

A data manipulation language statement _____.			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Modifies the data but not the structure of a table		*100*
B.	Completes a transaction on a table.		*0*
C.	Modifies the structure and data in a table		*0*
D.	Modifies the structure but not the data of a table		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 82

Which statement regarding DML statement functionality is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	UPDATE can update multiple columns in one table.		*100*
B.	DELETE can be used to delete rows or columns from a table.		*0*
C.	MERGE will delete rows that do NOT exist in either table.		*0*
D.	UPDATE will add rows to a table if an INTO clause is specified.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 83

You own a table called EMPLOYEES. What happens when you execute this DELETE statement? **DELETE** employees;			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The data in the EMPLOYEES table is deleted but not the structure.		*100*
B.	You get an error because of a primary key violation		*0*
C.	The data and structure of the EMPLOYEES table are deleted.		*0*
D.	You get an error because the statement is not syntactically correct.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 84

Examine the structure of the EMPLOYEES table: EMPLOYEE_ID **NUMBER** Primary Key FIRST_NAME **VARCHAR2**(25) LAST_NAME **VARCHAR2**(25) Which statement fails to insert a row into the table?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**INSERT INTO** employees(first_name, last_name) **VALUES**('John', 'Smith');		*100*
B.	**INSERT INTO** employees **VALUES** ('1000', 'John', **NULL**);		*0*
C.	**INSERT INTO** employees (employee_id) **VALUES** (1000);		*0*
D.	**INSERT INTO** employees (employee_id, first_name, last_name) **VALUES** (1000, 'John', ' ');		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 85

Which is not true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A MERGE statement replaces the complete data of one table with that of another.		*100*
B.	A MERGE statement is used to merge the data of one table with data from another.		*0*
C.	A MERGE statement can be used to insert new rows into a table.		*0*
D.	A MERGE statement can be used to update existing rows in a table.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 86

With SQL, how can you insert "Olsen" as the "LastName" in the "Persons" table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**INSERT INTO** Persons (LastName) **VALUES** ('Olsen')		*100*
B.	**INSERT INTO** Persons ('Olsen') as LastName		*0*
C.	**INSERT** LastName('Olsen') **INTO** Persons		*0*
D.	None of the above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 87

How can you change "Hansen" into "Nilsen" in the "LastName" column in the Persons table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**UPDATE** Persons **SET** LastName='Nilsen' **WHERE** LastName='Hansen'		*100*
B.	MODIFY Persons SET LastName='Hansen' INTO LastName='Nilsen		*0*
C.	**UPDATE** Persons **SET** LastName='Hansen' **INTO** LastName='Nilsen'		*0*
D.	MODIFY Persons SET LastName='Nilsen' WHERE LastName='Hansen'		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 88

With SQL, how can you delete the records where the "FirstName" is "Peter" in the Persons Table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**DELETE FROM** Persons **WHERE** FirstName = 'Peter'		*100*
B.	**DELETE** * **FROM** Persons **WHERE** FirstName = 'Peter'		*0*
C.	**DELETE** FirstName **FROM** Persons **WHERE** FirstName = 'Peter'		*0*
D.	**DELETE** 'Peter' **FROM** Persons		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 89

Which of the following Insert statement will successfully insert only records of Sales Representatives from the employees table into a new table called Sales_rep ?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**INSERT INTO** sales_reps(id, name, salary, commission_pct) **SELECT** employee_id, last_name, salary, commission_pct **FROM** employees **WHERE** job_id = 'SA_REP';		*100*
B.	**INSERT INTO** sales_reps(id, name, salary, commission_pct) **VALUES SELECT** employee_id, last_name, salary, commission_pct **FROM** employees **WHERE** job_id = 'SA_REP';		*0*
C.	**INSERT INTO** sales_reps(id, name, salary, commission_pct) **SELECT** employee_id, last_name, salary, commission_pct **FROM** employees;		*0*
D.	**INSERT INTO** sales_reps(id, name, salary, commission_pct) **SELECT** last_name, employee_id, salary, commission_pct **FROM** employees **WHERE** job_id = 'SA_REP';		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 90

Which of the following is not a valid usage of a Merge statement?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Insert as well as update each row in a table.		*100*
B.	Conditionally update or insert data into a database table		*0*
C.	Perform an UPDATE if the row exists, and an INSERT if it is a new row		*0*
D.	Increase performance and ease of use		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 91

What will be the output of following statement? **UPDATE** employees a **SET** job_id = (**SELECT** job_id **FROM** new_employees b **WHERE** a.employee_id = b.employee_id); Assume that Employee and New_employees tables have same structure.			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	This statement will update job_id for all records of employees as:Match found in New_employees table use job_id from New_employees tableno match found in New_employees table update job_id as NULL.		*100*
B.	This statement will return error		*0*
C.	This statement will update only those records of Employees table which have matching employee_id in the New_employees table.		*0*
D.	This statement will update job_id for all records of employees table but for records that do not have matching employee_id in the New_employees table the existing job_id will be retained.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 92

Which of the following is not a DML statement?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	COMMIT		*100*
B.	MERGE		*0*
C.	UPDATE		*0*
D.	DELETE		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 93

What will be the output of following statement? **INSERT INTO** departments (department_id, department_name, manager_id) **VALUES** (300, 'Engineering', **DEFAULT**);			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	This will insert one record in Employees table with values (300, 'Engineering') for the (department_id, department_name) respectively.		*100*
B.	This will insert one record in Employees table with values (300, 'Engineering', DEFAULT) for the (department_id, department_name, manager_id) respectively		*0*
C.	This will insert one record in Employees table with values (300, 'Engineering') for the (department_id, department_name) respectively manager_id will be NULL as DEFAULT is not a valid value.		*0*
D.	This will return Error as DEFAULT is not allowed in the INSERT		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 94

You maintain two tables, CUSTOMER and PROSPECT, that have identical structures but different data. You want to synchronize these two tables by inserting records from the PROSPECT table into the CUSTOMER table, if they do not exist. If the customer already exists in the CUSTOMER table, you want to update customer data. Which DML statement should you use to perform this task?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	MERGE		*100*
B.	INSERT		*0*
C.	UPDATE		*0*
D.	You CANNOT perform this task with one DML operation.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 95

You added a PHONE-NUMBER column of NUMBER data type to an existing EMPLOYEES table. The EMPLOYEES table already contains records of 100 employees. Now, you want to enter the phone numbers of each of the 100 employees into the table. Some of the employees may not have a phone number available. Which data manipulation operation do you perform?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	PDATE		*100*
B.	MERGE		*0*
C.	INSERT		*0*
D.	ADD		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 96

Evaluate this DELETE statement: **DELETE** employee_id, salary, job_id **FROM** employees **WHERE** dept_id = 90; Why does the DELETE statement fail when you execute it?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	You cannot specify column names in the DELETE clause of the DELETE statement.		*100*
B.	There is no row with dept_id 90 in the EMPLOYEES table.		*0*
C.	You cannot delete the JOB_ID column because it is a NOT NULL column.		*0*
D.	You cannot delete the EMPLOYEE_ID column because it is the primary key of the table.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 97

Examine the structure of the EMPLOYEES table: EMPLOYEE_ID **NUMBER** Primary Key FIRST_NAME **VARCHAR2**(25) LAST_NAME **VARCHAR2**(25) Which statement inserts a row into the table?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**INSERT INTO** employees **VALUES** ('1000','John',**NULL**);		*100*
B.	**INSERT INTO** employees **VALUES** (**NULL**, 'John','Smith');		*0*
C.	**INSERT INTO** employees(first_name, last_name) **VALUES**('John','Smith');		*0*
D.	**INSERT INTO** employees(first_name,last_name, employee_id) **VALUES** (1000, 'John','Smith');		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 98

Examine the data from the CLASS and INSTRUCTOR tables.

CLASS Table

CLASS_ID	CLASS_NAME	HOURS_CREDIT	INSTRUCTOR_ID
1	Introduction to Accounting	3	4
2	Computer Basics	3	1
3	Tax Accounting Principles	3	4
4	American History	3	2
5	Basic Engineering	3	

You want to delete the classes that do NOT have an instructor assigned. Which DELETE statement will accomplish the desired result?

MA

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**DELETE FROM** class **WHERE** instructor_id **IS NULL**;		*100*
B.	**DELETE** class_id, class_name, hours_credit, instructor_id **FROM** class **WHERE** instructor_id **IS NULL**;		*0*
C.	**DELETE FROM** class **WHERE** instructor_id **NOT IN(SELECT** instructor_id **FROM** class);		*0*
D.	**DELETE FROM** instructor **NATURAL JOIN** class **WHERE** instructor_id **IS NOT NULL**;		*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 99

The PRODUCT table contains these columns: PRODUCT_ID **NUMBER NOT NULL** PRODUCT_NAME **VARCHAR2**(25) SUPPLIER_ID **NUMBER** LIST_PRICE **NUMBER**(7,2) COST **NUMBER**(7,2) You need to increase the list price and cost of all products supplied by Global Imports, Inc. by 5.5 percent. The SUPPLIER_ID for Global Imports, Inc. is 105. Which statement should you use?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**UPDATE** product **SET** list_price = list_price * 1.055, cost = cost * 1.055 **WHERE** supplier_id = 105;		*100*
B.	**UPDATE** product **SET** list_price = list_price * 1.055 **SET** cost = cost * 1.055 **WHERE** supplier_id = 105;		*0*
C.	**UPDATE** product		*0*
D.	**UPDATE** product **SET** list_price = list_price + (list_price * .055), cost = cost + (cost * .055) **WHERE** supplier_id **LIKE** 'Global Imports, Inc.' **OR** supplier_id = 105;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 100

Examine the structures of the EVENT and NEW_EVENT tables.

EVENT Table

```
EVENT_ID          NUMBER
EVENT_NAME        VARCHAR2(30)
EVENT_DESCRIPTION VARCHAR2(100)
EVENT_TYPE_ID     NUMBER
```

NEW_EVENT Table

```
EVENT_ID          NUMBER
EVENT_NAME        VARCHAR2(30)
EVENT_DESCRIPTION VARCHAR2(100)
EVENT_TYPE_ID     NUMBER
START_DT          DATE
```

You execute this MERGE statement:

```
MERGE INTO event e
USING (SELECT *
      FROM new_event
      WHERE event_type_id = 4) n
ON (e.event_id = n.event_id)
WHEN MATCHED THEN
  UPDATE SET
    e.event_type_id = n.event_type_id,
    e.start_dt = n.start_dt
WHEN NOT MATCHED THEN
  INSERT (event_id, event_name, event_type_id)
  VALUES (n.event_id, n.event_name, n.event_type_id);
```

This MERGE statement generates an error. Which statement describes the cause of the error?

MA

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	The UPDATE portion of the statement is invalid.		*100*
B.	A subquery CANNOT be used in the USING clause of a MERGE statement.		*0*
C.	Table aliases CANNOT be used in a MERGE statement.		*0*
D.	The ON clause of the statement is invalid.		*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

MODULE 6: Simple Row Function

Question 101

You want to use a function in your column clause of a SQL statement. The NVL function accomplishes which of the following tasks?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Enables you to specify alternated out for NULL column values.		*100*
B.	Assists in the distribution of output across multiple columns.		*0*
C.	Enables you to specify alternate output for non-NULL column values.		*0*
D.	Nullifies the value of the column output.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 102

Which SELECT statement will show the result 'elloworld' from the string 'HelloWorld'?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** LOWER (TRIM ('H' **FROM** 'HelloWorld')) **FROM** dual;		*100*
B.	**SELECT** SUBSTR ('HelloWorld', 1) **FROM** dual;		*0*
C.	**SELECT** INITCAP (TRIM ('HelloWorld', 1, 1)) **FROM** dual;		*0*
D.	**SELECT** LOWER (SUBSTR ('HelloWorld', 1, 1) **FROM** dual;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 103

Which script displays '01-JAN-02' when the ENROLL_DATE value is '01-JUL-01'?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** ROUND (enroll_date, 'YEAR') **FROM** student;		*100*
B.	**SELECT** ROUND (enroll_date, 'DAY') **FROM** student;		*0*
C.	**SELECT** ROUND (enroll_date, 'MONTH') **FROM** student;		*0*
D.	**SELECT** ROUND (TO_CHAR(enroll_date, 'YYYY')) **FROM** student;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 104

Which function can be used in your query on department table to restrict the data displayed to only those department names containing 3 characters?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	LENGTH		*100*
B.	REPLACE		*0*
C.	SUBSTR		*0*
D.	RPAD		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 105

Which statement concerning SQL functions is true?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Character functions can return character or number values.		*100*
B.	Conversion functions convert a column definition from one data type to another data type.		*0*
C.	Single-row functions can only be used in SELECT and WHERE clauses.		*0*
D.	All date functions return DATE data type values.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 106

Evaluate the SQL statement: **SELECT** ROUND(45.953, -1), TRUNC(45.936, 2) **FROM** dual; Which values are displayed?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	50 and 45.93		*100*
B.	46 and 45		*0*
C.	46 and 45.93		*0*
D.	50 and 45.9		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 107

Which of the following is not a number function?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	TO_NUMBER.		*100*
B.	TRUNC		*0*
C.	SQRT		*0*
D.	ROUND		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 108

You are using single row function in a SELECT statement which function can best be categorized as similar in function to an IF-THEN-ELSE statement?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	DECODE		*100*
B.	SQRT		*0*
C.	NEW_TIME		*0*
D.	ROWIDTOCHAR.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 109

Which is not an attributes of single row functions?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	cannot be nested		*100*
B.	manipulate data items		*0*
C.	act on each row returned		*0*
D.	return one result per row		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 110

Which SQL statement returns a numeric value?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** sysdate-hire_date **FROM** EMP;		*100*
B.	**SELECT** ADD_MONTHS(MAX(hire_Date), 6) **FROM** EMP;		*0*
C.	**SELECT** ROUND(hire_date) **FROM** EMP;		*0*
D.	**SELECT** TO_NUMBER(hire_date + 7) **FROM** EMP;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 111

Which is not a type of Single Row functions available in SQL?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	calendar		*100*
B.	string		*0*
C.	character		*0*
D.	Numeric		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 112

Management has asked you to calculate the value 12*salary*commission_pct for all the employees in the EMP table. The EMP table contains these columns: LAST_NAME VARCHAR2(35) NOT NULL SALARY NUMBER(9,2) NOT NULL COMMISSION_PCT NUMBER(4,2) Which statement ensures that a value is displayed in the calculated columns for all employees?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**SELECT** last_name, 12*salary*(nvl(commission_pct,0)) **FROM** emp;		*100*
B.	**SELECT** last_name, 12*salary*commison_pct **FROM** emp;		*0*
C.	**SELECT** last_name, 12*salary* (commission_pct,0) **FROM** emp;		*0*
D.	**SELECT** last_name, 12*salary*(decode(commission_pct,0)) **FROM** emp;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 113

Evaluate the SQL statement: **SELECT** LPAD(salary, 10, *) **FROM** EMP **WHERE** EMP_ID = 1001; If the employee with the EMP_ID 1001 has a salary of 17000, what is displayed?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	An error statement		*100*
B.	17000.00		*0*
C.	17000*****		*0*
D.	*****17000		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 114

The EMPLOYEE table has these columns: LAST_NAME **VARCHAR2**(35) SALARY **NUMBER**(8,2) COMMISSION_PCT **NUMBER**(5,2) You want to display the name and annual salary multiplied by the commission_pct for all employees. For records that have a NULL commission_pct, a zero must be displayed against the calculated column. Which SQL statement displays the desired results?	*MA*
Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Show the number of correct responses once the question has finished:	No
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	**SELECT** last_name, (salary * 12) * NVL(commission_pct, 0) **FROM** EMPLOYEES;		*100*
B.	**SELECT** last_name, (salary * 12) * commission_pct **FROM** EMPLOYEES;		*0*
C.	**SELECT** last_name, (salary * 12) * IFNULL(commission_pct,0) **FROM** EMPLOYEES;		*0*
D.	**SELECT** last_name, (salary * 12) * NVL2(commission_pct, 0) **FROM** EMPLOYEES;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 115

You would like to display the system date in the format "Monday, 01 June, 2001". Which SELECT statement should you use?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** TO_CHAR(SYSDATE, 'FMDay, DD Month, YYYY') **FROM** dual;		*100*
B.	**SELECT** TO_DATE(SYSDATE, 'FMDAY, DD Month, YYYY') **FROM** dual;		*0*
C.	**SELECT** TO_CHAR(SYSDATE, 'FMDD, DY Month, 'YYY') FROM dual;		*0*
D.	**SELECT** TO_CHAR(SYSDATE, 'FMDY, DDD Month, YYYY') **FROM** dual;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 116

Evaluate the SQL statement: **SELECT** ROUND(TRUNC(MOD(1600, 10), -1), 2) **FROM** dual; What will be displayed?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	0		*100*
B.	1		*0*
C.	0.00		*0*
D.	An error statement		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 117

Which SELECT statement will not display 2000 in the format '$2,000.00'			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** TO_CHAR (2000, '$2,000.00') **FROM** dual;		*100*
B.	**SELECT** TO_CHAR (2000, '$0,000.00') **FROM** dual;		*0*
C.	**SELECT** TO_CHAR (2000, '$9,999.00') **FROM** dual;		*0*
D.	**SELECT** TO_CHAR (2000, '$9,999.99') **FROM** dual;		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 118

Which statement is incorrect about functions that are available in SQL?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	NVL2 returns the first non-null expression in the expression list.		*100*
B.	DECODE translates an expression after comparing it to each search value.		*0*
C.	TRIM trims the heading of trailing characters (or both) from a character string.		*0*
D.	NULLIF compares two expressions and returns null if they are equal, or the first expression if they are not equal		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 119

Which is a character manipulation function?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	TRIM		*100*
B.	TRUNC		*0*
C.	TO_DATE		*0*
D.	MOD		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Q120

Which task can you perform by using the TO_CHAR function?			*MA*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Show the number of correct responses once the question has finished:	No
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Convert '10' to '10'		*100*
B.	Convert 10 to 'TEN'		*0*
C.	Convert '10' to 10		*0*
D.	Convert 'TEN' to 10		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	For any partially correct response:	Your answer is partially correct.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 7: Group Funtions

Question 121

Which statement is true about WHERE and HAVING clauses?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A HAVING clause can be used to restrict groups only.		0
B.	A WHERE clause can be used to restrict groups only.		0
C.	A WHERE clause can be used to restrict both rows and groups.		0
D.	A HAVING clause can be used to restrict both rows and groups.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 122

Examine the description of the EMPLOYEES table: EMP_ID **NUMBER**(4) **NOT NULL** LAST_NAME **VARCHAR2**(30) **NOT NULL** FIRST_NAME **VARCHAR2**(30) DEPT_ID **NUMBER**(2) Which statement produces the number of different departments that have employees with last name Smith?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT DISTINCT**(COUNT(dept_id)) **FROM** employees **WHERE** last_name='Smith';		0
B.	**SELECT** COUNT(*) **FROM** employees **WHERE** last_name='Smith';		0
C.	**SELECT** COUNT(**DISTINCT** dept_id) **FROM** employees **WHERE** last_name='Smith';		100
D.	**SELECT** COUNT (dept_id) **FROM** employees **WHERE** last_name='Smith';		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 123

What is true of using group functions on columns that contain NULL values?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Group functions on columns returning dates include NULL values.		0
B.	Group functions on columns ignore NULL values.		100
C.	Group functions on columns cannot be accurately used on columns that contain NULL values.		0
D.	Group functions on columns returning numbers include NULL values.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 124

The STUDENT_GRADES table has these columns: STUDENT_ID **NUMBER**(12) SEMESTER_END **DATE** GPA **NUMBER**(4,3) Which statement finds the highest grade point average (GPA) per semester?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** MAX(gpa) **FROM** student_grades **WHERE** gpa **IS NOT NULL GROUP BY** semester_end;		100
B.	**SELECT** (gpa) **FROM** student_grades **GROUP BY** semester_end **WHERE** gpa **IS NOT NULL**		0
C.	**SELECT** MAX(gpa) **FROM** student_grades **WHERE** gpa **IS NOT NULL**		0
D.	**SELECT** MAX(gpa) **GROUP BY** semester_end **WHERE** gpa **IS NOT NULL FROM** student_grades		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 125

Which of the following data types are compatible for applying the group functions such as MIN, MAX ?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Numeric		0
B.	Date		0
C.	All of the above		100
D.	Character		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 126

Which of the following is not a valid variation of the COUNT function ?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	COUNT(*)		0
B.	COUNT(expr1, expr2)		100
C.	COUNT(DISTINCT expr)		0
D.	COUNT(expr)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 127

Which of the following statements calculates the Average commission percentage from the employees table by treating the NULLs as zeros wherever the commission percentage is NULL ?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** AVG(NVL(commission_pct, 0)) **FROM** employees		100
B.	**SELECT** NULLIF(AVG(commission_pct), 0) **FROM** employees		0
C.	**SELECT** AVG(NULLIF(commission_pct, 0)) **FROM** employees		0
D.	**SELECT** NVL(AVG(commission_pct), 0) **FROM** employees		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 128

Which of the following statements will return error?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** AVG(salary) **FROM** employees **GROUP BY** department_id		0
B.	**SELECT** department_id, AVG(salary) **FROM** employees **GROUP BY** department_id		0
C.	**SELECT** job_id, AVG(salary) **FROM** employees **GROUP BY** department_id		100
D.	**SELECT** AVG(salary), job_id **FROM** employees **GROUP BY** department_id, job_id		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 129

Which of the following statements is not correct?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You cannot use the WHERE clause to restrict groups		0
B.	You can use group functions in the WHERE clause		100
C.	You cannot use group functions in the WHERE clause		0
D.	You use the HAVING clause to restrict groups		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 130

Which of the following statements displays the number of distinct department values in the EMPLOYEES table			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** COUNT(department_id) **FROM** employees		0
B.	**SELECT DISTINCT** COUNT(department_id) **FROM** employees		0
C.	**SELECT** COUNT(**DISTINCT** department_id) **FROM** employees		100
D.	**SELECT DISTINCT** department_id **FROM** employees;		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 131

What will be the output of the following statement? **SELECT** department_id, AVG(salary) **FROM** employees **WHERE** AVG(salary) > 8000 **GROUP BY** department_id;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The statement will display the list of department ids and average salary of the employees table where average		0
B.	The statement will display a list of departments and average salary of each department		0
C.	The statement will display a list departments and average salary of each department only for departments whose average salary is greater than 8000		0
D.	The statement will return an error		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 132

Examine the description of the STUDENTS table: STD_ID **NUMBER**(4) COURSE_ID **VARCHAR2**(10) START_DATE **DATE** END_DATE **DATE** Which of the aggregate functions is valid on the START_DATE column?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	MIN(start_date)		100
B.	AVG(start_date)		0
C.	MAXIMUM(start_date)		0
D.	SUM(start_date)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 133

What is True about the below statement? **SELECT** MAX(AVG(salary)) **FROM** employees **GROUP BY** department_id;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It will return an error as Group functions can not be nested		0
B.	It will return Maximum average salary for each department		0
C.	It will return error because Salary is not included in the group by clause		0
D.	It will display the maximum of the average salaries for each department		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 134

Examine the description of the MARKS table: STD_ID **NUMBER**(4) STUDENT_NAME **VARCHAR2**(30) SUBJ1 **NUMBER**(3) SUBJ2 **NUMBER**(3) SUBJ1 and SUBJ2 indicate the marks obtained by a student in two subjects. Examine this SELECT statement based on the MARKS table: **SELECT** subj1+subj2 total_marks, std_id **FROM** marks **WHERE** subj1 > AVG(subj1) **AND** subj2 > AVG(subj2) **ORDER BY** total marks; What is the result of the SELECT statement?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The statement returns an error at the WHERE clause.		100
B.	The statement executes successfully and returns the student ID and sum of all marks for each student who obtained more than the average mark in each subject.		0
C.	The statement returns an error at the SELECT clause.		0
D.	The statement returns an error at the ORDER BY clause.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 135

Which statement is true about aggregate functions?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You can mix single row columns with aggregate functions in the column list of a SELECT statement by grouping on the single row columns.		100
B.	You can use aggregate functions only in the column list of the SELECT clause and in the WHERE clause of a SELECT statement.		0
C.	You can use aggregate functions on a table, only by grouping the whole table as one single group.		0
D.	You can use aggregate functions in any clause of a SELECT statement.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 136

Which clause should you use to exclude group results?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	HAVING		100
B.	RESTRICT		0
C.	WHERE		0
D.	GROUP BY		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 137

In a SELECT statement that includes a WHERE clause, where should the GROUP BY clause placed?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Before the WHERE clause		0
B.	After the ORDER BY clause		0
C.	Immediately after the SELECT clause		0
D.	After the WHERE clause		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 138

The EVENT table contains these columns: EVENT_ID **NUMBER** EVENT_NAME **VARCHAR2**(30) EVENT_DESC **VARCHAR2**(100) EVENT_TYPE **NUMBER** LOCATION_ID **NUMBER** You have been asked to provide a report of the number of different event types at each location. Which SELECT statement will produce the desired result?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** COUNT(*), **DISTINCT**(location_id) **FROM** event;		0
B.	**SELECT** location_id, COUNT(**DISTINCT** event_type) **FROM** event **GROUP BY** location_id;		100
C.	**SELECT DISTINCT** (event_type) **FROM** event **GROUP BY** location_id;		0
D.	**SELECT UNIQUE**(location_id), COUNT(event_type) **FROM** event **GROUP BY** location_id;		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 139

Which statement about the evaluation of clauses in a SELECT statement is true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The Oracle Server will evaluate an ORDER BY clause before a WHERE clause.		0
B.	The Oracle Server will evaluate a WHERE clause before a GROUP BY clause.		100
C.	The Oracle Server will evaluate an ORDER BY clause before a HAVING clause.		0
D.	The Oracle Server will evaluate a HAVING clause before a WHERE clause		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 140

You need to calculate the total of all salaries in the accounting department. Which group function should you use?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	COUNT		0
B.	MAX		0
C.	MIN		0
D.	SUM		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 8: SQL Joins

Question 141

In which case would you use a FULL OUTER JOIN?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You want all unmatched data from one table.		0
B.	You want all unmatched data from both tables.		100
C.	Both tables have NULL values.		0
D.	You want all matched data from both tables.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 142

What will be the output of the following query? **SELECT** * **FROM** employees, departments;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It will display rows from employees table followed by rows from departments table.		0
B.	It will by default the join two tables on department_id because it is a referential integrity column.		0
C.	It will result in a Cartesian product as a joining condition is not specified		100
D.	It will return error as a join condition is not specified		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 143

Which of the following queries will produce identical output as the query below? **SELECT** last_name, department_name **FROM** employees **CROSS JOIN** departments;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** last_name, department_name **FROM** employees e, departments d **WHERE** e.depatment_id (+) = d.department_id (+);		0
B.	**SELECT** last_name, department_name **FROM** employees **JOIN** departments **USING** (department_id)		0
C.	**SELECT** last_name, department_name **FROM** employees e, departments d **WHERE** e.depatment_id = d.department_id;		0
D.	**SELECT** last_name, department_name **FROM** employees e, departments d;		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 144

Which of the following is an outer join symbol?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	[+]		0
B.	(+)		100
C.	{+}		0
D.	+		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 145

What will be the output of the following query? **SELECT** e.last_name, e.department_id, d.department_name **FROM** employees e, departments d **WHERE** e.department_id(+) = d.department_id;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Displays employee last names, department ID's and department names for all employees irrespective of the matching department id present in departments table or not.		0
B.	Displays employee last names, department ID's and department names for all employees.		0
C.	Displays employee last names, department ID's for all employees and also the department names for all departments.		0
D.	Displays employee last names, department ID's and department names for all employees and also the department names of departments who have no match in employees table.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 146

Which of the following type of join was not available in Oracle versions 8i and prior?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Full Outer Join		100
B.	Self Join		0
C.	Left Outer Join		0
D.	Right Outer Join		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 147

Which of the following statements about use of table aliases and prefixes in Join queries is not Valid ?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	We can simplify queries by using table aliases.		0
B.	Table prefixes must be used to unambiguously identify the columns with same names.		0
C.	We can improve performance by using table prefixes.		0
D.	Table prefixes must be used when joining more than three tables.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 148

Which of the following statements indicate correct way of using a Natural Join?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** department_id, department_name, location_id, city **FROM** departments d **NATURAL JOIN** locations l using (l.location_id);		0
B.	**SELECT** department_id, department_name, location_id, city **FROM** departments **NATURAL JOIN** locations on (location_id);		0
C.	**SELECT** department_id, department_name, location_id, city **FROM** departments **NATURAL JOIN** locations;		100
D.	**SELECT** department_id, department_name, location_id, city **FROM** departments d **NATURAL JOIN** locations l **WHERE** d.location_id = l.location_id		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 149

Which of the following statements is not true about joins?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	To specify arbitrary conditions or specify columns to join, the ON clause is used.		0
B.	Natural join and using clause can be used together.		100
C.	Use the USING clause to match only one column when more than one column matches.		0
D.	If the columns having the same names have different data types, an error is returned in case of a Natural Join.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 150

Which SQL statement produces the name, department name, and the city of all the employees who earn more than 10000?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** emp_name, department_name, city **FROM** employees e, departments d, locations 1 **JOIN ON** (e.department_id = d.department id) **AND** (d.location_id =1.location_id) **AND** salary > 10000;		100
B.	**SELECT** emp_name, department_name, city **FROM** employees e, departments d, locations 1 **WHERE** salary > 10000;		0
C.	**SELECT** emp_name, department_name, city **FROM** employees e **JOIN** departments d **USING** (department_id) **JOIN** locations 1 **USING** (location_id) **WHERE** salary > 10000;		0
D.	**SELECT** emp_name, department_name, city **FROM** employees e **NATURAL JOIN** departments, locations **WHERE** salary > 10000;		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 151

You want to retrieve all employees, whether or not they have matching departments in the departments table. Which query would you use?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** last_name, department_name **FROM** employees e **LEFT OUTER JOIN** departments d **ON** (e.department_id = d.department_id);		100
B.	**SELECT** last_name, department_name **FROM** employees , departments(+);		0
C.	**SELECT** last_name, department_name **FROM** employees **JOIN** departments (+);		0
D.	**SELECT** last_name, department_name **FROM** employees e **RIGHT OUTER JOIN** departments d **ON** (e.department_id = d.department_id);		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 152

Which is not true regarding the use of outer joins?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	In the WHERE condition, you use (+) following the name of the column in the table without matching rows, to perform an outerjoin.		0
B.	You use an outerjoin to see only the rows that do not meet the join condition.		0
C.	You cannot link a condition that is involved in an outerjoin to another condition by using the OR operator.		0
D.	You cannot an outer join while joining more than 2 tables		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 153

Which of the following joins is also called an Inner join?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Self Join		0
B.	Outer Join		0
C.	Non-Equi Join		0
D.	Equi Join		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 154

What is true about joining tables through an equijoin?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You specify an equijoin condition in the SELECT or FROM clauses of a SELECT statement.		0
B.	You can join n tables (all having single column primary keys) in a SQL statement by specifying a minimum of n-1 join conditions.		100
C.	You can join a maximum of two columns through an equijoin.		0
D.	You can join a maximum of two tables through an equijoin.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 155

Examine the structure of the EMPLOYEES, DEPARTMENTS, and TAX tables. EMPLOYEES EMPLOYEE_ID **NUMBER** **NOT NULL**, Primary Key EMP_NAME **VARCHAR2**(30) JOB_ID **VARCHAR2**(20) SALARY **NUMBER** MGR_ID **NUMBER** References EMPLOYEE_ID column DEPARTMENT_ID **NUMBER** Foreign key to DEPARTMENT_ID column of the DEPARTMENTS table DEPARTMENTS DEPARTMENT_ID **NUMBER** **NOT NULL**, Primary Key DEPARTMENT_NAME **VARCHAR2**(30) MGR_ID **NUMBER** References MGR_ID column of the EMPLOYEES table TAX MIN_SALARY **NUMBER** MAX_SALARY **NUMBER** TAX_PERCENT **NUMBER** For which situation would you use a non-equijoin query?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	To find the number of employees working for the Administrative department and earning less then 4000.		0
B.	To find the tax percentage for each of the employees		100
C.	To list the name, job id, and manager name for all the employees.		0
D.	To find the name, salary, and department name of employees who are not working with Smith.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 156

To produce a meaningful result set without any cartesian products, what is the minimum number of conditions that should appear in the WHERE clause of a four-table join?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	2		0
B.	4		0
C.	3		100
D.	8		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 157

In which case would you use an outer join?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The tables being joined have NOT NULL columns.		0
B.	The tables being joined have both matched and unmatched data.		100
C.	The tables being joined have only unmatched data		0
D.	The tables being joined have only matched data.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 158

When will a Cartesian product occur?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All rows in the first table are joined to all rows in the second table		0
B.	A join condition is omitted		0
C.	A join condition is invalid		0
D.	Two tables are joined on the columns having different names.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 159

Which of the following is not a valid type of Join?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	External Join		100
B.	Outer Join		0
C.	Inner Join		0
D.	Natural join		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 160

Which type of join is used in the following query? **SELECT** e.employee_id, e.last_name, d.department_id, d.location_id **FROM** employees e, departments d **WHERE** e.department_id = d.department_id;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Self Join		0
B.	Non-equi Join		0
C.	Equi join		100
D.	Left Outer join		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 9: Sub Queries

Question 161

Evaluate this SELECT statement:
`SELECT employee_id, name`
`FROM employee`
`WHERE employee_id NOT IN (SELECT employee_id`
`FROM employee`
`WHERE department_id = 30`
`AND job = 'CLERK');`
What would happen if the inner query returned a NULL value?
			MC

		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A syntax error would be returned.		0
B.	Only the rows with EMPLOYEE_ID values equal to NULL would be included in the results.		0
C.	All the EMPLOYEE_ID and NAME values in the EMPLOYEE table would be displayed.		0
D.	No rows would be selected from the EMPLOYEE table.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 162

In which clause a subquery cannot be used?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	in the FROM clause of a SELECT statement		0
B.	in the GROUP BY clause of a SELECT statement		100
C.	in the SET clause of an UPDATE statement		0
D.	in the WHERE clause of a SELECT statement		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 163

Which best describes an inline view?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	a subquery that is part of the FROM clause of another query		100
B.	a subquery that can contain an ORDER BY clause		0
C.	another name for a view that contains group functions		0
D.	a schema object		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 164

Which statement about subqueries is true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A subquery can retrieve zero or more rows.		100
B.	A subquery should retrieve only one row		0
C.	Subqueries CANOT be nested by more than two levels.		0
D.	A subquery can be used only in SQL query statements.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 165

Which statement will display employees who have same job id as that of 'Hass' and earn more than 10000 ?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** last_name, job_id **FROM** employees **WHERE** job_id **IN** (**SELECT** job_id **FROM** employees **WHERE** last_name = 'Haas') **AND** salary > 10000;		100
B.	**SELECT** last_name, job_id **FROM** employees **WHERE** last_name = 'Haas' **AND** salary >10000		0
C.	**SELECT** last_name, job_id **FROM** employees **WHERE** job_id **IN** (**SELECT** job_id **FROM** employees **WHERE** Salary > 10000) **AND** last_name = 'Haas'		0
D.	**SELECT** last_name, job_id **FROM** employees **WHERE** job_id = (**SELECT** job_id **FROM** employees **WHERE** last_name = 'Haas' **AND** salary > 10000);		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 166

_____ is used to retrieve data from one or more tables if there is no relation between the tables.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Sub query		100
B.	Both		0
C.	Joins		0
D.	None of the above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 167

A subquery can be used to _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Retrieve data based on an unknown condition		100
B.	Create groups of data		0
C.	Convert data to a different format		0
D.	Sort data in a specific order		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 168

Examine the data in the EMPLOYEES table: LAST_NAME DEPARTMENT_ID SALARY --------- ---------- ------ Getz 10 3000 Davis 20 1500 King 20 2200 Davis 30 5000 Which of these sub queries will not work?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** distinct department_id **FROM** employees Where salary > ANY (**SELECT** AVG(salary) **FROM** employees **GROUP BY** department_id)		0
B.	**SELECT** last_name **FROM** employees Where salary > ANY (**SELECT** MAX(salary) **FROM** employees **GROUP BY** department_id)		0
C.	**SELECT** * **FROM** employees where salary > (**SELECT** MIN(salary) **FROM** employees **GROUP BY** department.id)		100
D.	**SELECT** department_id **FROM** employees **WHERE** SALARY > **ALL** (**SELECT** AVG(salary) **FROM** employees **GROUP BY** department_id)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 169

What is the use of LEVEL pseudocolumn?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It is used to indicate the starting node of the hierarchical query		0
B.	It is used to display the level of a row in the hierarchy		100
C.	None of the above		0
D.	It is used to level the output of the query		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 170

Which query will display the details of the employees and their manager in a TOP-DOWN tree structure, starting with employee 'King'?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** employee_id, last_name, job_id, manager_id **FROM** employees **START WITH** last_name = 'King' **CONNECT BY PRIOR** employee_id = manager_id ;		100
B.	**SELECT** employee _id, last_name, job_id, manager_id **FROM** employees **START WITH** last_name = 'King' **CONNECT BY PRIOR** manager_id = employee_id;		0
C.	**SELECT** employee_id, last_name, job_id, manager_id **FROM** employees **START WITH** last_name = 'King' **CONNECT BY PRIOR** employee_id TOP_DOWN;		0
D.	D. SELECT employee_id, last_name, job_id, manager_id FROM employeesSTART WITH last_name = 'King' CONNECT BY TOP_DOWN employee_id = manager_id ;		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 171

What will be the output of the below query? **SELECT** last_name, job_id, salary **FROM** employees **WHERE** job_id = (**SELECT** job_id **FROM** employees **WHERE** employee_id = 141) **AND** salary > (**SELECT** salary **FROM** employees **WHERE** employee_id = 143);			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Display employees whose job ID is the same as that of employee 141 or 143 and whose salary is greater than that of employee 141 or 143.		0
B.	Display employees whose job ID is the same as that of employee 141 and 143 and whose salary is greater than that of employee 141 and 143.		0
C.	Display employees whose job ID is the same as that of employee 141 or whose salary is greater than that of employee 143.		0
D.	Display employees whose job ID is the same as that of employee 141 and whose salary is greater than that of employee 143.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 172

Which statement regarding subqueries is true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A subquery CANNOT reference a table that is not included in the outer query's FROM clause.		0
B.	A subquery must be placed on the right side of the comparison operator.		0
C.	Subqueries can return multiple columns.		100
D.	Subqueries cannot be nested up to3 levels.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 173

Which of the following is not a multiple-row comparison operator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ANY		0
B.	IN		0
C.	EACH		100
D.	ALL		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 174

Evaluate this SQL statement: **SELECT** product_id, product_name, price **FROM** product **WHERE** supplier_id **IN** (**SELECT** supplier_id **FROM** product **WHERE** price > 120 **OR** qty_in_stock > 100); Which values will be displayed?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The PRODUCT_ID , PRODUCT_NAME, and PRICE of products that are priced greater than $120.00 or that has a QTY_IN_STOCK value greater than 100		0
B.	The PRODUCT_ID, PRODUCT_NAME, and PRICE of products that are priced greater than $120.00 and have a QTY_IN_STOCK value greater than 100		0
C.	The PRODUCT_ID, PRODUCT_NAME, and PRICE of products supplied by a supplier with products that are priced greater than $120.00 or with products that have a QTY_IN_STOCK value greater than 100		100
D.	The PRODUCT_ID, PRODUCT_NAME, and PRICE of products that are priced greater than $120.00 or that has a QTY_IN_STOCK value less than 100		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 175

A subquery can be used to _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Sort data in a specific order		0
B.	Create groups of data.		0
C.	Retrieve data based on an unknown condition		100
D.	Convert data to a different format		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 176

Which statement about subqueries is not true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A single row subquery can retrieve only one column and one row.		100
B.	A multiple row subquery can retrieve multiple rows and multiple columns.		0
C.	A multiple row subquery can be compared by using the ">" operator.		0
D.	A single row subquery can retrieve only one row but many columns.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 177

You define a multiple-row subquery in the WHERE clause of an SQL query with a comparison operator "=". What happens when the main query is executed?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The main query fails because the multiple-row subquery cannot be used with the comparison operator.		100
B.	The main query executes with the last value returned by the subquery.		0
C.	The main query executes with all the values returned by the subquery.		0
D.	The main query executes with the first value returned by the subquery.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 178

Which operator can be used with a multiple-row subquery?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	LIKE		0
B.	=		0
C.	NOT IN		100
D.	BETWEEN		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 179

Which statement about subqueries is true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A single row subquery can retrieve data from only one table		0
B.	A single row subquery cannot be used in a condition where the LIKE operator is used for comparison.		0
C.	A SQL query statement cannot display data from table B that is referred to in its		100
D.	A SQL query statement can display data from table B that is referred to in its subquery, without including table B in its own FROM clause.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 180

Examine the structure of the EMPLOYEES and NEW_EMPLOYEES tables: EMPLOYEES EMPLOYEE_ID **NUMBER** Primary Key FIRST_NAME **VARCHAR2**(25) LAST_NAME **VARCHAR2**(25) HIRE_DATE **DATE** NEW_EMPLOYEES EMPLOYEE_ID **NUMBER** Primary Key NAME **VARCHAR2**(60) Which DELETE statement is valid?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**DELETE FROM** employees **WHERE** employee_id **IN** (**SELECT** employee_id **FROM** new_employees **WHERE** name = 'Carrey');		100
B.	**DELETE FROM** employees **WHERE** employee_id = (**SELECT** employee_id **FROM** employees);		0
C.	**DELETE** * **FROM** employees **WHERE** employee_id **IN** (**SELECT** employee_id **FROM** new_employees **WHERE** last_name = 'Carrey');		0
D.	**DELETE** * **FROM** employees **WHERE** employee_id = (**SELECT** employee_id **FROM** new_employees);		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 10: Advanced Sub Queries

Question 181

Which statement about the Sub queries is not valid?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The subquery (inner query) returns a value that is used by the parent statement		0
B.	A subquery is a SELECT statement that is embedded in a clause of another SQL statement		0
C.	Using a nested subquery is equivalent to performing two sequential queries and using the result of the inner query as the search value in the outer query		0
D.	The Outer query is executed first and then the inner subquery.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 182

Which type of sub query is used in the following SQL statement?
`SELECT employee_id, last_name,`
`(CASE`
`WHEN department_id = (SELECT department_id FROM departments`
`WHERE location_id = 1800)`
`THEN 'Canada' ELSE 'USA'`
`END) location`
`FROM employees;`
			MC

		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Pair-wise comparison sub-query		0
B.	Correlated sub query		0
C.	Inline sub query		0
D.	Scalar Sub query		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 183

Which statement is not true about the Correlated sub Queries?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A correlated sub query is evaluated once for each row processed by the parent statement.		0
B.	The parent statement can be a SELECT, UPDATE, or DELETE statement.		0
C.	A correlated sub query is evaluated once for each parent statement.		100
D.	The Oracle Server performs a correlated sub query when the sub query references a column from a table referred to in the parent statement.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 184

Which type of sub query is used in the following SQL statement? **SELECT** employee_id, last_name **FROM** employees e **ORDER BY** (**SELECT** department_name **FROM** departments d **WHERE** e.department_id = d.department_id);			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Pair-wise comparison sub-query		0
B.	Correlated sub query		100
C.	nline sub query		0
D.	Non-pair wise comparison query		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 185

What does EXISTS operator return when the inner query selects no records? A. NULL B. 0 C. FALSE D. TRUE			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	0		0
B.	FALSE		100
C.	TRUE		0
D.	NULL		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 186

What will be the output of the following query? **SELECT** employee_id, last_name, job_id, department_id **FROM** employees outer **WHERE EXISTS (SELECT** 'X' **FROM** employees **WHERE** manager_id = outer.employee_id);			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Display employees who have at least one person reporting to them with employee_id as 'X'		0
B.	Display employees who have at least one person reporting to them.		100
C.	Display employees who have at least one manager assigned to them.		0
D.	Display employees who have at least one person reporting to them with name 'X'		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 187

Which of the following queries displays all departments that do not have any employees?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** department_id, department_name **FROM** departments d **WHERE NOT EXISTS** (**SELECT** 'X' **FROM** employees **WHERE** department_id = d.department_id);		100
B.	**SELECT** department_id, department_name **FROM** departments d **WHERE EXISTS** (**SELECT** 'X' **FROM** employees **WHERE** department_id = d.department_id);		0
C.	**SELECT** department_id, department_name **FROM** departments d **WHERE NOT EXISTS** (**SELECT** 'X' **FROM** employees **WHERE** department_id = department_id);		0
D.	**SELECT** department_id, department_name **FROM** departments d **WHERE EXISTS** (**SELECT** 'X' **FROM** employees **WHERE** department_id = department_id);		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 188

Examine the Update statement below, which type of update is this? **UPDATE** employees e **SET** department_name = (**SELECT** department_name **FROM** departments d **WHERE** e.department_id = d.department_id);			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Inline Update		0
B.	Correlated Update		100
C.	Direct Update		0
D.	Indirect Update		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 189

Which of the following is a correlated sub query to delete only those rows from the EMPLOYEES table that also exist in the EMP_HISTORY table?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**DELETE FROM** employees E **WHERE** employee_id **IN (SELECT** employee_id **FROM** employees E, emp_history H **WHERE** E.employee_id = H. employee_id;);		0
B.	**DELETE FROM** employees E **WHERE** employee_id = **(SELECT** employee_id **FROM** emp_history **WHERE** employee_id = E.employee_id);		100
C.	**DELETE FROM** employees E **WHERE** employee_id **IN (SELECT** employee_id **FROM** emp_history H)		0
D.	**DELETE FROM** employees E , emp_history H **WHERE** E.employee_id = H. employee_id;		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 190

Which of the following is not true about using the WITH clause?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Using the WITH clause, you can define a query block before using it in a query.		0
B.	The WITH clause is also known as subquery_factoring_clause.		0
C.	The WITH clause enables you to reuse the same query block in a SELECT statement when it occurs more than once within a complex query		0
D.	The WITH clause, unlike the Inline views, can create permanent and reusable views		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 191

When should the use of WITH clause be more effective?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	WITH clause is used when the query has many number of tables to be joined.		0
B.	When using the Inline sub queries in the FROM clause.		0
C.	When a query has many references to the same query block and there are joins and aggregations.		100
D.	WITH clause can be used to replace the correlated sub queries for faster performance		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 192

Which of the following is a valid usage of a sub-query?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	To define the set of rows to be inserted into the target table of an INSERT or CREATE TABLE statement		0
B.	To provide values for conditions in WHERE, HAVING, and START WITH clauses of SELECT statements		0
C.	All of the above		100
D.	To define one or more values to be assigned to existing rows in an UPDATE statement		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 193

Which of the following is not a benefit of using the WITH Clause?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It automatically sorts the output of the query		100
B.	It evaluates a clause only once, even if it appears multiple times in the query.		0
C.	It can enhance performance of the queries		0
D.	It makes the query easy to read		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 194

Identify the odd one among the following operators used along with Sub-queries.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	=		100
B.	ANY		0
C.	ALL		0
D.	IN		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 195

Which query will display the details of all employees who earn less than the average salary in the company?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** last_name, job_id, salary **FROM** employees **WHERE** salary < (**SELECT** AVG(salary) **FROM** employees **GROUP BY** Department_id);		0
B.	**SELECT** last_name, job_id, salary **FROM** employees **HAVING** salary < (**SELECT** AVG(salary) **FROM** employees);		0
C.	**SELECT** last_name, job_id, salary **FROM** employees **WHERE** salary ANY (**SELECT** AVG(salary) **FROM** employees **GROUP BY** department_id);		0
D.	**SELECT** last_name, job_id, salary **FROM** employees **WHERE** salary < (**SELECT** AVG(salary) **FROM** employees);		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 196

What is a multicolumn sub query?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	There is no sub query as Multi-column sub query, there is only multi-row sub query		0
B.	A sub query which selects more than one column is called a multi-column sub query		100
C.	A multi-column sub query is the one that uses single-row operators for comparison		0
D.	A sub query which uses decode statements to process multiple columns is called a multi-column sub query		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 197

What will be the output of the following multi-column sub query? **SELECT** employee_id, manager_id, department_id **FROM** employees **WHERE** (manager_id, department_id) **IN** (**SELECT** manager_id, department_id **FROM** employees **WHERE** employee_id **IN** (178, 174));			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Display the details of the employees who are managed by the same manager and work in the same department as the employees with EMPLOYEE_ID 178 or 174.		100
B.	Display the details of the employees who are managed by the same manager and work in the same department as the employees with EMPLOYEE_ID 178 and 174.		0
C.	Display the details of the employees managed by the same manager as that of the employees with EMPLOYEE_ID 178 or 174 and work in the same department as the employees with EMPLOYEE_ID 178 or 174.		0
D.	This statement will return Error		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 198

What will be the output of the following multi-column sub query? **SELECT** employee_id, manager_id, department_id **FROM** employees **WHERE** manager_id **IN** (**SELECT** manager_id **FROM** employees **WHERE** employee_id **IN** (174, 141)) **AND** department_id **IN** (**SELECT** department_id **FROM** employees **WHERE** employee_id **IN** (174, 141)) **AND** employee_id **NOT IN** (174, 141);			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Display the details of the employees who are managed by the same manager and work in the same department as the employees with EMPLOYEE_ID 178 or 174.		0
B.	This statement will return Error		0
C.	Display the details of the employees who are managed by the same manager and work in the same department as the employees with EMPLOYEE_ID 178 and 174.		0
D.	Display the details of the employees managed by the same manager as that of the employees with EMPLOYEE_ID 178 or 174 and work in the same department as the employees with EMPLOYEE_ID 178 or 174.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 199

What is not true about the Inline Sub Queries?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A sub query in the FROM clause of a SELECT statement defines a data source for that particular SELECT statement, and only that SELECT statement.		0
B.	A sub query in the FROM clause of a SELECT statement is also called an inline view.		0
C.	The inline views created during the Sub query can be used later by same or other queries.		100
D.	You can use a sub query in the FROM clause of a SELECT statement, which is very similar to how views are used.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 200

Which of the following is not true about the Scalar sub queries?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Multiple-column sub queries written to compare two or more columns, using a compound WHERE clause and logical operators, do not qualify as scalar sub queries		100
B.	The value of the scalar sub query expression is the value of the select list item of the sub query.		0
C.	If the sub query returns 0 rows, the value of the scalar sub query expression is NULL.		0
D.	A sub query that returns exactly one column value from one row is also referred to as a scalar sub query.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 11: Views

Question 201

In which scenario would TOP N analysis be the best solution?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You want to identify the person who makes the highest salary for all employees		0
B.	You want to find the manager supervising the largest number of employees.		0
C.	You want to rank the top three sales representatives who have sold the maximum number of products		100
D.	You want to identify the most senior employee in the company		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 202

Examine the structure of the EMP_DEPT_VU view: Column Name Type Remarks ---------- ---------- ---------- EMPLOYEE_ID **NUMBER** From the EMPLOYEES table EMP_NAME **VARCHAR2**(30) From the EMPLOYEES table JOB_ID **VARCHAR2**(20) From the EMPLOYEES table SALARY **NUMBER** From the EMPLOYEES table DEPARTMENT_ID **NUMBER** From the DEPARTMENTS table DEPT_NAME **VARCHAR2**(30) From the DEPARTMENTS table Which of the following SQL statement produces an error?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**SELECT** * **FROM** emp_dept_vu;		0
B.	**SELECT** department_id, SUM(salary) **FROM** emp_dept_vu **GROUP BY** department_id;		0
C.	**SELECT** department_id, job_id, AVG(salary) **FROM** emp_dept_vu **GROUP BY** department_id, job_id;		0
D.	None of the statements produce an error; all are valid		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 203

Which SQL statement would you use to remove a view called EMP_DEPT_VU from your schema?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	REMOVE emp_dept_vu;		0
B.	**DELETE** emp_dept_vu;		0
C.	**DROP** emp_dept_vu		0
D.	**DROP VIEW** emp_dept_vu		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 204

Top N analysis requires:			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Only an inline view		0
B.	The use of ROWNUM pseudo column		100
C.	The use of ROWID		0
D.	a GROUP BY clause		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 205

What is true about updates through a view?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	When you update a view the constraints on the views always override the constraints on theunderlying tables		0
B.	When you update a view group functions are automatically computed		0
C.	You cannot update a view with group functions		100
D.	When you update a view only the data in the view will be updated and not the table data		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 206

What does the FORCE option do for creating a view?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	creates a view regardless of whether or not the base tables exist		100
B.	creates a view in another schema even if you don't have privileges		0
C.	creates a view even if the underlying parent table has constraints		0
D.	creates a view with constraints		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 207

Which of the following best describes an inline view?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	a schema object		0
B.	a sub query that is part of the FROM clause of another query		100
C.	a sub query that can contain an ORDER BY clause		0
D.	another name for a view that contains group functions		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 208

Which statement about views is not true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A view can be created as read only		0
B.	The table must exist to create a view on it		100
C.	A view can be created with a GROUP BY clause in the SELECT statement.		0
D.	A view can be created based on another view		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 209

Evaluate this SQL statement: **SELECT** a.emp_name, a.sal, a.dept_id, b.maxsal **FROM** employees a, (**SELECT** dept_id, MAX(sal) maxsal **FROM** employees **GROUP BY** dept_id) b **WHERE** a.dept_id = b.dept_id **AND** a.sal < b.maxsal; What is the result of the statement?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The statement produces an error at line 3		0
B.	The statement produces an error at line 4		0
C.	The statement returns the employee name, salary, department ID, and maximum salary earned in the department of the employee for all employees who earn less than the maximum salary in their department		100
D.	The statement produces an error at line 1		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 210

You need to create a view called EMP_VU that allows the user to insert rows through the view. Which of the following SQL statement, when used to create the EMP_VU view, allows the user to insert rows?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**CREATE VIEW** emp_Vu **AS SELECT** department_id, SUM(sal) TOTALSAL **FROM** employees **WHERE** mgr_id **IN** (102, 120) **GROUP BY** department_id;		0
B.	**CREATE VIEW** emp_Vu **AS SELECT** employee_id, emp_name,department_id **FROM** employees **WHERE** mgr_id **IN** (102, 120);		0
C.	**CREATE VIEW** emp_Vu **AS SELECT** employee_id, emp_name, job_id,**DISTINCT** department_id **FROM** employees;		0
D.	**CREATE VIEW** emp_Vu **AS SELECT** employee_id, emp_name, job_iddepartment_id **FROM** employees **WHERE** mgr_id **IN** (102, 120);		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 211

You need to perform certain data manipulation operations through a view called EMP_DEPT_VU, which you previously created. You want to look at the definition of the view (the SELECT statement on which the view was created). How do you obtain the definition of the view?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Query the USER_VIEWS data dictionary view to search for the EMP_DEPT_VU view		100
B.	Use the DESCRIBE VIEW command on the EMP_DEPT VU view		0
C.	Use the DEFINE VIEW command on the EMP_DEPT VU view		0
D.	Query the USER_SOURCE data dictionary view to search for the EMP_DEPT_VU view		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 212

What is necessary for your query on an existing view to execute successfully?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The underlying tables must be in the same schema		0
B.	The underlying tables must have data.		0
C.	You need SELECT privileges only on the underlying tables		0
D.	You need SELECT privileges on the view.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 213

When you use SQL Subquery in _____ clause of the select statement it is called inline view			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	group by		0
B.	order by		0
C.	where		0
D.	from		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 214

You created a view called EMP_DEPT_VU that contains three columns from the EMPLOYEES and DEPARTMENTS tables: EMPLOYEE_ID, EMPLOYEE_NAME and DEPARTMENT_NAME. The DEPARTMENT_ID column of the EMPLOYEES table is the foreign key to the primary key DEPARTMENT_ID column of the DEPARTMENTS table. You want to modify the view by adding a fourth column, MANAGER_ID of NUMBER data type from the EMPLOYEES tables. How can you accomplish this task?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**ALTER VIEW** emp_dept_vu **AS SELECT** employee_id, employee_name,department_name, manager_id **FROM** employee e, departments d **WHERE** e.department_id = d.department_id;		0
B.	MODIFY VIEW emp_dept_vu (ADD manager_id NUMBER);		0
C.	**ALTER VIEW** emp_dept_vu (**ADD** manager_id **NUMBER**);		0
D.	**CREATE OR REPLACE VIEW** emp_dept_vu **AS SELECT** employee_id, employee_name,department_name, manager_id **FROM** employees e, departments d **WHERE** e.department_id = d.department_id;		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 215

Which statements concerning the creation of a view are true? (Choose all that apply.)			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	View columns that are the result of derived values are named by Oracle.		0
B.	When the view already exists, using the OR REPLACE option requires the re-granting of the object privileges previously granted on the view		0
C.	A constraint name must be provided when using the WITH CHECK OPTION clause or theStatement will fail		0
D.	A view can have column names that are different than the actual base table(s) column names by using column aliases.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 216

You are granted the CREATE VIEW privilege. What does this allow you to do?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Create a table view		0
B.	Create a view in any schema		0
C.	Create a view in your schema		100
D.	Create a sequence view in any schema		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 217

Which of the following is a valid option while creating a view?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**WITH** BREAK **OPTION**		0
B.	ON DELETE CASCADE		0
C.	**WITH GRANT OPTION**		0
D.	**WITH CHECK OPTION**		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 218

An inline view is a SELECT statement that is given an alias and is embedded in the _____ clause of another SELECT statement.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	CASE		0
B.	FROM		100
C.	WHERE		0
D.	SELECT		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 219

You need to create a view EMP_VU. The view should allow the users to manipulate the records of only the employees that are working for departments 10 or 20. Which SQL statement would you use to create the view EMP_VU?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	**CREATE VIEW** emp_vu **AS SELECT** * **FROM** employees **WHERE** department_id **IN** (10,20) **WITH READ ONLY**;		0
B.	**CREATE VIEW** emp_vu **AS SELECT** * **FROM** employees **WHERE** department_id **IN** (10,20) **WITH CHECK OPTION**;		100
C.	**CREATE VIEW** emp_vu **AS SELECT** * **FROM** employees **WHERE** department_id **IN** (10,20);		0
D.	**CREATE FORCE VIEW** emp_vu **AS SELECT** * **FROM** employees **WHERE** department_id **IN** (10,20);		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 220

Which statement about views is true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A view cannot have an ORDER BY clause in the SELECT statement		0
B.	A view cannot be created with a GROUP BY clause in the SELECT statement.		0
C.	A view can be created as read only		100
D.	A view must have aliases defined for the column names in the SELECT statement		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 12: Set Operators and Pseudo Column

Question 221

Which of the following is not a SET operator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Intersect		0
B.	Union		0
C.	Minus		0
D.	Plus		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 222

If the JOB_HISTORY table contains the records for those employees who have changed their jobs at least once, and you want to display the employee IDs of those employees who have not changed their jobs even once, which set operator should you use to write a query?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Intersect		0
B.	Minus		100
C.	Union		0
D.	Union All		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 223

Which of the following is not true about the use of Set operators in general?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SET operators cannot be used in sub queries		100
B.	The expressions in the SELECT lists must match in number and data type.		0
C.	Parentheses can be used to alter the sequence of execution.		0
D.	Queries that use UNION, UNION ALL, INTERSECT, and MINUS SET operators in their WHERE clause must have the same number and type of columns in their SELECT list		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 224

Which statement about the use of ORDER BY clause in conjunction with the SET Operators is not correct?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The column name or alias, if used in an ORDER BY clause, must be from the first SELECT list.		0
B.	The ORDER BY clause: Can accept the column name, an alias, or the positional notation		0
C.	The ORDER BY clause: Can appear only at the very end of the statement		0
D.	The ORDER BY clause: Can appear only at the end of the first SELECT statement		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 225

Which statement about the Oracle Server and SET Operators is not true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	By default, the output is sorted in ascending order of the first column of the SELECT clause.		0
B.	The column names in the output are decided by the column list in the first SELECT statement		0
C.	The data types of the output columns are same as the selected columns		100
D.	the Oracle Server eliminates duplicate rows automatically except in the case of the UNION ALL operator		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 226

What data does the DUAL table contain by default?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	One column named DUMMY and one row with value X		100
B.	One column named D and one row with value X		0
C.	One column named COL and one row with value 1		0
D.	DUAL table doesn't contain any data by default.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 227

What is not true about the Oracle Pseudo columns?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A pseudo column behaves like a table column, but is not actually stored in the table.		0
B.	Pseudo columns are internally maintained by the Oracle server.		0
C.	You cannot insert value of a pseudo column in other table's columns.		100
D.	You can select from pseudo columns, but you cannot insert, update, or delete their values.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 228

Which of the following is not a valid type or name of an Oracle Pseudo-column?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Hierarchical Query Pseudo columns		0
B.	Sequence Pseudo columns		0
C.	Sub Query Pseudo columns		100
D.	ROWNUM Pseudo column		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 229

Which of the following statement, about sequence pseudo columns is true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You use a CURRVAL pseudo column to generate a value from a sequence that would be used for a specified database column.		0
B.	You use a NEXTVAL pseudo column to look at the next possible value that would be generated from a sequence, without actually retrieving the value.		0
C.	You use a CURRVAL pseudo column to generated next value of the sequence to be used.		0
D.	You use a NEXTVAL pseudo column to obtain the next possible value from a sequence by actually retrieving the value from the sequence.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 230

Which of the following is not part of the information contained inside the ROWID pseudo column?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The data object number of the object		0
B.	The data file in which the row resides		0
C.	The position of the row in the oracle table		100
D.	The data block in the data file in which the row resides		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 231

Which of these pseudo columns is useful while performing the TOP-N analysis?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	RANK		0
B.	ROWID		0
C.	LEVEL		0
D.	ROWNUM		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 232

If you want to select employees details from two different tables which may contain records for same employee ids, but want to display each employees record only once, which set operator should you use?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Union		100
B.	Union all		0
C.	Minus		0
D.	Intersect		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 233

What will be the output of the below query? **SELECT** * **FROM** employees **WHERE** ROWNUM < 10;			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	This Query will perform TOP-N analysis to display TOP nine earning employees as ROWNUM is used.		0
B.	This query will return error as ROWNUM is not used in the SELECT clause and only in the WHERE clause		0
C.	The query will select only 10 records from employees table		0
D.	This query will return 9 rows from the Employees table, if there are 9 or more records in the employees table		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 234

Queries containing SET operators are called _____ queries.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Compound		100
B.	Set		0
C.	Complex		0
D.	Set Manipulation		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 235

What is not true about the Union operator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	UNION operates over all of the columns being selected.		0
B.	The IN operator has a higher precedence than the UNION operator.		0
C.	By default, the output is sorted in ascending order of the first column of the SELECT clause.		0
D.	NULL values are ignored during duplicate checking.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 236

Which of the set operators when used, the output of the query is not sorted by default?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Minus		0
B.	Intersect		0
C.	Union		0
D.	Union All		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 237

Which of the following statement is not true about the UNION ALL operator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The DISTINCT keyword can be used		100
B.	The output is not sorted by default		0
C.	The UNION ALL operator to return all rows from multiple queries.		0
D.	duplicate rows are not eliminated		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 238

What is not true about the use of Intersect operator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	INTERSECT does not ignore NULL values.		0
B.	The names of the columns need not be identical		0
C.	The number of columns and the data types of the columns being selected by the SELECT statements in the queries must be identical in all the SELECT statements used in the query		0
D.	Reversing the order of the intersected tables may result in a changed output		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 239

Which operator should you use to display the records which are a common result of each of the queries?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Union		0
B.	Minus		0
C.	Intersect		100
D.	Union All		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 240

Which of the following is correct about the use of Union operator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The data types of the columns being selected must be identical but the number of columns may be different.		0
B.	The number of columns and the data types of the columns being selected must be identical in all the SELECT statements used in the query		100
C.	The names of the columns must also be identical		0
D.	The number of columns being selected must be identical but the data types of the columns may be different.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 13: Normalization

Question 241

Which the following statement is not true about Database Normalization ?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Normalization usually involves combining small tables and consolidating them into a single table so that maximum data can be accessed through each table.		100
B.	In the design of a relational database management system, the process of organizing data to minimize redundancy is called 'Normalization'.		0
C.	The goal of database normalization is to decompose relations with anomalies in order to produce smaller, well-structured relations.		0
D.	Normalization usually involves dividing large tables into smaller (and less redundant) tables and defining relationships between them.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 242

An attribute is fully functionally dependent on a set of attributes X if it is _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Functionally dependent on X		0
B.	Not functionally dependent on any proper subset of X.		0
C.	Either A or B but not both		0
D.	Both A and B		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 243

What is true about the Multivalued dependency?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A multivalued dependency is a constraint according to which the presence of primary key in a table implies the presence of foreign keys.		0
B.	A multivalued dependency is a constraint according to which the presence of certain rows in a table implies the presence of certain other rows.		100
C.	A multivalued dependency is a constraint according to which the presence of functional dependency implies the presence of transitive dependency.		0
D.	A multivalued dependency is a constraint according to which the presence of transitive dependency implies the presence of functional dependency.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 244

Which statement is true about the Super Keys?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A super key cannot be a candidate key.		0
B.	A table can have only one super key.		0
C.	Super key may not contain all the columns present in the Candidate key of a table.		0
D.	A super key is a combination of attributes that can be used to uniquely identify a database record		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 245

Which of the following statements is not true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A prime attribute is also part of all super keys of a table.		0
B.	A prime attribute is an attribute that does occur in any candidate key.		0
C.	A non-prime attribute is an attribute that does not occur in any super key.		100
D.	A non-prime attribute is an attribute that does not occur in any candidate key.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 246

Which of the following conditions is not a valid condition for a table to be in First Normal Form (1NF)?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	There are no duplicate rows.		0
B.	There's no top-to-bottom ordering to the rows.		0
C.	There's left-to-right ordering to the columns.		100
D.	Every row-and-column intersection contains exactly one value from the applicable domain		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 247

Why is the following 1NF table not in the 2NF? Employees' Skills Employee Skill Current Work Location -------- ---------- ---------- Jones Typing 114 Main Street Jones Shorthand 114 Main Street Jones Whittling 114 Main Street Bravo Light Cleaning 73 Industrial Way Ellis Alchemy 73 Industrial Way Ellis Flying 73 Industrial Way Harrison Light Cleaning 73 Industrial Way			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The non-prime attribute(s) are not dependent on each of the prime attributes.		100
B.	The table contains multiple records for Same Employee name, so not in 2NF		0
C.	The non-prime attribute(s) are dependent on each of the prime attributes.		0
D.	The table is not in 1NF hence not in 2NF		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 248

Which of the 3NF conditions is not satisfied by the table below? Tournament Winners Tournament Year Winner Winner Date of Birth ---------- ---- ---------- ---------- Des Moines Masters 1998 Chip Masterson 14 March 1977 Indiana Invitational 1998 Al Fredrickson 21 July 1975 Cleveland Open 1999 Bob Albertson 28 September 1968 Des Moines Masters 1999 Al Fredrickson 21 July 1975 Indiana Invitational 1999 Chip Masterson 14 March 1977			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Every prime attribute of a Table is non-transitively dependent on every candidate key of the table.		0
B.	Every non-prime attribute of a Table is non-transitively dependent on every candidate key of the table.		100
C.	The table must be in 2NF		0
D.	The table must be in 1NF		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 249

Which statement about the Boyce-Codd Normal Form is not true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Only in rare cases does a 3NF table not meet the requirements of BCNF		0
B.	BCNF was developed to address certain types of anomaly not dealt with by 3NF as originally defined.		0
C.	Boyce-Codd normal form is a slightly stronger version of the third normal form.		0
D.	A 3NF table which does not have multiple overlapping candidate keys is supposed to be not in BCNF.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 250

What is the full form of the DKNF?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Donner-Korth Normal Form		0
B.	Domain-Key Normal Form		100
C.	Dual-Key Normal Form		0
D.	Domain-Knowledge Normal Form		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 251

If a table is said to be in 3NF then which of the following may not be true?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Every row-and-column intersection contains exactly one value from the applicable domain.		0
B.	The table is free of modification anomalies.		100
C.	Every non-prime attribute is non-transitively dependent (i.e. directly dependent) on every candidate key.		0
D.	All its non-prime attributes are functionally dependent on the whole of every candidate key.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 252

Which of the following statements correctly describe the modification anomalies?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Modification anomalies occur only up to Second Normal form		0
B.	When modification anomalies exist, the table data cannot be modified		0
C.	When an attempt is made to modify a table, undesired side-effects may follow		100
D.	When modifying a table, errors frequently occur due to modification anomalies		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 253

Which of the following indicate that Y is transitively dependent on X?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	X->Y , Z->X		0
B.	X->Y, Z->X		0
C.	Y->Z, Z->X		0
D.	Z->Y , X->Z		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 254

What is correct full form of the BCNF normal form?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Boyce-Cartesian normal form		0
B.	Boyce-Codd normal form		100
C.	Bond-Codd normal form		0
D.	Borne-Codd normal form		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 255

Which of the following is not a valid type of Modification anomaly?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Update Anomaly		0
B.	Insertion anomaly		0
C.	Deletion anomaly		0
D.	Drop anomaly		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 256

Considering the table structure and the data in the following table, which all modification anomalies can occur while modifying this table? Faculty ID Faculty Name Faculty Hire Date Course Code ---------- ---------- ---------- ---------- 389 Dr. Giddens 10-Feb-1985 ENG-206 407 Dr. Saperstein 19-Apr-1999 CMP-101 407 Dr. Saperstein 19-Apr-1999 CMP-201			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Insertion, Update and Deletion anomaly		100
B.	Only Insertion anomaly		0
C.	Insertion and Update anomaly		0
D.	Update and Deletion anomaly		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 257

Which of the following is not a valid objective of normalization?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Get rid of the modification anomalies		0
B.	Make the data model more informative to users		0
C.	Completely avoid the need to change the table structure after normalization		100
D.	Minimize redesign when extending the database structure		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 258

Consider following table structure, in which normal form is it? Transactions Customer Tr. ID Date Amount -------- ------ ----------- ------ Jones 12890 14-Oct-2003 −87 12904 15-Oct-2003 −50 Wilkins 12898 14-Oct-2003 −21 Stevens 12907 15-Oct-2003 −18 14920 20-Nov-2003 −70 15003 27-Nov-2003 −60			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	3NF		0
B.	1NF		0
C.	2NF		0
D.	Non 1NF		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 259

What is Functional dependency?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	In a given table, an attribute Y is said to have a functional dependency on a set of attributes X, if and only if each X value is associated with more than one Y value		0
B.	In a given table, an attribute Y is said to have a functional dependency on a set of attributes X, if and only if each Y value is associated with precisely one X value		0
C.	In a given table, an attribute Y is said to have a functional dependency on a set of attributes X, if and only if each X value is associated with precisely one Y value		100
D.	In a given table, an attribute Y is said to have a functional dependency on a set of attributes X, if and only if each X value is associated with at least one Y value		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 260

What does X -> Y mean about the attributes X and Y?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	X is functionally dependent on Y		0
B.	Y is functionally dependent on X		100
C.	None of the above		0
D.	X and Y are functionally dependent on each other		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			