Core Java

Modules:

1. Introduction to Java
2. Java and Object Based Programming
3. Access Control Inheritance and Interfaces
4. Memory Management Java Beans and Java Keyworks
5. Collections
6. Exception Handling
7. Multithreaded Programming
8. Java IO
9. Java Object Immutable Objects Wrapper Classes and Serialization
10. JDBC
11. GUI Building with AWT and Applets
12. Java Swings
13. Network Programming
14. XML and Java Part
15. Java Lang and Util Packages
16. Inernationalization and Security in Java

MODULE 1: INTRODUCTION TO JAVA

Question 1

Which of the Following is not the feature of Java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Not Robust.		*100*
B.	Object Oriented.		*0*
C.	Distributed.		*0*
D.	Interpreted		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 2

```
public class Dummy {
    public Object m() {
        Object o = new Float(3.14F);
        Object[] oa = new Object[1];
        oa[0] = o; /* Line 5 */
        o = null; /* Line 6 */
        oa[0] = null; /* Line 7 */
        return o; /* Line 8 */
    }
}
```

MC

When is the Float object, created in line 3, eligible for garbage collection?

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	just after line 7		*100*
B.	just after line 5		*0*
C.	just after line 6		*0*
D.	just after line 8		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 3

which is the first web browser developed in Java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Internet Explorer		*0*
B.	HotJava		*100*
C.	Netscape Navigator		*0*
D.	Opera		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 4

Which is a valid declaration of a String?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`String s4 = (String) '\ufeed';`		*0*
B.	`String s3 = (String) 'abc';`		*0*
C.	`String s2 = 'null';`		*0*
D.	`String s1 = null;`		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 5

Which one of these lists contains only Java programming language keywords?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	goto, instanceof, native, finally, default, throws		*100*
B.	class, if, void, long, Int, continue		*0*
C.	try, virtual, throw, final, volatile, transient		*0*
D.	strictfp, constant, super, implements, do		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 6

Which three form part of correct array declarations? A. public int a [ ] B. static int [ ] a C. public [ ] int a D. private int a [3] E. private int [3] a [ ] F. public final int [ ] a			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A,C, D		*0*
B.	A, B, F		*100*
C.	B, D, E		*0*
D.	B, E, F		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 7

Which one is a valid declaration and initialization of a boolean?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`boolean b1 = 0;`		*0*
B.	`boolean b2 ;`		*0*
C.	`boolean b3 = false;`		*100*
D.	`boolean b5 = no;`		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 8

Which of the following is not primitive datatype?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	int		*0*
B.	short		*0*
C.	byte		*0*
D.	enum		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 9

Which of the following describes the correct default values for array elements of the types indicated? 1. int - 0 2. String - "null" 3. Dog - null 4. char - '\u0000' 5. float - 0.0f 6. boolean - true			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	1, 3, 4, 5		*100*
B.	1, 2, 3, 4		*0*
C.	3, 4, 5, 6		*0*
D.	2, 4, 5, 6		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 10

Public Boolean (boolean value) is used to construct _____.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Integer object		*0*
B.	Boolean object.		*100*
C.	Float object		*0*
D.	None of this.		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 11

Java source codes are compiled and converted to _____			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Binary codes		*0*
B.	Object codes		*0*
C.	Byte codes		*100*
D.	Assembly codes		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 12

Bytes variables are declared by use of the _____ keyword (using primitive data type).			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Byte		*0*
B.	bytes		*0*
C.	Bytes		*0*
D.	byte		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 13

What is the File Extension of java byte codes?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	.java		*100*
B.	.class		*0*
C.	.bc		*0*
D.	None of the above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 14

Which of the following command is used to compile the java application through command prompt, assuming class file “Hello World.java”?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Compile HelloWorld.java		*0*
B.	javac HelloWorld.java		*100*
C.	Cmp HelloWorld.java		*0*
D.	java HelloWorld		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 15

Which environment variable is one way to tell applications, including the JDK tools, where to look for user classes ?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	PATH		*0*
B.	USERPATH		*0*
C.	CLASSPATH		*100*
D.	NEWPATH		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 16

JDK contains _____ .			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of the above.		*0*
B.	Only Development Tools		*0*
C.	Only JRE.		*0*
D.	Both (JRE+ Development Tools).		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 17

```
public class Dummy {
    class HappyGarbage01 {
        public static void main(String args[]) {
            HappyGarbage01 h = new HappyGarbage01();
            h.methodA(); /* Line 6 */
        } /* Line 7 */

        Object methodA() /* Line 8 */ {
            /* Line 9 */
            Object obj1 = new Object(); /* Line 10 */
            Object[] obj2 = new Object[1]; /* Line 11 */
            obj2[0] = obj1;
            obj1 = null;
            return obj2[0];
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	After line 9		*0*
B.	After line 10		*0*
C.	After line 11		*0*
D.	Garbage collector never invoked in methodA()		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 18

which method run before an object is Garbage collected?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	final		*0*
B.	finalize		*100*
C.	finally		*0*
D.	None of above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 19

```
public class Dummy {
    class Bar {}

    class Test {
        Bar doBar() {
            Bar b = new Bar(); /* Line 6 */
            return b; /* Line 7 */
        }

        public static void main(String args[]) {
            Test t = new Test(); /* Line 11 */
            Bar newBar = t.doBar(); /* Line 12 */
            System.out.println("newBar");
            newBar = new Bar(); /* Line 14 */
            System.out.println("finishing"); /* Line 15 */
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	after line 7, when doBar() completes		*0*
B.	after line 12		*0*
C.	after line 14		*100*
D.	after line 15, when main() completes		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 20

Which of the following data type come under floating data types?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Int		*0*
B.	Byte		*0*
C.	long		*0*
D.	double		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 2: JAVA AND OBJECT BASED PROGRAMMING

Question 21

_____ can be defined as the process where one object acquires the properties of another.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Inheritance		*100*
B.	Polymorphism		*0*
C.	Abstraction		*0*
D.	Encapsulation		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 22

_____ type of class are declared and instantiated within the same statement.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Local		*0*
B.	Anonymous		*100*
C.	Member		*0*
D.	Nested top-level		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 23

_____ aren't allowed to be declared public, protected, private, or static.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Member		*0*
B.	Nested top-level		*0*
C.	Local		*100*
D.	Anonymous		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 24

_____ class is the only class that you can declare static.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Local		*0*
B.	Anonymous		*0*
C.	Nested top-level		*0*
D.	Member		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 25

_____ class is a member classes with a static modifier.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Nested top-level		*100*
B.	Local		*0*
C.	Member		*0*
D.	None of the Above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 26

_____ garbage collector in Java uses a parallel version of the young generation collector.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Throughput Garbage Collector		*100*
B.	Concurrent low pause Collector		*0*
C.	The Incremental pause collector		*0*
D.	None of the Above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 27

When an Object becomes Eligible for Garbage Collection?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	If an object has only live references via WeakHashMap it will be eligible for garbage collection		*0*
B.	All references of that object explicitly set to null e.g. object = null		*0*
C.	All of the Above		*100*
D.	Object is created inside a block and reference goes out scope once control exit that		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 28

_____ Keyword can be used to refer current class instance variable.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Abstraction		*0*
B.	Final		*0*
C.	Static		*0*
D.	this		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 29

_____ can be used to invoke current class constructor.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	this		*100*
B.	Polymorphism		*0*
C.	Final		*0*
D.	Encapsulation		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 30

_____ keyword can be passed as argument in the constructor call			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Static		*0*
B.	this		*100*
C.	Final		*0*
D.	None of the Above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 31

_____ Keyword can be used to return current class instance.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Encapsulation		*0*
B.	Static		*0*
C.	this		*100*
D.	Polymorphism		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 32

_____ is the technique of making the fields in a class private and providing access to the fields via public methods.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Inheritance		*0*
B.	Plymorphism		*0*
C.	Interfaces		*0*
D.	Encapsulation		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 33

_____ keyword can be used to invoke current class method (implicitly).			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	this		*100*
B.	Final		*0*
C.	Static		*0*
D.	None of the Above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 34

_____ is the ability of an object to take on many forms.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Packages		*0*
B.	Polymorphism		*100*
C.	Interface		*0*
D.	Abstraction		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 35

_____ is used in Java in order to prevent naming conflicts, to control access, to make searching/locating and usage of classes, interfaces, enumerations and annotations easier, etc.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Polymorphism		*0*
B.	Checked Exceptions		*0*
C.	Package		*100*
D.	Abstraction		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 36

Which of the below code block represent correct?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`class Test { // Constructor Test(){ p = 1; q = 2; r = 3; int p,q,r; public int addNumbers(int var1, int var2, int var3) { return var1 + var2 + var3; } public void displayMessage() { System.out.println("Display Message"); } }`		*0*
B.	`class Test { // Constructor Test(){ p = 1; q = 2; r = 3; } int p,q,r; public int addNumbers(int var1, int var2, int var3) { return var1 + var2 + var3; } public void displayMessage() { System.out.println("Display Message"); } }`		*0*

Which of the below code block represent correct?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**

C.	`class Test {`
	`  Test() int p,q,r;`
	`  public int addNumbers(int var1, int var2, int var3) {`
	`  return var1 + var2 + var3;`
	`  }`
	`  public void displayMessage() {`
	
	`System.out.println("Display Message");`
	`  }`
	`}`
			0

D.	`class Test {`
	`  // Constructor`
	`  Test(){`
	`  p = 1;`
	`  q = 2;`
	`  r = 3;`
	`  }`
	`  int p,q,r;`
	`  public int addNumbers(int var1, int var2, int var3) {`
	`  return var1 + var2 + var3;`
	`  }`
	`  public void displayMessage() {`
	
	`System.out.println("Display Message");`
	`  }`
	`}`
			100

E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	

Which of the below code block represent correct?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 37

A runtime entity that has state and behaviour is known as _____.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Object		*100*
B.	Class		*0*
C.	Instance Variable		*0*
D.	Method		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 38

What are also known as Static Fields?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Class Methods		*0*
B.	Class Variables		*100*
C.	Interface		*0*
D.	Abstraction		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 39

_____ definition states that, only the method where the parameter appears can access these variables.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	instance variables		*0*
B.	local variables		*0*
C.	parameter variables		*100*
D.	None of the Above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 40

_____ are created when the object is constructed, and goes away when the object disappears.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	local variables		*0*
B.	parameter variables		*0*
C.	Interface		*0*
D.	instance variables		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 3: ACCESS CONTROL INHERITANCE AND INTERFACES

Question 41

Which of the following is/are feature of Interface?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the methods in an interface are abstract		*0*
B.	An interface does not contain any constructors		*0*
C.	Interface cannot be instantiated		*0*
D.	All of the above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 42

Which of this keyword can be used to prevent Method overriding?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	finally		*0*
B.	final		*100*
C.	abstract		*0*
D.	protected		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 43

If a class inheriting an abstract class does not define all of its function then it will be known as _____.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A simple class		*0*
B.	Nested		*0*
C.	abstract		*100*
D.	final		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 44

What is the output of this program?

```
public class Dummy {
    class A {
        public int i;
        private int j;
    }

    class B extends A {
        void display() {
            super.j = super.i + 1;
            System.out.println(super.i + " " + super.j);
        }
    }

    class inheritance {
        public static void main(String args[]) {
            B obj = new B();
            obj.i = 1;
            obj.j = 3;
            obj.display();
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	Hello		*0*
B.	Compiler error		*0*
C.	Run time error		*0*
D.	Hi		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 45

Which of the following statement is incorrect?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	public members of class can be accessed by any code in the program		*0*
B.	protected members of a class can be inherited by a sub class, and become private members of the sub class		*0*
C.	private members of class can only be accessed by other members of the class		*0*
D.	private members of class can be inherited by a sub class, and become protected members in sub class		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 46

Which of the following is supported by method overriding in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Abstraction		*0*
B.	encapsulation		*0*
C.	polymorphism		*100*
D.	None of the above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 47

Which of the following is advantage of inheritance in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Data hiding		*0*
B.	Extensibility		*0*
C.	Reusability		*0*
D.	All of the above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 48

Which keyword is used to invoke super class constructor explicitly in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	this		*0*
B.	Super		*100*
C.	base		*0*
D.	extends		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 49

What will be output of following program?

```
public class Dummy {
    interface A {
        public void method1();
    }

    class One implements A {
        public void method1() {
            System.out.println("hello");
        }
    }

    class Two extends One {}

    public class Test extends Two {
        public static void main(String[] args) {
            A a;
            Two t = new Two();
            a = t;
            a.method1();
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	#include		*0*
B.	#pragma		*0*
C.	#define		*100*
D.	#ifdef and #endif		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 50

If there are data fields' defined in an interface, then they are implicitly defined to be _____.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Public		*0*
B.	static		*0*
C.	public, static and final		*100*
D.	final		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 51

What is the most restrictive access modifier that will allow members of one class to have access to members of another class in the same package?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Public		*0*
B.	protected		*0*
C.	Default		*100*
D.	abstract		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 52

If a variable or method is defined as _____, it is accessible by other members within same class. It is not accessible to members of other class.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Protected		*0*
B.	Public		*0*
C.	Private		*100*
D.	Default		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 53

An object of a sub class can be referred by its super class is known as _____.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	down-casting		*0*
B.	simple casting		*0*
C.	up-casting		*100*
D.	None of the above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 54

Which of the following is not a Marker Interface?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Serializable		*0*
B.	Collection		*100*
C.	Cloneable		*0*
D.	EventListner		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 55

Which of the following is true about the usage of super keyword?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Super is used to invoke immediate parent class methods		*0*
B.	Super() is used to invoke immediate parent class constructor		*0*
C.	Super is used to refer to immediate parent class instance variable		*0*
D.	All of the above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 56

Which of the following is cannot have a subclass in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of the above		*0*
B.	Parent Class		*0*
C.	Abstract Class		*0*
D.	Final Class		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 57

Which type of inheritance is not supported by in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Multilevel		*0*
B.	Hierarchical		*0*
C.	single		*0*
D.	Multiple		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 58

Which of the following is a predefined package in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	lang Package		*100*
B.	util package		*0*
C.	io package		*0*
D.	All of the above		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 59

What is process of defining two or more methods within same class that have same name but different parameters declaration?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Method Overloading		*100*
B.	Method Overridding		*0*
C.	Method hiding		*0*
D.	Method Invoking		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 60

Which of these is correct way of inheriting class Vehicle by class Car?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`class Vehicle + class Car {}`		*0*
B.	`class Vehicle extends Car {}`		*100*
C.	`class Vehicle extends class Car {}`		*0*
D.	`class Vehicle implements class Car {}`		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 4: MEMORY MANAGEMENT, JAVA BEANS AND JAVA KEYWORD

Question 61

Which of the following are the types of comments in Java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Documentation Comment		*0*
B.	Block Comment		*0*
C.	Single Line Comment		*0*
D.	All of the Above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 62

Which of the following option will not compile?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`short s = 20;`		*0*
B.	`char c='a';`		*0*
C.	`byte b=128;`		*100*
D.	`double d=3.4;`		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 63

In java,_____ can only test for equality, whereas _____can evaluate any type of the Boolean expression.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	switch, if		*100*
B.	if, switch		*0*
C.	if, continue		*0*
D.	if, break		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 64

What is the output of following snippet?

```
public class Dummy {
    class Bitwise {
        public static void main(String[] args) {
            int x = 11 & 9;
            int y = x ^ 3;
            System.out.println(y | 12);
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	None of above		*0*
B.	4		*0*
C.	10		*0*
D.	14		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 65

Which is true about a method-local inner class?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It must be marked final		*0*
B.	It can be marked abstract		*100*
C.	It can be marked public		*0*
D.	It can be marked static		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 66

Which statement is true about a static nested class?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You must have a reference to an instance of the enclosing class in order to instantiate it.		*0*
B.	It's variables and methods must be static		*0*
C.	It must extend the enclosing class		*0*
D.	It does not have access to non static members of the enclosing class.		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 67

Which part of the memory is involved in Garbage Collection?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Stack		*0*
B.	None of the Above		*0*
C.	Both 1 & 2		*0*
D.	Heap		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 68

What are the different ways to make an object eligible for Garbage Collection when it is no longer needed?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Object is created inside a block and reference goes out scope once control exit that block		*0*
B.	Make the reference variable to refer to another object		*0*
C.	Set all available object references to null		*0*
D.	All of the Above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 69

Which of the statement(s) is/are correct regarding the garbage collector?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Garbage collector is responsible for de-allocating memory		*0*
B.	Garbage collector is responsible for ensuring that any referenced objects remain in memory		*0*
C.	Garbage collector is responsible for recovering memory used by objects that are no longer reachable from references in executing code		*0*
D.	All of the Above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 70

Which of the following is way to call garbage collector?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Runtime.getRuntime().runFinalizersOnExit(boolean value)		*0*
B.	`delete();`		*0*
C.	`System.gc();`		*100*
D.	finalize()		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 71

Which of the following is called accessor method in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	set		*0*
B.	get		*100*
C.	None of the Above		*0*
D.	gets		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 72

Which of the following statement is true about Java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A package statement if present must be the first statement of the program		*0*
B.	If a Java program defines a package and import statement, then the import statement must come before the package statement		*0*
C.	If an import statement is present, it must appear before any class or interface definitions		*0*
D.	All of the Above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 73

Which of the following is called mutators method in java?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Set		*100*
B.	Setter		*0*
C.	Getter		*0*
D.	Get		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 74

Which one of the following is base class of all classes?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java.lang.System		*0*
B.	Java.lang.Process		*0*
C.	Java.lang.ClassLoader		*0*
D.	Java.lang.Object		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 75

Which of the following package is imported by default?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`Java.io.*;`		*0*
B.	`Java.awt.*;`		*0*
C.	`Java.lang.*;`		*100*
D.	`Java.net.*;`		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 76

A top level class may have only the following access modifier. Select the one correct answer.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	private		*0*
B.	protected		*0*
C.	default		*0*
D.	public		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 77

Which declaration of the main method below would allow a class to be started as a standalone program?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public static int main(char args[])`		*0*
B.	`public static void main(String args[])`		*100*
C.	`public static void MAIN(String args[])`		*0*
D.	`public static void main(String args)`		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 78

Which of the following is a Java keyword?			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	extends		*0*
B.	transient		*0*
C.	synchronized		*0*
D.	All of the Above		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 79

Using which keyword we can access value of the instance variables and class variables of that class inside the method of that class itself.			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	super		*0*
B.	instance of		*0*
C.	this		*100*
D.	Transient		*0*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 80

By using ..... you can force immediate termination of a loop, by passing the conditional expression and any remaining code in the body of the loop			*MC*
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	continue		*0*
B.	terminate		*0*
C.	None of the Above		*0*
D.	break		*100*
E.			*0*
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 5: COLLECTIONS

Question 81

Which of the following is concrete class in collection framework that directly implements Collection?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Set		0
B.	None of Above		100
C.	List		0
D.	Map		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 82

Which of the following package contain Observable Class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.net		0
B.	java.util		100
C.	java.awt		0
D.	None of above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 83

Which of the following is true about Queue in java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Both Options 1 and 3		100
B.	Queue is an interface		0
C.	Queue is class		0
D.	Collection is super interface of Queue		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 84

Which of these is an incorrect form of using method max() to obtain maximum element?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	max(Comparator comp)		100
B.	max(List c)		0
C.	max(Collection c)		0
D.	max(Collection c, Comparator comp)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 85

Which of these methods can randomize all elements in a list?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	rand()		0
B.	shuffle()		100
C.	max(List l)		0
D.	randomize()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 86

Which of these methods can convert an object into a List?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ConvertList()		0
B.	SetList()		0
C.	singletonList()		100
D.	CopyList()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 87

Which of these is true about unmodifiableCollection () method?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	unmodifiableCollection () method is available for all collection.		0
B.	UnmodifiableCollection () is defined in Collection class.		0
C.	unmodifiableCollection () returns a collection that cannot be modified.		0
D.	All of above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 88

Which of these is static field defined in Collections?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	EMPTY_MAP		0
B.	All of above		100
C.	EMPTY_LIST		0
D.	EMPTY_SET		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 89

What is the output of this program?

MC

```
import java.util.*;
public class Dummy {
    public static void main(String args[]) {
        LinkedList<Integer> list = new LinkedList<>();
        list.add(2);
        list.add(8);
        list.add(5);
        list.add(1);

        Iterator<Integer> i = list.iterator();
        Collections.reverse(list);

        while (i.hasNext()) {
            System.out.print(i.next() + " ");
        }
    }
}
```

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	1 5 8 2		100
B.	2 1 8 5		0
C.	2		0
D.	2 8 5 1		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 90

Which of the following is true about hasNext () method of Iterator?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Return next element.		0
B.	Returns false if there are more elements. Otherwise, returns true.		0
C.	elements. Otherwise, returns false.		100
D.	None of above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 91

Which of the following method is used to remove element form collection during iteration?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	delete()		0
B.	removeAt()		0
C.	None of above		0
D.	remove()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 92

You need to store elements in a collection that guarantees that no duplicates are stored and all elements can be accessed in natural order. Which interface provides that capability?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.util.Map		0
B.	java.util.Set		100
C.	java.util.List		0
D.	All of above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 93

Which of the following is true about Observer?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Observer interface present in java.util package.		0
B.	All of above		100
C.	Observer contain update() method		0
D.	Observer is interface.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 94

Which interface does java.util.Hashtable implement?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java.util.Map		100
B.	Java.util.Collection		0
C.	Java.util.List		0
D.	Java.util.HashTable		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 95

Which interface provides the capability to store objects using a key-value pair?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java.util.Set		0
B.	Java.util.List		0
C.	None of above		0
D.	Java.util.Map		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 96

Which of these packages contain all the collection classes?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.net		0
B.	java.awt		0
C.	java.util		100
D.	java.lang		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 97

Which of these methods deletes all the elements from invoking collection?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	clear()		100
B.	refresh()		0
C.	reset()		0
D.	delete()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 98

What is Collection in Java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of above		0
B.	A group of interfaces		0
C.	A group of objects		100
D.	A group of classes		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 99

```java
import java.util.*;

class stack {
    public static void main(String args[]) {
        Stack obj = new Stack();
        obj.push(new Integer(3));
        obj.push(new Integer(2));
        obj.pop();
        obj.push(new Integer(5));
        System.out.println(obj);
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	[3, 5]		100
B.	[3, 2, 5]		0
C.	[3, 5, 2]		0
D.	[3, 2]		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 100

Which of the following is collection sort pairs in map?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	TreeMap		100
B.	HashMap		0
C.	Collection		0
D.	List		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 6

Question 101

_____ is the superclass of all errors and exceptions in the Java language.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	RuntimeException		0
B.	Throwable		100
C.	Exception		0
D.	Error		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 102

What is wrong with the following code?

```
public class MyClass{
    public static void main(String[] args) throws A{
        Try {
            f();
        } finally {
            System.out.println("Done.");
        } catch (A e) {
            throw e;
        }
    }
    public static void f() throws B {
        throw new B();
    }
}
class A extends Throwable {}
class B extends A {}
```

Select the one correct answer.

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	The finally block must follow the catch block in the main() method.		100
B.	The main() method must declare that it throws B.		0
C.	A single try block cannot be followed by both a finally and a catch block.		0
D.	The catch block in the main() method must declare that it catches B rather than A.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 103

What will happen when you attempt to compile and run the following code?

```
public class MyIf {
    boolean b;

    public static void main(String argv[]) {
        MyIf mi = new MyIf();
    }

    MyIf() {
        if (b) {
            System.out.println("The value of b was true");
        } else {
            System.out.println("The value of b was false");
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	Compile time error, cannot simultaneously create and assign value for boolean value.		0
B.	Compile time error variable b was not initialised.		0
C.	Compilation without error and run with output “The value of b was false”.		100
D.	Compile time error the parameter to the if operator must evaluate to a Boolean.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 104

What will happen when you attempt to compile and run this code?

```
public class MyIf{
    public static void main(String argv[]){
        MyIf mi = new MyIf();
    }
    MyIf(){
        boolean b = false;
        If(b=false){
            System.out.println("The value of b is"+b);
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	Run time error, a boolean cannot be appended using the + operator.		0
B.	Compile time error, cannot simultaneously create and assign value for Boolean value.		0
C.	Compile time error the parameter to the if operator must evaluate to a Boolean.		0
D.	Compilation and run with no output		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 105

MC

What, if anything, would cause the following code not to compile?

```
class A {
    void f() throws ArithmeticException {
        // ...
    }
}

public class MyClass extends A {
    public static void main(String[] args) {
        A obj = new MyClass();
        try {
            obj.f();
        } catch (ArithmeticException e) {
            return;
        } catch (Exception e) {
            System.out.println(e);
            throw new RuntimeException("Something wrong here");
        }
    }

    // InterruptedException is a direct subclass of Exception.
    void f() throws InterruptedException {
        // ...
    }
}
```

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	The main() method must declare that it throws RuntimeException.		100
B.	You cannot throw exceptions from a catch block.		0
C.	The compiler will complain that the catch(ArithmeticException) block shadowsthe catch(Exception) block.		0
D.	Nothing is wrong with the code, it will compile without errors.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)	

Question 106

```
public class exceptions {
    public static void main(String Args[]) {
        int[] array = new int[3];
        try {
            for (int i = 0; i < 4; ++i) {
                array[i] = i;
            }
            System.out.println(array);
        } catch (ArrayIndexOutOfBoundsException e) {

System.out.println("ArrayIndexOutOfBoundsException!!");
        }
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	The program will print 0 1 2 4 in that order.		0
B.	Compile time errors.		0
C.	The program will throw ArrayIndexOutOfBoundsException.		100
D.	The program will only print 0 1 2 in that order.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)	

Question 107

Which of the following is not Java Checked Exceptions?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	NumberFormatException.		100
B.	ClassNotFoundException.		0
C.	IllegalAccessException.		0
D.	CloneNotSupportedException.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 108

The _____ blocks are skipped for all normal exits from the ____ block where no exceptions were raised, and control is transferred to the _____ block if one is specified.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	catch,try,finally		0
B.	try, continue,throw		0
C.	try,catch,finally		100
D.	try,catch,final		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 109

Which of the following methods is not used to query an exception?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`void printStackTrace()`		0
B.	`String getMessage()`		0
C.	`String toString()`		0
D.	fillInStackTrace()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 110

Which of the following is correct statement regarding the below code? MC

```
try {
    // some code
} finally {
}
```

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	Illegal syntax for try-finally.		0
B.	It is a legal syntax.		100
C.	catch block is missing.		0
D.	Compilation will fail.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 111

Which type of exception is created in following case? `class TestClass extends Exception { }`			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Checked exception		100
B.	Unchecked exception		0
C.	None of the above		0
D.	Neither Checked nor Unchecked exception		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 112

_____ class is the base of all the exception classes.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	RuntimeException		0
B.	Error		0
C.	Exception		100
D.	Throwable		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 113

Which type of exception is created in following case? `class TestClass extends NullPonterExcpetion { }`			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Neither Checked nor Unchecked exception		0
B.	Checked exception		0
C.	Unchecked exception		100
D.	None of the above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 114

Which of the following is Java Unchecked RuntimeException?:			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	IllegalAccessException		0
B.	ClassNotFoundException		0
C.	ArithmeticException		100
D.	CloneNotSupportedException		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 115

_____ Method is used to supply the user with information about the trace that the exception has gone through inside the application/code.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	getMessage()		0
B.	toString()		0
C.	getClause()		0
D.	printStackTrace ()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 116

Which of the following is not the method of Throwable class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`void printStackTrace(PrintStream s)`		0
B.	`void printStackTrace(OutputStream s)`		100
C.	`void printStackTrace(PrintWriter s)`		0
D.	`void printStackTrace()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 117

_____exception is typically thrown by the JVM when an attempt is made to use the null value as a reference value to refer to an object.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ArrayIndexOutOfBoundsException		0
B.	NullPointerException		100
C.	ClassNotFoundException		0
D.	IllegalStateException		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 118

Which of the following is not true about Error Class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Errors are abnormal conditions.		0
B.	Errors are explicitly caught.		100
C.	An Error is a subclass of Throwable that indicates serious problems that a reasonable application should not try to catch.		0
D.	Error and its subclasses are regarded as unchecked exceptions for the purposes of compile-time checking of exceptions.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 119

Which digits, and in what order, will be printed when the following program is run?

```
public class MyClass {
    public static void main(String[] args) {
        int k = 0;
        try {
            int i = 5 / k;
        } catch (ArithmeticException e) {
            System.out.println("1");
        } catch (RuntimeException e) {
            System.out.println("2");
            return;
        } catch (Exception e) {
            System.out.println("3");
        } finally {
            System.out.println("4");
        }
        System.out.println("5");
    }
}
```

Select the one correct answer.

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	The program will only print 5.		0
B.	The program will only print 1, 4, and 5, in that order		100
C.	The program will only print 1 and 4, in that order.		0
D.	The program will only print 1, 2, and 4, in that order		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 120

What will be the result of attempting to compile and run the following program?

```
public class MyClass {
    public static void main(String[] args) {
        RuntimeException re = null;
        throw re;
    }
}
```

Select the one correct answer

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	The program will compile without error and will throw java.lang.NullPointerException when run.		100
B.	The program will fail to compile because it cannot throw re.		0
C.	The code will fail to compile because the main() method does not declare that it throws RuntimeException in its declaration.		0
D.	The program will compile without error and will throw java.lang.Runtime- Exception when run.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

MODULE 7: MULTI-THREADED PROGRAMMING

Question 121

What is multithreaded programming?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	It's a process in which a single process is running at a time.		0
B.	It's a process in which two or more different processes run simultaneously.		0
C.	It's a process in which two or more parts of same process run simultaneously.		100
D.	It's a process in which many different processes are able to access same information.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 122

Which of the following method is used to mark the current thread as daemon thread?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public boolean isDaemon()`		0
B.	`public void setDaemon(int status)`		0
C.	`public void setDaemon(boolean status)`		100
D.	`public void makeDaemon()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 123

Which of the following is/are types of thread in java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	User Thread.		0
B.	None of the above.		0
C.	Daemon Thread.		0
D.	Both 1 and 2.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 124

Which of the following is method of “java.util.Timer” class schedules the specified task for execution at the specified time?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`void scheduleAtFixedRate(TimerTask task, long delay, long period)`		0
B.	`int purge()`		0
C.	`void scheduleAtFixedRate(TimerTask task, Date firstTime, long period)`		0
D.	`void schedule(TimerTask task, Date time)`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 125

Synchronized blocks in Java are marked with the _____ keyword.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Synchronized		100
B.	Synchronization		0
C.	Synchronize.		0
D.	Shared		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 126

Which of the following statement(s) is/are correct regarding Synchronized keyword?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Synchronized keyword can be used with Instance Methods.		0
B.	Synchronized keyword can be used with Static Methods.		0
C.	Synchronized keyword can be used with Code blocks inside Static Methods.		0
D.	All of the above.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 127

Which of the following method cannot cause a thread to go into a blocked state?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	wait()		0
B.	yield()		100
C.	sleep()		0
D.	suspend()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 128

Which of the following class or interface defines wait(), notify(),and notifyAll() methods?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Thread.		0
B.	Class		0
C.	Object.		100
D.	Runnable.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 129

The default priority of a method is _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	5		100
B.	1		0
C.	0		0
D.	10		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 130

_____ Method used to get the priority of a thread.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	setPriority()		0
B.	prority()		0
C.	getPriority()		100
D.	threadPriority()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 131

In Deadlock _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Two or more threads have circular dependency on an object.		100
B.	Two or more threads are waiting for a resource.		0
C.	Two or more threads are trying to access a same object.		0
D.	None of the Above.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 132

Which of the following way(s) is/are used to create a thread in Java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Both of A and B.		100
B.	Extending the thread class.		0
C.	None of the above.		0
D.	Implementing Runnable interface.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 133

Which of the following Exception can be throw by “sleep()” method?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	InterruptedException.		100
B.	NullPointerException.		0
C.	ThreadException.		0
D.	IOException		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 134

Which of the Package is used during the implementation of multithreading in Java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java.awt		0
B.	Java.applet		0
C.	Java.Lang		100
D.	Java.io		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 135

Which of the following is not a valid constructor for Thread class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Thread(ThreadGroup group, String name)		0
B.	Thread()		0
C.	Thread(Runnable , ThreadGroup)		100
D.	Thread(ThreadGroup group, Runnable target)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 136

Which of the following method is use to start the thread Execution?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`resume();`		0
B.	`init();`		0
C.	`start();`		100
D.	`run();`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 137

Which of the following method must be defined by a class implementing the java.lang.Runnable interface?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public void run()`		100
B.	`void run()`		0
C.	`void run(int priority)`		0
D.	`public void start()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 138

Which of the following method returns a reference to the currently executing thread object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`void run()`		0
B.	`static Thread currentThread()`		100
C.	`void resume()`		0
D.	`void start()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 139

Which of the following method can be used to make the main thread to be executed last among all the threads?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	stop()		0
B.	join()		0
C.	Interrupted()		0
D.	sleep()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 140

Which of the following statement(s) regarding ThreadGroup class is/are correct?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Thread groups provide a mechanism for collecting multiple threads into a single object of type.		0
B.	ThreadGroup(ThreadGroup parent, String name) constructor can be used to create a new Thread group object.		0
C.	All of the above.		100
D.	activeCount() method is used to find the number of active threads in this thread group and its subgroups.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 8: Java IO

Question 141

Which of the following package contains the classes and interfaces required for doing the Input and Output operations in JAVA?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.io.		100
B.	java.lang		0
C.	java.awt.		0
D.	java.util.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 142

Which of the following method of “RandomAccessFile” Attempts to skip over n bytes of input discarding the skipped bytes?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	setLength(long n)		0
B.	seek(long n)		0
C.	skipBytes(int n)		100
D.	write(byte[] n)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 143

Which of the following class is used to read streams of characters?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	InputReader		0
B.	CharacterReader		0
C.	StreamReader		0
D.	FileReader		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 144

The _____ class is a character stream whose source is a string.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java.io.BufferedReader		0
B.	Java.io.FilterReader		0
C.	Java.io.StringReader		100
D.	Java.io.FileReader		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 145

Consider the below syntax choose correct among the following options: `public class BufferedReader extends _____`			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	StringReader		0
B.	Reader		100
C.	InputStreamReader		0
D.	Writer		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 146

Which of the following class is not related to input and output stream in terms of functioning?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Reader		0
B.	Writer		0
C.	InputStream		0
D.	File		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 147

Which of the following constructor does not belongs to “PipedReader” class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	PipedReader(PipedWriter src, int pipeSize)		0
B.	PipedReader(int pipeSize, String name)		100
C.	PipedReader(PipedWriter src)		0
D.	PipedReader(int pipeSize)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 148

Which of the following of Reader class is used to read a single character?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`int read()`		100
B.	`int readChar()`		0
C.	`int read(char[] cbuf)`		0
D.	`int getChar()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 149

Which of the following is not a Stream in JAVA I/O?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`System.inout`		100
B.	`System.in`		0
C.	`System.err`		0
D.	`System.out`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 150

Which of the following Constructor does not belongs to “File” class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	File(String pathname)		0
B.	File(URI uri)		0
C.	File(String parent, String child)		0
D.	File(String parent, URI uri)		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 151

Which of the following method tests whether the application can execute the file denoted by this abstract pathname?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`boolean canRead()`		0
B.	`boolean canWrite()`		0
C.	`boolean canExecute()`		100
D.	`int compareTo(File pathname)`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 152

Which of the following stream contains the classes which can work on character stream?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Character Stream		100
B.	All of the above		0
C.	inputStream		0
D.	outputStream		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 152

Which of the following method of a “File” class returns the name of the file or directory denoted by this abstract pathname?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`String getPath()`		0
B.	`String getName()`		100
C.	`File getParentFile()`		0
D.	`String getParent()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 154

_____ Class is not a sub class of “inputStream” Class.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	FilterInputStream		0
B.	PrintStream		100
C.	FileInputStream		0
D.	ObjectInputStream		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 155

Which of the following method of “inputStream” class reads the next byte of data from the input stream?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	read()		100
B.	mark(int readlimit)		0
C.	skip(long n)		0
D.	markSupported()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 155

Which of the following method of outputStream class is flushes the output stream and forces any buffered output bytes to be written out?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	close()		0
B.	flush()		100
C.	write(byte[] b, int off, int len)		0
D.	write(byte[] b)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 156

Which of the following “inputStream” class obtains input bytes from a file in a local file system?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	FileInputStream		100
B.	FilterInputStream		0
C.	ObjectInputStream		0
D.	FileOutputStream		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 157

Which of the following class provides the ability to buffer the input?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	DataInputStream		0
B.	FileInputStream		0
C.	ObjectInputStream		0
D.	BufferedInputStream		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 158

Which of the following method does not belongs to "BufferedOutputStream" class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	write(byte[] b, int off, int len)		0
B.	`void flush()`		0
C.	`void write(int b)`		0
D.	`void reset()`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 159

Consider the below syntax choose correct among the following options: `public class BufferedOutputStream extends _____`			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	DataOutputStream		0
B.	ByteArrayOutputStream		0
C.	FilterInputStream		0
D.	FilterOutputStream		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 9: Java Objects, Immutable Objects and Wrapper Classes and Serialization

Question 161

In JAVA,which of this class is super class of all other classes?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Process		0
B.	Object		100
C.	Math		0
D.	System		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 162

Which of the following are valid terms in java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	finally		0
B.	final		0
C.	All of Above		100
D.	finalize		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 163

Which of these is a process of writing the state of an object to a byte stream?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the mentioned		0
B.	Serialization		100
C.	File Filtering		0
D.	DeSerialization		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 164

Which of these interfaces extend DataOutput interface?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ObjectInput		0
B.	Externalization		0
C.	ObjectOutput		100
D.	Serializable		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 165

Which of these is a method of ObjectOutput interface used to finalize the output state so that any buffers are cleared?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	fflush()		0
B.	flush()		100
C.	clear()		0
D.	close()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 166

Which of the following gives the difference between StringBuilder and StringBuffer?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None Of above		0
B.	Both are Same, There is no difference.		0
C.	StringBuffer is synchronized and StringBuilder is not synchronized.		100
D.	StringBuffer is mutable and StringBuilder is not.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 167

Which of these is a process of extracting/removing the state of an object from a stream?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Deserialization		100
B.	None of above		0
C.	Serialization		0
D.	Externalization		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 168

Which of this process occur automatically by java run time system?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Memory allocation		0
B.	Serialization		0
C.	Deserialization		0
D.	All of the mentioned		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 169

Which of following is correct package for Serializable interface in java?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java.io		100
B.	Java.util		0
C.	Java.dotnet		0
D.	Java.lang		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 170

Which Java keyword is used to marks a member variable not to be serialized?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	static		0
B.	transient		100
C.	final		0
D.	None of above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 171

Which of the following is serialization exception?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of above		100
B.	NotSerializableException		0
C.	IOException		0
D.	InvalidClassException		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 172

Which of this method of Object class can generate duplicate copy of the object on which it is called?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	copy()		0
B.	clone()		100
C.	dublicate()		0
D.	dito()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 173

Which of the following is deserialization exception?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of above.		100
B.	OptionalDataException		0
C.	InvalidClassException		0
D.	StreamCorruptedException		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 174

Which of the following is true about immutable objects?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Instead of modify, it creates a new copy and keeps the original same		0
B.	An Object can be modified.		0
C.	An object that cannot be modified.		0
D.	Both 1 and 2.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 175

Which of the following wrapper classes are immutable?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Long		0
B.	Integer		0
C.	All of above.		100
D.	Character		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 176

Which of this method of String class is used to obtain character at specified index?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	charAt()		100
B.	charat()		0
C.	Charat()		0
D.	char()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 177

Which of this method of String class can be used to test two strings for equality?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	equal()		0
B.	isequals()		0
C.	isequal()		0
D.	equals()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 178

Which of the following statements are incorrect?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	String is a class.		0
B.	Java defines a peer class of String, called StringBuffer, which allows string to be altered.		0
C.	Strings in java are mutable.		100
D.	Every string is an object of class String.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 179

What is the output of this program?

```
class string_class {
    public static void main(String args[]) {
        String obj = "I LIKE JAVA";
        System.out.println(obj.length());
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	10		0
B.	9		0
C.	12		0
D.	11		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

Question 180

What is the output of this program?

```
class string_class {
    public static void main(String args[]) {
        String obj = "hello";
        String obj1 = "world";
        String obj2 = "hello";
        System.out.println(obj.equals(obj1) + " " +
obj.equals(obj2));
    }
}
```

MC

Default mark:	1
Shuffle the choices?	Yes
Number the choices?	A
Penalty for each incorrect try:	33.3

#	Answers	Feedback	Grade
A.	false true		100
B.	true false		0
C.	true true		0
D.	false false		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		

Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)

MODULE 10: JDBC

Question 181

What is JDBC?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java Compiler		0
B.	Java API		100
C.	Java Interpreter		0
D.	None of the Above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 182

Which of the following is the Statement Interface method?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	execute()		0
B.	All of the Above		100
C.	executeQuery()		0
D.	executeUpdate()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 183

Which method is used to perform DML statements in JDBC?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	execute()		0
B.	executeQuery()		0
C.	executeUpdate()		100
D.	None of the Above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 184

Which of the following is the type of the ResultSet?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the Above.		100
B.	ResultSet.TYPE_FORWARD_ONLY.		0
C.	ResultSet.TYPE_SCROLL_INSENSITIVE.		0
D.	ResultSet.TYPE_SCROLL_SENSITIVE.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 185

Which of the following method is in the category of ResultSet Interface?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Navigational Methods.		0
B.	All of the Above		100
C.	Update Methods		0
D.	Get Methods		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 186

What happens if you call the method close() on a ResultSet object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The method close() does not exist for a ResultSet. Only Connections can be closed.		0
B.	None of the Above.		0
C.	You will get a SQLException, because only Statement objects can close ResultSet.		0
D.	The ResultSetObject and JDBC resources are released.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 187

Which method is used to move the ResultSet cursor to the next Row?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	afterLast()		0
B.	next()		100
C.	beforeFirst()		0
D.	previous()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 188

Which type of Statement can execute parameterized queries?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	PreparedStatement.		100
B.	None of the Above		0
C.	ParameterizedStatement		0
D.	Statement.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 189

JDBC facilitates to store the java objects by using which of the following methods of PreparedStatement?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	setClob(int parameterIndex, Clob x).		0
B.	All of the Above		100
C.	setObject(int parameterIndex,Object x)		0
D.	setBlob(int parameterIndex,Blob x)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 190

The Class java.sql.TimeStamp has its superclass as_____			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`java.util.Date;`		100
B.	`java.sql.Time;`		0
C.	`java.sql.Date;`		0
D.	None of the Above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 191

Which of the following method is used to create a CallableStatement object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	createStatement()		0
B.	prepareStatement()		0
C.	None of the Above		0
D.	prepareCall()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 192

Which packages contain the JDBC classes?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.rmi.		0
B.	java.sql.		100
C.	java.net		0
D.	java.awt		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 193

Which of the following allows dirty read in JDBC Connection?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	TRANSACTION_READ_UNCOMMITTED		100
B.	TRANSACTION_SERIALIZABLE		0
C.	TRANSACTION_READ_COMMITTED		0
D.	TRANSACTION_REPEATABLE_READ		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 194

How many types of JDBC drivers are present?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Three		0
B.	One		0
C.	Four		100
D.	Two		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 195

Which type of driver provides JDBC access via one or more ODBC drivers?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Type 1 driver		100
B.	Type 4 driver		0
C.	Type 2 driver		0
D.	Type 3 driver		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 196

Which type of driver converts JDBC calls into the network protocol used by the database management system directly?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Type 2 driver		0
B.	Type 4 driver		100
C.	Type 1 driver		0
D.	Type 3 driver		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 197

What is the disadvantage of Type-4 Native-Protocol Driver?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	The driver converts JDBC calls into vendor-specific database protocol		0
B.	No Software is required at both client & server side.		0
C.	At client side, a separate driver is needed for each database		100
D.	Type-4 driver is entirely written in Java		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 198

Which of the following methods is needed for loading a database driver in JDBC?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Class.forName()		0
B.	DriverManager.getConnection()		0
C.	Both 1 & 2		100
D.	DriverManager.registerDriver() Method		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 199

Which method is used to create a connection with database?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	getConnection()		100
B.	getDriver()		0
C.	deregisterDriver()		0
D.	registerDriver()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 200

Which one of the following are the different types of statements in JDBC API?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Prepare Statement		0
B.	Callable Statement		0
C.	Statement		0
D.	All of the Above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 11: GUI Building with AWT and Applets

Question 201

What is the full form of AWT?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Abstract Window Tool		0
B.	Automated Window Tool		0
C.	Automated Window Toolkit		0
D.	Abstract Window Toolkit		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 202

_____ is the default layout manager used for all Panels?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	FlowLayout		100
B.	GridLayout		0
C.	CardLayout		0
D.	BorderLayout		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 203

At most how many components can be added if we are using a border layout in our applet?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Two components		0
B.	Four components		0
C.	Five components		100
D.	Three components		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 204

_____ is the most sophisticated, flexible layout manager in which we can have cell rows of different heights and columns of different widths?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	BorderLayout		0
B.	GridBagLayout		100
C.	FlowLayout		0
D.	GridLayout		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 205

To associate an action with a component, we must attach a/an _____ to it?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	listener		100
B.	container		0
C.	event		0
D.	button		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 206

Which of the following interface should we implement in order to attach a listener with a component?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	AWTEventMulticaster		0
B.	Action		0
C.	EventListener		0
D.	ActionListener		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 207

Which method we must override while implementing ActionListener class to attach a listener to a component?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	addActionListener		0
B.	actionEvent		0
C.	actionPerformed		100
D.	None of the above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 208

_____ Classes are very useful when you want to process only few of the events that are handled by a particular event listener interface?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	EventListener		0
B.	Adapter		100
C.	ActionListener		0
D.	Action		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 209

Which of the following statement is not true regarding difference between AWT and SWING?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	AWT components are heavyweight components while Swing components are lightweight.		0
B.	AWT components are lightweight components while Swing components are heavyweight.		100
C.	Swing and AWT are incompatible you can use either, but you can't mix them.		0
D.	AWT components require java.awt package while Swing components require javax.swing package.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 210

_____ listener interface is used for receiving keyboard events (keystrokes)?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ActionListener		0
B.	KeyListener		100
C.	EventListener		0
D.	TextListener		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 211

Which of the following Exception class is used when an Absract Window Toolkit exception has occurred?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	HeadlessException		0
B.	FontFormat Exception		0
C.	AWTException		100
D.	None of the above.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 212

Choose the correct order from the following to build the GUI using AWT?a) Make a frame or an applet to display things.b) Create your components.c) Attach listener to your components.d) Add your components.e) Arrange or layout your components.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	a, b, e, d, c		0
B.	a, b, e, c, d		0
C.	a, b, d, e, c		100
D.	a, b, c, d, e		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 213

_____ container class provides space in which an application can attach any other component like button,ComboBox, etc?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	ScrollPane		0
B.	None of the above		0
C.	Panel		100
D.	Window		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 214

Which of the following is not a subclass of Component class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Checkbox		0
B.	Label		0
C.	Button		0
D.	Panel		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 215

Which of the following is not a subclass of Container class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Window		0
B.	Label		100
C.	Panel		0
D.	ScrollPane		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 216

The Applet class is in ..... package?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.applet		100
B.	java.awt		0
C.	java.util		0
D.	java.io		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 217

To run an applet, which of the following command is used?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	javac		0
B.	applet		0
C.	java		0
D.	appletviewer		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 218

Which of the following method is called first by an applet?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	start()		0
B.	destroy()		0
C.	paint()		0
D.	init()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 219

To display text on the applet _____ method is used?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	drawString()		100
B.	drawLine		0
C.	showString()		0
D.	println()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 220

Which of the following is/are type of layout manager used in every containers?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	CardLayout		0
B.	BorderLayout		0
C.	GridLayout		0
D.	All of the above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 12: Java Swing

Question 221

Swing is a part of _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JAXP		0
B.	JFC		100
C.	JDBC		0
D.	JMX		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 222

Out of the following which is not a top level container in swing?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Applet		0
B.	InternalFrame		100
C.	Dialog		0
D.	Frame		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 223

Which of the following class is not inherited from JComponent class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JButton		0
B.	JFrame		100
C.	JLable		0
D.	JTable		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 224

Which event listener you will use to listen for changes in the component's size, position or visibility?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Focus Listener		0
B.	Component Listener		100
C.	Key Listener		0
D.	Mouse Listener		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 225

Which class will be used to display hierarchical data?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JLabel		0
B.	JTree		100
C.	JDialog		0
D.	JComponent		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 226

Which pane acts as a sheet of glass over all the other components?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	GlassPane		100
B.	ContentPane		0
C.	EditorPane		0
D.	LayeredPane		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 227

Which method do you use to add a menu bar to a top-level container such as a JFrame?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	setSelected		0
B.	setComponet		0
C.	setLayout		0
D.	setJMenuBar		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 228

Which is the default layout manager for a panel?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	GridLayout		0
B.	BoxLayout		0
C.	BorderLayout		0
D.	FlowLayout		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 229

To set a tool tip for any JComponent which is the correct syntax in Java Swing?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	b1.ToolTipText("Click this button to disable the middle button.");		0
B.	b1.setToolTipText("Click this button to disable the middle button.");		100
C.	b1.setToolText("Click this button to disable the middle button.");		0
D.	b1.setToolTip("Click this button to disable the middle button.");		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 230

Which Swing components use ListSelectionModel to manage selection state?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Both 1 and 2		100
B.	JTable		0
C.	JList		0
D.	JMenu		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 231

Which event you will use to assist in the implementation of undo and redo commands?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Undoable edit events		100
B.	Action event		0
C.	Key event		0
D.	Mouse event		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 232

In JAVA , what is lightweight component?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	A component that lets the user pick a color.		0
B.	A component that displays an icon, but that doesn't react to user clicks.		0
C.	A component that is associated with its own native screen resource.		0
D.	A component has no native screen resource of its own.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 233

Which listener interface will be used to detect typing events at the keyboard?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Key Listener		100
B.	Change Listener		0
C.	Property Change Listener		0
D.	Component Listener		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 234

Which method is used to specify a container’s layout?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	setLayoutContainer()		0
B.	setLayout()		100
C.	setComponentLayout()		0
D.	setContainerLayout()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 235

.....//Container pane = aFrame.getContentPane()...JButton button = new JButton("Button 1 (LINE_START)");pane.add(button, BorderLayout.LINE_START);The above code will set the “button” at which position?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	North		0
B.	West		100
C.	East		0
D.	South		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 236

Text components use an EditorKit to tie the various pieces of the text component together. The Swing text package provides which of the following editor kits?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	StyledEditorKit		0
B.	All of the above		100
C.	DefaultEditorKit		0
D.	HTMLEditorKit		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 237

The immediate superclass of JCheckBox class is _____ .			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JToggleButton		100
B.	JButton		0
C.	AbstractButton		0
D.	JComponent		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 238

To choose one of the options from a drop-down list which of the following components can be used in Java Swing?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JList		0
B.	JCheckBoxMenuItem		0
C.	JComboBox		100
D.	JMenu		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 239

Which of the following pane provide a scrollable view of the component?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JSplitPane		0
B.	JTabbedPane		0
C.	JRootPane		0
D.	JScrollPane		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 240

Which is the most suitable class, to create a container (in java swing) to display an error message or warning to a user?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JApplet		0
B.	JFrame		0
C.	JDialog		100
D.	JInternalFrame		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 13

Question 241

Java Socket Consist of _____?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of the above		0
B.	IP address		0
C.	port number		0
D.	Both IP address and port number		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 242

Which of following methods are defines in URLConnection class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`String getContentType( )`		0
B.	All of the above		100
C.	`long getDate( )`		0
D.	`int getContentLength( )`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 243

Which method is Waits for an incoming client and blocks until either a client connects to the server on specific port or the socket times out?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public Socket accept() throws IOException`		100
B.	`public void setSoTimeout(int timeout)`		0
C.	`public void bind(SocketAddress host, int backlog)`		0
D.	`public int getLocalPort()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 244

Which method Returns the port that the server socket is listening on?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public int getLocalPort()`		100
B.	`public void setSoTimeout(int timeout)`		0
C.	`public void bind(SocketAddress host, int backlog)`		0
D.	`public Socket accept() throws IOException`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 245

Which of the following are constructors for ServerSocket class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public ServerSocket(int port) throws IOException`		0
B.	`public ServerSocket(int port, int backlog) throws IOException`		0
C.	All of the above		100
D.	`public ServerSocket(int port, int backlog, InetAddress address) throws IOException`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 246

Which method Sets the time-out value for how long the server socket waits for a client during the accept()?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public int getLocalPort()`		0
B.	`public void setSoTimeout(int timeout)`		100
C.	`public Socket accept() throws IOException`		0
D.	`public void bind(SocketAddress host, int backlog)`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 247

Which method binds the socket to the specified server and port in the SocketAddress object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`public void bind(SocketAddress host, int backlog)`		100
B.	`public Socket accept() throws IOException`		0
C.	`public int getLocalPort()`		0
D.	`public void setSoTimeout(int timeout)`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 248

Which method returns an InetAddress object given the raw IP address?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`String toString()`		0
B.	`String getHostAddress()`		0
C.	`String getHostName()`		0
D.	`static InetAddress getByAddress(byte[] addr)`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 249

Which class represents a socket for sending and receiving datagram packets?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	HttpURLPermission		0
B.	DatagramSocket		100
C.	HttpCookie		0
D.	HttpURLConnection		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 250

Which exception thrown to indicate that the IP address of a host could not be determined.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	URISyntaxException		0
B.	SocketTimeoutException		0
C.	UnknownHostException		100
D.	UnknownServiceException		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 251

_____class implements client sockets.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SocketImpl		0
B.	ServerSocket		0
C.	SocketAddress		0
D.	Socket		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 252

What is the difference between TCP and UDP?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above		100
B.	communication of UDP is not reliable as compared to TCP		0
C.	TCP is connection-oriented protocol and UDP is connectionless protocol.		0
D.	TCP reads data as stream and UDP reads data as Datagram's of packet		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 253

_____ Represents a Uniform Resource Identifier reference.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	URLClassLoader		0
B.	URLConnection		0
C.	URL		0
D.	URI		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 254

What are advantages of Java Sockets?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above		100
B.	Sockets cause low network traffic.		0
C.	Efficient socket based programming can be easily implemented for general communications.		0
D.	Sockets are flexible and sufficient.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 255

Which class is used by server applications to obtain a port and listen for client requests?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.net.ServerSocket class		100
B.	java.net.Authenticator		0
C.	java.net.SocketAddress		0
D.	java.net.Socket		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 256

The package _____ contains classes and interfaces that provide a powerful infrastructure for networking in Java.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.applet		0
B.	java.awt		0
C.	java.rmi		0
D.	java.net		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 257

_____is a connection-oriented protocol.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of the above		0
B.	Transmission Control Protocol(TCP)		100
C.	User Datagram Protocol (UDP)		0
D.	Internet Protocol (IP)		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 258

Which of the following are classes of java.net package?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above.		100
B.	Authenticator		0
C.	DatagramSocket		0
D.	Socket		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 259

Which of the following are Interfaces of java.net package?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	URLStreamHandlerFactory		0
B.	SocketImplFactory		0
C.	ProtocolFamily		0
D.	All of the above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 260

The _____class is used to encapsulate both the numerical IP address and the domain name for that address.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	CookieHandler		0
B.	InetAddress		100
C.	ContentHandler		0
D.	CookieManager		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 14: XML AND JAVA PART

Question 261

XML stands for _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Asynchronous JavaScript and XML		0
B.	Extensible Markup Language		100
C.	HyperText Markup Language		0
D.	Hypertext Preprocessor		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 262

_____ describes the structure of an XML document.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	DCOM		0
B.	XML schema		100
C.	DOM		0
D.	COM		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 263

Which of the following class in the javax.xml.bind package provides the client application the ability to convert a Java content tree back into XML data?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Document		0
B.	Unmarshaller		0
C.	Marshalle		100
D.	rNone of the above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 264

XSLT stands for _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Extensible Markup Language		0
B.	HyperText Markup Language		0
C.	Extensible Stylesheet Language Transformations		100
D.	Hypertext Preprocessor		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 265

The _____ does not define any form of binary interoperability.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SAX		0
B.	JAXB		0
C.	DOM		100
D.	JAXP		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 266

"DOM Level 1," was recommended by W3C in late _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	1994		0
B.	1997		0
C.	2000		0
D.	1998		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 267

_____ is not a W3C standard.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SAX		100
B.	HTTP		0
C.	DOM		0
D.	XML		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 268

Which of the following was designed as a median between DOM and SAX?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	StAX		100
B.	JAXB		0
C.	XSLT		0
D.	JAXP		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 269

_____ defines a factory API that enables applications to configure and obtain a SAX based parser to parse XML documents.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SAXParserFactory		100
B.	DTDHandler		0
C.	EntityResolver		0
D.	DefaultHandler		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 270

Which of the following is a correct statement about DOM?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above		100
B.	Use DOM when you are calling XPath.		0
C.	Use DOM when you want to have tree iterations and need to walk through the entire document tree		0
D.	Use the DOM API when you need to use random access		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 271

_____ is a language for finding information in an XML document.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JAXP		0
B.	XPath		100
C.	JAXB		0
D.	SAX		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 272

XML was designed to_____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	transport and store data		100
B.	Compile source code		0
C.	None of the above.		0
D.	Display data		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 273

Which of the following method belongs to the window.history object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	go()		0
B.	All of the above		100
C.	forward()		0
D.	back()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 274

Comment in XML document is given by			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	<!-- comment -->		100
B.	<%-- comment --%>		0
C.	/* comment */		0
D.	All of the above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 275

Which of the following is not an XML parser?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SAX		0
B.	COM		100
C.	JDOM		0
D.	DOM		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 276

Which of the following XML parser parses an entire XML document and load it into memory, modelling it with Object for easy nodal traversal?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	SAX		0
B.	JDOM		0
C.	DCOM.		0
D.	DOM		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 277

The strength of the _____ specification is that it can scan and parse gigabytes worth of XML documents without hitting resource limits?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	COM.		0
B.	DOM		0
C.	JDOM		0
D.	SAX		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 278

Which of the following java API is for processing XML data using applications written in the Java programming language?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Channels.		0
B.	applet		0
C.	JAXP		100
D.	CORBA		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 279

_____ is a Java standard that defines how Java objects are converted from and to XML.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	JAXP		0
B.	SAX		0
C.	JAXB		100
D.	DOM.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 280

What is an XML specification that governs the allowable components of an XML document and the relationships between the components?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Marshalling		0
B.	Schema		100
C.	Unmarshalling		0
D.	SAX		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 15: JAVA LANG AND UTIL PACKAGES

Question 281

Class _____ is the root of the class hierarchy.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	notify		0
B.	Object		100
C.	clone		0
D.	equals		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 282

Which method returns the value of the Short as a byte?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`double doubleValue()`		0
B.	`float floatValue()`		0
C.	`int hashCode()`		0
D.	`byte byteValue()`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 283

Which method returns the number of one-bits in the two's complement binary representation of the specified int value?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`double doubleValue()`		0
B.	`static int bitCount(int i)`		100
C.	`byte byteValue()`		0
D.	`float floatValue()`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 284

Which method parses the string argument as a signed decimal integer?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`static int parseInt(String s, int radix)`		0
B.	`static Integer getInteger(String nm, int val)`		0
C.	`int intValue()`		0
D.	`static int parseInt(String s)`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 285

Which Constructor of String class initializes a newly created String object so that it represents an empty character sequence?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	String(byte[] bytes, int offset, int length)		0
B.	String(byte[] bytes, Charset charset)		0
C.	String(byte[] bytes)		0
D.	String()		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 286

Which method compares two strings lexicographically?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`boolean contentEquals(CharSequence cs)`		0
B.	`int compareTo(String anotherString)`		100
C.	`boolean contentEquals(StringBuffer sb)`		0
D.	`int compareToIgnoreCase(String str)`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 287

Package java.util contains_____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	event model		0
B.	collection classes		0
C.	date and time facilities		0
D.	All of the above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 288

Which method adds all of the specified elements to the specified collection?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`static <T> int binarySearch(List<? extends T> list, T key, Comparator<? super T< c)`		0
B.	`static <T> Queue<T> asLifoQueue(Deque<T> deque)`		0
C.	`static <T> int binarySearch(List<? extends Comparable<? super T>> list, T key)`		0
D.	`static <T> boolean addAll(Collection<? super T> c, T... elements)`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 289

Which method returns an unmodifiable view of the specified sorted map?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`static <T> Set<T> unmodifiableSet(Set<? extends T> s)`		0
B.	`static <K,V> SortedMap<K,V> unmodifiableSortedMap(SortedMap<K,? extends V> m)`		100
C.	`static <K,V> Map<K,V> unmodifiableMap(Map<? extends K,? extends V> m)`		0
D.	`static <T> SortedSet<T> unmodifiableSortedSet(SortedSet<T> s)`		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 290

Which class object represents a specific geographical, political, or cultural region?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.util.ListResourceBundle		0
B.	java.util.Locale		100
C.	java.util.calendar		0
D.	java.util.Collections		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 291

Which class provides resizable-array and implements the List interface?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	java.util.Hashtable		0
B.	java.util.HashMap		0
C.	java.util.ArrayList		100
D.	java.util.Arrays		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 292

Which method returns the runtime class of the Object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	toString()		0
B.	getClass()		100
C.	clone()		0
D.	hashCode()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 293

Annotations are mainly used for_____?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above.		100
B.	Information for the compiler		0
C.	Runtime processing		0
D.	Compiler-time and deployment time processing		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 294

Which method returns a hash code value for the object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	hashCode()		100
B.	toString()		0
C.	getClass()		0
D.	clone()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 295

Which method converts the object to a string?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	toString()		100
B.	hashCode()		0
C.	clone()		0
D.	getClass()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 296

Which method is called by the garbage collector on an object when garbage collection determines that there are no more references to the object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	equals()		0
B.	toString()		0
C.	finalize()		100
D.	wait()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 297

Which method returns True if the argument is not null and is an object of the same type?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	`void notify()`		0
B.	`protected void finalize()`		0
C.	`int hashCode()`		0
D.	`boolean equals(Object obj)`		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 298

What are the advantages of Immutable Object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Immutable objects are automatically thread-safe		0
B.	Immutable objects are simple to construct, test, and use		0
C.	All of the above		100
D.	No need of a copy constructor for Immutable objects		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 299

Which classes are used to convert any data type into an object?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Stream classes.		0
B.	Wrapper classes		100
C.	None of the above.		0
D.	Collection classes.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 300

Which of the following is/are wrapper classes?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Integer		0
B.	Byte		0
C.	Short		0
D.	All of the above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

MODULE 16

Question 301

_____ is the process of designing an application so that it can be adapted to various languages and regions without engineering changes.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Internationalization		100
B.	Deserialization		0
C.	Externalization		0
D.	Serialization		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 302

A/An _____ class is used to make system resource access decisions based on the context it encapsulates.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Certificate		0
B.	AccessControlContext		100
C.	Certificate Factory		0
D.	X509CertSelector		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 303

Which of the following is not a class of java.security package?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	AccessControlContext		0
B.	BasicPermission		0
C.	AccessController		0
D.	AlgorithmConstraints		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 304

Which of the following interface of the java.security package defines a set of criteria for selecting Certificates?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	CertSelector		100
B.	CertPathBuilderResult		0
C.	CertPathParameters		0
D.	CertStoreParameters		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 305

Which of the following class is using for building certification paths?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	CertPathBuilder		100
B.	CertPath		0
C.	CertStore.		0
D.	Certificate		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 306

When your program needs a locale-specific resource, a String for example, your program can load it from the _____ that is appropriate for the current user's locale.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Locale		0
B.	PrintWriter		0
C.	Serialization		0
D.	ResourceBundle		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 306

Which of the following is not a sub class of ResourceBundle?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	None of the above.		0
B.	ListResourceBundle		0
C.	XMLResourseBundle		100
D.	PropertyResourceBundle		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 307

What does JCA stand for in term of java security?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Java Connector Architecture		0
B.	Java Cryptography Extension		0
C.	Java Cryptography Architecture		100
D.	None of the above		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 308

Which of the following is a method of MessageDigest class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	digest()		0
B.	toString()		0
C.	getProvider()		0
D.	All of the above.		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 309

Which of the following is a correct statement about digital signatures?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	You also supply your recipient with your public key.		0
B.	You "sign" the document or code using one of your private keys, which you can generate by using keytool or security API methods.		0
C.	Your recipient uses your public key to verify that your document came from you.		0
D.	All of the above		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 310

_____ Class represents a storage facility for cryptographic keys and certificates.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Certificate		0
B.	Keystores		100
C.	None of the above		0
D.	Digital signatures		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 311

Which of the following term is often abbreviated as l10n?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Internationalization		0
B.	Localization		100
C.	Serialization		0
D.	Deserialization		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 312

Which of the following class is designed to provide the functionality of a cryptographic digital signature algorithm such as DSA or RSA with MD5?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	Mac		0
B.	Cipher		0
C.	Security		0
D.	Signature		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 313

Which of the following is java's internationalize class?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above		100
B.	DecimalFormat		0
C.	Locale		0
D.	ResourceBundle		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 314

The binary form of programs running on the Java platform is not native machine code but an intermediate _____.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	bytecode		100
B.	sourcecode		0
C.	machinecode		0
D.	All of the above.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 315

Which of the following is a JVM's task to prevent the program from performing unsafe operations such as branching to incorrect locations which may contain data rather than instructions?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	classification		0
B.	None of the above.		0
C.	compilation		0
D.	verification		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 316

What java platform does not support to improve the security of java applications?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	unmarshalling		0
B.	Primitive data types.		0
C.	marshalling		0
D.	pointers		100
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 317

Which of the following is/are security vulnerabilities in Java applications?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	All of the above.		100
B.	Errors in user programs.		0
C.	Native libraries.		0
D.	Sandboxing mechanism.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 318

Which of the following defines a security policy for an application?			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	verification		0
B.	bytecode		0
C.	Security Manager		100
D.	JVM.		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			

Question 319

The special method _____ determines whether an access request indicated by a specified permission should be granted or denied.			MC
		Default mark:	1
		Shuffle the choices?	Yes
		Number the choices?	A
		Penalty for each incorrect try:	33.3
#	**Answers**	**Feedback**	**Grade**
A.	checkAccess()		0
B.	checkPermission(java.security.Permission)		100
C.	hashCode()		0
D.	getSecurityContext()		0
E.			0
	General feedback:		
	For any correct response:	Your answer is correct.	
	For any incorrect response:	Your answer is incorrect.	
	Hint 1:		
	Show the number of correct responses (Hint 1):	No	
	Clear incorrect responses (Hint 1):	No	
	Tags:		
Allows the selection of a single or multiple responses from a pre-defined list. (MC/MA)			