

Intimate Partner Violence

CCG: C-1155 (CCG)

MCG Health
Chronic Care
28th Edition

- Assessment
- Plan of Care
- References
- Footnotes

Assessment

Q1. Patient: Are you in immediate danger of harm?[A]

- Yes [Q2] [P1]
- No
- Unknown

Q2. Patient: Is the person there with you right now?

- Yes, specify: _____ [B1] [P1]
- No
- Unknown

Q3. Patient: Are you afraid of anyone, such as a partner, parent, or family member? If yes, specify who?

- Yes, specify: _____ [P2]
- No
- Unknown

Q4. Patient: Have you ever been physically, sexually, or emotionally abused by someone important to you, such as a partner, parent, or family member? If yes, when was the last time? (Check all reported.)

- Yes, physically, specify last time: _____ [Q5] [Q7]
- Yes, sexually, specify last time: _____ [Q7]
- Yes, emotionally, specify last time: _____ [Q6] [Q7]
- No
- Unknown

Q5. Patient: How and where did they physically hurt you? (Check all that apply.)

- Threatened abuse, including with weapon; specify where: _____ [P2]
- Slapped or pushed without injury or lasting pain; specify where: _____ [P2]
- Punched or kicked; left bruises, cuts, or continuing pain; specify where: _____ [P2]
- Beat up; severe contusions, burns, or broken bones; specify where: _____ [P2]
- Head, internal, or permanent injury; specify where: _____ [P2]
- Weapon used, weapon wound; specify where: _____ [P2]
- Other, specify: _____ [P2]
- No answer
- Unknown

Q6. Patient: How do they emotionally hurt you? (Check all reported.)

- Abuses loved ones (eg, children, pets) [P2]
- Blaming behavior (eg, blames you for their anger or problems) [P2]
- Controlling behavior (eg, prevents from going places or seeing people, manages birth control) [P2]
- Destroys things you care about [P2]
- Jealous behavior (eg, questions friendship, checks up on) [P2]
- Stalking or harassing [P2]
- Threatens abuse, suicide, or homicide [P2]
- Verbal tirades, humiliations, or put-downs [P2]
- Other, specify: _____ [P2]
- None
- Unknown

Q7. Patient: Is the abuse getting worse, such as happening more often or getting more physical?

- Yes, specify: _____ [P2]
- No
- Unknown

Q8. Patient: Are there weapons in the home? If yes, specify what kind and where they are.

- Yes, specify kind and location: _____ [P2]
- No
- Unknown [P2]

Plan of Care

Barriers

B1. Personal harm immediate

Problems

P1. Immediate personal harm risk present

- **Goal:** Immediate behavioral health intervention to prevent harm
 - **Interventions:**
 - **ASSIST:** If patient is actively at risk of harm, contact emergency services while maintaining communication with the patient.(1) Harm can be physical, emotional, or sexual.(2)
 - **EDUCATE:** Types and benefits of help available
 - **EDUCATE:** Legal obligations to report (eg, mandatory reporter)
 - **COORDINATE:** Protective services or legal authorities, as needed
 - **COORDINATE:** Social worker referral, as needed
 - **COORDINATE:** Follow-up contact after behavioral health evaluation to review self-care plan and identify need for further assistance(3)(4)

P2. Personal harm risk present

- **Goal:** Personal harm warning signs and action plan understood
 - **Interventions:**
 - **ASSIST:** If patient is actively at risk of harm, contact emergency services while maintaining communication with the patient.(1) Harm can be physical, emotional, or sexual.(2)
 - **ASSIST:** Identifying patient's goal priorities, willingness/ability to achieve goals, and preferences for communication and follow-up
 - **ASSIST:** Goal setting that is specific, measurable, achievable, relevant, and with target completion time (eg, short/long-term, prioritized)
 - **ASSIST:** Identifying best way to communicate with patient about situation (eg, patient calls in, yes/no questions only)
 - **ASSIST:** Appointment scheduling with provider for evaluation of condition status
 - **ASSIST:** Identifying patient supports and setting up support system communication(1)
 - **ASSIST:** Creation of a safety plan when patient is ready/able to leave abusive situation(1)
 - **EDUCATE:** Behavioral health crisis care(5)(6):
 - Call police if crisis involves violence.
 - Keep the crisis hotline telephone number near the phone.
 - Keep a list of names, addresses, and emergency telephone numbers for medical help and support individuals (eg, neighbor, relative, close friend).
 - **EDUCATE:** Safety planning:
 - Make plan to leave, including places to go, what to pack, when to go, how to get there.
 - Know places to go in an emergency (eg, family's home, shelter).
 - Safety pack preparation: include important documents (eg, ID, passport), medications, and items to take when leaving (eg, purse, evidence).
 - Get medical care if needed.
 - Call help line or hotlines.
 - Know legal options (eg, restraining order).
 - **EDUCATE:** Violence impacts(7)(8):
 - Physical health (eg, GI disorders, chronic pain, chronic condition risk increase)
 - Mental health (eg, depression, PTSD, substance misuse)
 - Children repeating cycle(9)
 - **EDUCATE:** Abusive personality signs(7):
 - Abuses loved ones (eg, children, pets)
 - Blaming behavior (eg, blames you for their anger or problems)
 - Controlling behaviors (eg, prevents from going places or seeing people, manages birth control)
 - Destroys things you care about

- Jealous behavior (eg, questions friendship, checks up on)
- Physical assault (eg, hitting, slapping, kicking)
- Sex forced
- Stalking or harassing
- Threatens abuse, suicide, or homicide
- Verbal tirades, humiliations, or put-downs
- **EDUCATE: When to get emergency help(10):**
 - Suicidal or homicidal actions or plans
 - Psychotic behavior (eg, threatening)
 - Crisis plan not working(11)
- **EDUCATE: When to call the provider(12)(13):**
 - Depression (eg, feeling sad, hopeless, overwhelmed)
 - Self-harm (eg, abuse, mutilation)
 - Hallucinations or delusions increase.
 - Cognitive changes (eg, thinking problems, forgetfulness worsens)
- **EDUCATE: Resources:**
 - Domestic shelters: www.domesticshelters.org
 - National Center for Victims of Crime: <https://victimsofcrime.org>
 - National Coalition Against Domestic Violence: <https://ncadv.org>
 - National Dating Abuse Hotline: 1-866-331-9474
 - National Domestic Violence Hotline: 1-800-799-7233 (SAFE), TYY line: 1-800-787-3224 or www.thehotline.org
 - National Sexual Assault Hotline: 1-800-656-4673
 - National Sexual Violence Resources Center: www.nsvrc.org
 - National Suicide Prevention Hotline: 1-800-273-8255 or call, text, or live chat 988
 - U.S. Department of Health & Human Services: www.womenshealth.gov
- **COORDINATE:** Behavioral health services referral, if indicated(1)
- **COORDINATE:** Psychiatrist referral, if indicated(1)(14)
- **COORDINATE:** Community services referral, as needed
- **COORDINATE:** Protective services or legal authorities, as needed(15)(16)
- **COORDINATE:** Social worker referral, as needed(17)
- **COORDINATE:** Communication between care team members and care plan reconciliation(18)(19)(20)
- **COORDINATE:** Follow-up contact to evaluate safety, referral status, and need for further assistance(3)(4)

References

1. Depression in Adults: Treatment and Management. NICE Guidance NG222 [Internet] National Institute for Health and Care Excellence. 2022 Jun Accessed at: <https://www.nice.org.uk/guidance>. [created 2022; accessed 2023 Aug 08] [Context Link 1, 2, 3, 4, 5, 6]
2. Bipolar and related disorders. In: Morgan KI, Townsend MC, editors. Davis Advantage for Psychiatric Mental Health Nursing. 10th ed. Philadelphia, PA: F.A. Davis; 2021:519-546. [Context Link 1, 2]
3. Care coordination and care transitions to support adherence. In: Perez R, Rogers S, Prince M, Fraser K, editors. Case Management Adherence Guidelines. 2020 ed. Case Management Society of America; 2022:43-56. [Context Link 1, 2]
4. Monitoring and evaluation. In: Gillingham DC, editor. Foundations of Case Management. Blue Bayou Press; 2021:51-52. [Context Link 1, 2]
5. Suicide prevention. In: Morgan KI, Townsend MC, editors. Davis Advantage for Psychiatric Mental Health Nursing. 10th ed. Philadelphia, PA: F.A. Davis; 2021:263-289. [Context Link 1]
6. Young HW, Shapiro MA. Suicidal Behavior. In: Walls RM, editor. Rosen's Emergency Medicine: Concepts and Clinical Practice. 10th ed. Philadelphia, PA 19103-2899: Elsevier; 2023:1358-1365.e4. [Context Link 1]
7. Public health guidelines. In: Cash JC, editor. Family Practice Guidelines. 6th ed. Springer Publishing; 2023:16-56. [Context Link 1, 2]
8. Maladaptive behavior. In: Harding M, Hagler D, editors. Conceptual Nursing Care Planning. Elsevier; 2022:270-288. [Context Link 1]
9. Ravi KE, Black BM. The relationship between children's exposure to intimate partner violence and an emotional-behavioral disability: a scoping review. Trauma, Violence & Abuse 2022;23(3):868-876. DOI: 10.1177/1524838020979846. [Context Link 1] View abstract...
10. Fosbre CD. Suicidal thoughts and behaviors. In: Fosbre CD, Varcropolis EM, Chiappetta L, editors. Varcropolis' Essentials of Psychiatric-Mental Health Nursing. 5th ed. Elsevier; 2023:377-387. [Context Link 1]
11. Psychosocial theories and therapy. In: Videbeck SL, editor. Psychiatric-Mental Health Nursing. 9th ed. Wolters Kluwer; 2023:41-63. [Context Link 1]
12. Mood disorders and suicide. In: Videbeck SL, editor. Psychiatric-Mental Health Nursing. 9th ed. Wolters Kluwer; 2023:284-327. [Context Link 1]
13. Major depression. In: Swearingen PL, Wright JD, editors. All-in-One Nursing Care Planning Resource. 5th ed. St. Louis, MO: Elsevier; 2019:744-752. [Context Link 1]
14. APA Work Group on Psychiatric Evaluation. The American Psychiatric Association practice Guidelines for the Psychiatric Evaluation of Adults. 3rd edition [Internet] American Psychiatric Association. 2016 Accessed at: <https://psychiatryonline.org/>. [accessed 2023 Sep 21] DOI: 10.1176/appi.books.9780890426760. [Context Link 1]

15. US Preventive Services Task Force, et al. Interventions to prevent child maltreatment: US Preventive Services Task Force recommendation statement. *Journal of the American Medical Association* 2018;320(20):2122-2128. DOI: 10.1001/jama.2018.17772. (Reaffirmed 2023 Feb) [Context Link 1] View abstract...
16. US Preventive Services Task Force, et al. Screening for intimate partner violence, elder abuse, and abuse of vulnerable adults: US Preventive Services Task Force final recommendation statement. *Journal of the American Medical Association* 2018;320(16):1678-1687. DOI: 10.1001/jama.2018.14741. (Reaffirmed 2023 Feb) [Context Link 1] View abstract...
17. McQueen A, et al. Social needs, chronic conditions, and health care utilization among Medicaid beneficiaries. *Population Health Management* 2021;24(6):681-690. DOI: 10.1089/pop.2021.0065. [Context Link 1] View abstract...
18. Case management standards and professional organizations. In: Powell SK, Tahan H, editors. *Case Management a Practical Guide for Education and Practice*. 4th ed. Philadelphia, PA: Wolters Kluwer, Lippincott, Williams & Wilkins; 2019:314-354. [Context Link 1]
19. Joo JY, Liu MF. The experience of chronic illness transitional care: a qualitative systematic review. *Clinical Nursing Research* 2022;31(2):163-173. DOI: 10.1177/10547738211056166. [Context Link 1] View abstract...
20. Karam M, et al. Nursing care coordination for patients with complex needs in primary healthcare: a scoping review. *International Journal of Integrated Care* 2021;21(1):16. DOI: 10.5334/ijic.5518. [Context Link 1] View abstract...
21. Basile KC, Hertz MF, Back SE. Intimate Partner Violence and Sexual Violence Victimization Assessment Instruments for Use in Healthcare Settings. [Internet] Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. Version 1.0; 2007 Accessed at: <https://www.cdc.gov/nchs/products/databriefs/db318.htm>. [accessed 2023 Oct 10] [Context Link 1]
22. Andreu-Pejo L, Valero-Chillon MJ, Gonzalez-Chorda VM, Mena Tudela D, Cervera Gasch A. Integrative review of the literature on screening for gender-based violence during pregnancy: Barriers, facilitators, and tools. *Nursing & Health Sciences* 2022;24(3):564-578. DOI: 10.1111/nhs.12967. [Context Link 1] View abstract...
23. McGrath KP. Screening for and prevention of intimate partner violence. In: Goroll AH, Mulley AG Jr., editors. *Primary Care Medicine: Office Evaluation and Management of the Adult Patient*. 8th ed. Philadelphia, PA: Wolters Kluwer; 2021:987-991. [Context Link 1]

Footnotes

[A] There are several domestic violence/intimate partner violence screening tools available. The choice of questions should factor in the form of delivery (eg, in person, telephonic), the patient's ability to speak openly (eg, should yes/no questions be asked? is the abuser present?), the patient's age and emotional maturity, and the patient's emotional reaction to questions.(21)(22)(23) [A in Context Link 1]

MCG Health
Chronic Care 28th Edition
Copyright © 2024 MCG Health, LLC
All Rights Reserved

Last Update: 3/14/2024 3:34:36 AM
Build Number: 28.1.20240313235330.016020