

Readiness to Change

CCG: C-1045 (CCG)

MCG Health
Chronic Care
28th Edition

- Assessment
 - Patient Interview
 - Case Management Evaluation
- Plan of Care
- Evidence Summary
- References

Assessment

Patient Interview

Q1. Patient: On a scale of 0 to 10, where 0 is "not important" and 10 is "very important," how important do you think it is to manage your condition?

- 0 [P1] [P2]
- 1 [P1] [P2]
- 2 [P1] [P2]
- 3 [P1] [P2]
- 4 [P1] [P2]
- 5 [P2]
- 6 [P2]
- 7 [P2]
- 8 [P2]
- 9
- 10
- Unknown [P1] [P2]

Q2. Patient: How does not managing your condition affect your life? (Check all that apply.)

- Cannot do the things I want to do (eg, no energy, feel sick)
- Makes more work for caregivers, family, or friends
- Makes you feel sad or depressed (loss of interest in doing things)
- Medical problems worse
- Miss work because of condition
- New medical problems happening
- Other, specify: _____
- No effects [P1] [P2]
- Unknown [P1] [P2]

Q3. Patient: What would you like to do more of, if your condition was better managed? (Check all that apply.)

- Enjoy hobbies
- Play sports or participate in activities
- Spend time with family or friends
- Travel
- Work
- Other, specify: _____
- Nothing; I do everything I want now. [P1] [P2]
- Nothing; not interested in doing anything more [P1] [P2]
- Unknown [P1] [P2]

Q4. Patient: Has your mood changed over the past 2 weeks?(1)(2)  PHQ-2 Calculator

- Yes [Q5]
- No
- Unknown

Q5. Patient: What changes in your mood have you had? (Check all that apply.)

- Change in usual activity (eg, working excessively, no longer talking to friends, or going on shopping sprees) Depression Screening, Adult [CCG](#)
- Down, hopeless, or depressed Depression Screening, Adult [CCG](#)
- Forgetting a lot or getting angry or frustrated Depression Screening, Adult [CCG](#)
- Little interest or pleasure in doing things Depression Screening, Adult [CCG](#)
- Quick mood changes Depression Screening, Adult [CCG](#)
- Other, specify: _____ Depression Screening, Adult [CCG](#)
- Not applicable

Q6. Patient: Will you talk about making changes to manage your condition?

- Yes [Q7] [Q8] [Q9]
- No [P1] [P2]
- Unknown [P1] [P2]

Q7. Patient: What things would you like to do to manage your condition? (Check all that apply.)

- Allow others to help with care [P3]
- Follow nutrition and dietary recommendations [P3]
- Learn about condition and treatment [P3]
- Participate more in decisions about care [P3]
- Take less medicine [P3]
- Take medicine as prescribed [P3]
- Understand treatment options [P3]
- Other, specify: _____ [P3]
- Nothing [P2]
- Unknown [P1] [P2]
- Not applicable

Q8. Patient: What do you find hard about managing your condition? (Check all that apply.)

- Causes stress, anxiety, or feeling overwhelmed [P3]
- Feeling like it is worth managing [P3]
- Getting needed medicine or equipment [P3]
- Having support system to help [P3]
- Stressful events in life (eg, moving, changing job, recent loss of loved one) [P3]
- Taking medicines as ordered [P3]
- Understanding what condition is and how it is treated [P3]
- Other, specify: _____ [P3]
- Nothing [P2]
- Unknown [P1] [P2]
- Not applicable

Q9. Patient: Will family, friends, and/or caregivers help support in managing your condition?

- Yes
- No [P3]
- Unknown [P3]
- Not applicable

Case Management Evaluation

Q1. Case Manager: What issues may be affecting the patient's desire to change? (Check all that apply.)

- Cultural or religious preferences [P2] Cultural Practices [CCG](#)
- Depression [P1] [P2] Depression Screening, Adult [CCG](#)
- Fear [P1] [P2]
- Financial concerns [P1] Financial Status and Benefits [CCG](#)
- Forgetfulness [P1] Cognitive Impairment [CCG](#)
- Has not accepted condition [P1]
- Health literacy limitations [P1] Health Literacy [CCG](#)
- Impacts ability to travel [P1] Travel [CCG](#)

- Needs help to manage care [P1] Caregiver Resources Evaluation  CCG
- Not wanting to get help with transportation [P1] Transportation  CCG
- Past failures at change [P1] [P2]
- Self-esteem issues [P1] [P2]
- Other, specify: _____ [P1]
- None [P1] [P2]
- Unknown [P2]

Q2. Case Manager: What stage of change does the patient seem to be in?

- Precontemplative (no intention to change within 6 months) [P1]
- Contemplation (intention to change within 6 months) [P2]
- Preparation (intention to change in 30 days) [P3]
- Action (actual change in past 6 months) [P3]
- Maintenance (maintaining change for at least 6 months) [P3]
- Unknown [P3]
- Not applicable

Plan of Care

Problems

P1. Timing not right to make lasting changes

- **Goal:** Education and support provided with plan for ongoing evaluation of readiness to change
 - **Interventions:**
 - **ASSIST:** Identifying patient's goal priorities, willingness/ability to achieve goals, and preferences for communication and follow-up
 - **ASSIST:** Goal setting that is specific, measurable, achievable, relevant, and with target completion time (eg, short/long-term, prioritized)
 - **ASSIST:** Identifying patient's preferences and conflicts with self-care plan
 - **ASSIST:** Appointment scheduling with provider to evaluate status and need or willingness for self-care changes
 - **EDUCATE:** Right of patient to make decisions about care
 - **EDUCATE:** Potential problems with health and outcomes if changes not made(3)
 - **EDUCATE:** Signs of problems and when and how to get help
 - **COORDINATE:** Communication between care team members
 - **COORDINATE:** Follow-up evaluation for readiness to change with corresponding change in care plan

P2. Insufficient interest in changing to manage condition

- **Goal:** Interest in changing increased and change initiated
 - **Interventions:**
 - **ASSIST:** Identifying patient's goal priorities, willingness/ability to achieve goals, and preferences for communication and follow-up
 - **ASSIST:** Goal setting that is specific, measurable, achievable, relevant, and with target completion time (eg, short/long-term, prioritized)
 - **ASSIST:** Patient with exploring resistance and barriers to change(4)
 - **ASSIST:** Setting up a self-care plan that patient feels they can follow(4)(5):
 - Identifying patient's goal and desired outcomes
 - Prioritizing goals and interventions
 - Identifying and managing obstacles that may interfere with achieving goal
 - Contacts for resources (eg, community resources, educational services) to help patient achieve their goal
 - **ASSIST:** Appointment scheduling with provider to evaluate impact of planned changes on care plan (eg, adding medications for smoking cessation), if needed
 - **ASSIST:** Building confidence to manage change(6)
 - **EDUCATE:** Ways to help manage condition(7):
 - How to take active role (eg, make decisions, incorporate care into daily routine, monitor condition)
 - Stress management (eg, relaxation and coping techniques)
 - Use support system to help.
 - Ask for more information if condition or treatments are not understood.
 - When and how to get help for problems
 - **COORDINATE:** Follow-up contact to evaluate progress toward goal(5)
 - **COORDINATE:** Engagement and educational interventions appropriate for the patient's status or level of change readiness(8)
 - **COORDINATE:** Provision of intervention or treatment if it will be beneficial to patient
 - **COORDINATE:** Communication between care team members

- **COORDINATE:** Follow-up evaluation for readiness to change with corresponding change in care plan

P3. Information needed on how to make and sustain changes

- **Goal:** Information on how to make and sustain changes understood
- **Interventions:**
 - **ASSIST:** Identifying patient's goal priorities, willingness/ability to achieve goals, and preferences for communication and follow-up
 - **ASSIST:** Goal setting that is specific, measurable, achievable, relevant, and with target completion time (eg, short/long-term, prioritized)
 - **ASSIST:** Appointment scheduling with provider to evaluate any clinical problems that may affect changes
 - **ASSIST:** Support system (eg, family, friends) identification, enlistment, and education
 - **ASSIST:** Setting up a self-care plan that patient feels they can follow(4)(5):
 - Identifying patient's goal and desired outcomes
 - Prioritizing goals and interventions
 - Identifying stepwise approach to change
 - Identifying and managing obstacles that may interfere with achieving goal
 - Contacts for resources (eg, community resources, educational services) to help patient achieve their goal
 - **EDUCATE:** Ways to help manage condition(7):
 - How to take active role (eg, make decisions, incorporate care into daily routine, monitor condition)
 - Stress management (eg, relaxation and coping techniques)
 - Use support system to help.
 - Ask for more information if condition or treatments are not understood.
 - When and how to get help for problems
 - **COORDINATE:** Behavioral health services referral, if indicated
 - **COORDINATE:** Community services referral, as needed
 - **COORDINATE:** Engagement and educational interventions appropriate for the patient's status or level of change readiness(9)
 - **COORDINATE:** Home care referral, if indicated
 - **COORDINATE:** Social worker referral, as needed(10)
 - **COORDINATE:** Follow-up contact with patient to evaluate understanding and adherence to self-care plan, referral status, and need for further assistance(11)(12)

Evidence Summary

Quality standards: Standards indicate that the program should have a process for following up with patients on the status of referrals. (13)

Evidence: In a prospective cohort study of 2155 high-risk patients, a single-level Patient Activation Measure (PAM) score increase was associated with an 8.3% lower follow-up healthcare cost.(14)

References

1. Chiappetta L. Mood disorders: depression. In: Fosbre CD, Varcrolis EM, Chiappetta L, editors. Varcrolis' Essentials of Psychiatric-Mental Health Nursing. 5th ed. Elsevier; 2023:207-234. [Context Link 1]
2. US Preventive Services Task Force, et al. Screening for Depression and Suicide Risk in Adults: US Preventive Services Task Force Recommendation Statement. *Journal of the American Medical Association* 2023;329(23):2057-2067. DOI: 10.1001/jama.2023.9297. (Reaffirmed 2023 Jul 06) [Context Link 1] View abstract...
3. Attributes. In: Harding M, Hagler D, editors. Conceptual Nursing Care Planning. Elsevier; 2022:289-301. [Context Link 1]
4. Health education and health promotion. In: Hinkle JL, Cheever KH, Overbaugh KJ, editors. Brunner & Suddarth's Textbook of Medical-Surgical Nursing. 15th ed. Wolters Kluwer; 2022:56-70. [Context Link 1, 2, 3]
5. Behaviour Change: Individual Approaches. NICE Public Health Guideline PH49 [Internet] National Institute for Health and Care Excellence. 2014 Jan (NICE reviewed 2019) Accessed at: <https://www.nice.org.uk/guidance>. [accessed 2023 Aug 08] [Context Link 1, 2, 3]
6. Improving adherence. In: Perez R, Rogers S, Prince M, Fraser K, editors. Case Management Adherence Guidelines. 2020 ed. Case Management Society of America; 2022:19-42. [Context Link 1]
7. Sochacki S. Adherence. In: Larsen PD, editor. Lubkin's Chronic Illness: Impact and Intervention. 11th ed. Jones & Bartlett Learning; 2022:269-306. [Context Link 1, 2]
8. Self-care management, self-advocacy, and client adherence. In: Gillingham DC, editor. Foundations of Case Management. Blue Bayou Press; 2021:105-112. [Context Link 1]
9. Murali NS, Deao CE. Patient engagement. *Primary Care* 2019;46(4):539-547. DOI: 10.1016/j.pop.2019.07.007. [Context Link 1] View abstract...
10. McQueen A, et al. Social needs, chronic conditions, and health care utilization among Medicaid beneficiaries. *Population Health Management* 2021;24(6):681-690. DOI: 10.1089/pop.2021.0065. [Context Link 1] View abstract...

11. Care coordination and care transitions to support adherence. In: Perez R, Rogers S, Prince M, Fraser K, editors. Case Management Adherence Guidelines. 2020 ed. Case Management Society of America; 2022:43-56. [Context Link 1]
 12. Monitoring and evaluation. In: Gillingham DC, editor. Foundations of Case Management. Blue Bayou Press; 2021:51-52. [Context Link 1]
 13. Standards of Practice for Case Management. [Internet] Case Management Society of America. 2022 Accessed at: <https://www.cmsa.org/>. [accessed 2023 Sep 21] [Context Link 1]
 14. Lindsay A, Hibbard JH, Boothroyd DB, Glaseroff A, Asch SM. Patient activation changes as a potential signal for changes in health care costs: cohort study of US high-cost patients. Journal of General Internal Medicine 2018;33(12):2106-2112. DOI: 10.1007/s11606-018-4657-6. [Context Link 1] View abstract...
-

MCG Health
Chronic Care 28th Edition
Copyright © 2024 MCG Health, LLC
All Rights Reserved

Last Update: 3/14/2024 3:34:31 AM
Build Number: 28.1.20240313235330.016020