

The catppuccinPalette package

Lukas Heindl

oss.heindl+latex@protonmail.com
<https://github.com/catppuccin/latex>

v1.2.0 from 2025/07/19

Abstract

The LaTeX package `catppuccinPalette` provides new colors for `xcolor`.

1 Introduction

Catppuccin¹ is a soothing pastel theme in 4 flavours/styles (*Latte*, *Frappé*, *Machiato*, *Mocha*). This package defines these themes as `xcolor` colors.

2 Usage

Load via `\usepackage{catppuccinpalette}`

Just use the new colors (prefixed with `Ctp<Style>`) like normal `xcolors`. In addition to the usual colors of the palette, this package defines some colors according to the style guide² for ease of use.

This package also allows you to set a specific style which sets the shortened color names (prefixed only with `Ctp`) to the selected style (allows for easy switching style) via the package option `style`.

This package loads `xcolor` (without options) so if you want to set some `xcolor` options you should load `xcolor` before loading this package.

¹<https://github.com/catppuccin/catppuccin>

²<https://github.com/catppuccin/catppuccin/blob/main/docs/style-guide.md>

2.1 Package options

<i>Option</i>	<i>Description</i>
<code>style</code>	set the style used by the shortened prefix (<code>Ctp</code>). Possible values: <code>Latte</code> (default+initial), <code>latte</code> , <code>Frappe</code> , <code>frappe</code> , <code>Mocha</code> , <code>mocha</code> , <code>Macchiato</code> , <code>macchiato</code> As a shortcut, you can also just use e.g. <code>\usepackage [latte]{catppuccinPalette}</code> as a shorthand for <code>\usepackage [style=latte]{catppuccinPalette}</code>
<code>textcolor</code>	set the default textcolor of the document to <code>CtpText</code> . Possible values: <code>false</code> (initial), <code>true</code> (default)
<code>pagecolor</code>	set the pagecolor of the document to <code>CtpBackground</code> . Possible values: <code>false</code> (initial), <code>true</code> (default)
<code>hyperref</code>	style hyperref according to the style guide ³ . Possible values: <code>false</code> (initial), <code>true</code> (default) Note: In order to make this work, <code>catppuccinpalette</code> needs to be loaded <i>before</i> the <code>hyperref</code> package.
<code>hyperref</code>	style listings according to the style guide ⁴ . Possible values: <code>false</code> (initial), <code>true</code> (default) Note: In order to make this work, <code>catppuccinpalette</code> needs to be loaded <i>after</i> the <code>listings</code> package.
<code>styleAll</code>	shortcut for setting <code>pagecolor</code> , <code>textcolor</code> , <code>listings</code> and <code>hyperref</code>

2.1.1 Change settings mid-document

`\CtpReinit` `\CtpReinit[opts]`

This command allows to reinitialize this package. All previous configuration options will be kept. In particular this allows to change the active style/flavor mid-document. Note that if you decided this package should change the background color when loading the package and only do `\CtpReinit[style=<another style>]`, then the background color will also be adjusted on reinitialization.

The command processes the same options like the ones you can pass when loading the package (see documentation above).

2.2 Package specific notes

2.2.1 listings

With the `listings` option set, this package adjusts the listings settings in order to conform to the style guide⁵.

Still, the highlighting setup is only quite rudimentary. If the chosen listings language splits the keywords in multiple groups, like keywords and builtins, the

³<https://github.com/catppuccin/catppuccin/blob/main/docs/style-guide.md#typography>

⁴<https://github.com/catppuccin/catppuccin/blob/main/docs/style-guide.md#code-editors>

⁵<https://github.com/catppuccin/catppuccin/blob/main/docs/style-guide.md#code-editors>

highlighting can be improved (manually). There is no standardization here though, which is why this package cannot do more sadly.

The codesnippet shown in the examples ⁶ for example do this by setting the following keys (with a custom language or with `\lstset` globally) manually in addition to what this package does:

```
keywordstyle = [2]{\color{CtpBlue}},
keywordstyle = [3]{\color{CtpYellow}},
keywordstyle = [4]{\color{CtpLavender}},
keywordstyle = [5]{\color{CtpPeach}},
keywordstyle = [6]{\color{CtpTeal}},
otherkeywords = {<, =, ?},
morekeywords = [2]{new, create, present, email, description, ...},
morekeywords = [3]{PageController, ApplicationController, Page},
morekeywords = [4]{@page},
morekeywords = [5]{exception, do_some_for_pages, @page, @admin},
morekeywords = [6]{<, , =, ?},
```

2.3 Colors

Note: The colors with the prefix `Cat` are deprecated and will be removed in a future version!

2.3.1 Style Latte

	CtpLatteRosewater		CtpLatteLavender
	CtpLatteFlamingo		CtpLatteText
	CtpLattePink		CtpLatteSubtext1
	CtpLatteMauve		CtpLatteSubtext0
	CtpLatteRed		CtpLatteOverlay2
	CtpLatteMaroon		CtpLatteOverlay1
	CtpLattePeach		CtpLatteOverlay0
	CtpLatteYellow		CtpLatteSurface2
	CtpLatteGreen		CtpLatteSurface1
	CtpLatteTeal		CtpLatteSurface0
	CtpLatteSky		CtpLatteBase
	CtpLatteSapphire		CtpLatteMantle
	CtpLatteBlue		CtpLatteCrust

Some basic colors according to the style guide:

	CtpLatteBackground		CtpLatteSuccess
	CtpLatteLink		CtpLatteWarning
			CtpLatteError

2.3.2 Style Frappe

⁶<https://github.com/catppuccin/latex/tree/main/examples>

	CtpFrappeRosewater		CtpFrappeLavender
	CtpFrappeFlamingo		CtpFrappeText
	CtpFrappePink		CtpFrappeSubtext1
	CtpFrappeMauve		CtpFrappeSubtext0
	CtpFrappeRed		CtpFrappeOverlay2
	CtpFrappeMaroon		CtpFrappeOverlay1
	CtpFrappePeach		CtpFrappeOverlay0
	CtpFrappeYellow		CtpFrappeSurface2
	CtpFrappeGreen		CtpFrappeSurface1
	CtpFrappeTeal		CtpFrappeSurface0
	CtpFrappeSky		CtpFrappeBase
	CtpFrappeSapphire		CtpFrappeMantle
	CtpFrappeBlue		CtpFrappeCrust

Some basic colors according to the style guide:

	CtpFrappeBackground		CtpFrappeSuccess
	CtpFrappeLink		CtpFrappeWarning
			CtpFrappeError

2.3.3 Style Macchiato

	CtpMacchiatoRosewater		CtpMacchiatoLavender
	CtpMacchiatoFlamingo		CtpMacchiatoText
	CtpMacchiatoPink		CtpMacchiatoSubtext1
	CtpMacchiatoMauve		CtpMacchiatoSubtext0
	CtpMacchiatoRed		CtpMacchiatoOverlay2
	CtpMacchiatoMaroon		CtpMacchiatoOverlay1
	CtpMacchiatoPeach		CtpMacchiatoOverlay0
	CtpMacchiatoYellow		CtpMacchiatoSurface2
	CtpMacchiatoGreen		CtpMacchiatoSurface1
	CtpMacchiatoTeal		CtpMacchiatoSurface0
	CtpMacchiatoSky		CtpMacchiatoBase
	CtpMacchiatoSapphire		CtpMacchiatoMantle
	CtpMacchiatoBlue		CtpMacchiatoCrust

Some basic colors according to the style guide:

	CtpMacchiatoBackground		CtpMacchiatoSuccess
	CtpMacchiatoLink		CtpMacchiatoWarning
			CtpMacchiatoError

2.3.4 Style Mocha

	CtpMochaRosewater		CtpMochaMaroon
	CtpMochaFlamingo		CtpMochaPeach
	CtpMochaPink		CtpMochaYellow
	CtpMochaMauve		CtpMochaGreen
	CtpMochaRed		CtpMochaTeal

 CtpMochaSky	 CtpMochaOverlay1
 CtpMochaSapphire	 CtpMochaOverlay0
 CtpMochaBlue	 CtpMochaSurface2
 CtpMochaLavender	 CtpMochaSurface1
 CtpMochaText	 CtpMochaSurface0
 CtpMochaSubtext1	 CtpMochaBase
 CtpMochaSubtext0	 CtpMochaMantle
 CtpMochaOverlay2	 CtpMochaCrust

Some basic colors according to the style guide:

 CtpMochaBackground	 CtpMochaSuccess
 CtpMochaLink	 CtpMochaWarning
	 CtpMochaError

3 Implementation

```

1 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
2 \RequirePackage{pgfpts}
3 \RequirePackage{xcolor}

```

Define the conditionals used by package options

```

4 \newif\ifcatpuccinpalette@pagecolor
5 \newif\ifcatpuccinpalette@textcolor
6 \newif\ifcatpuccinpalette@hyperref
7 \newif\ifcatpuccinpalette@listings
8 \pgfkeys{
9   /catpuccinPalette/.cd,

```

Define the package option keys

```

10  Latte/.style={style=Latte},
11  latte/.style={style=Latte},
12  Frappe/.style={style=Frappe},
13  frappe/.style={style=Frappe},
14  Macchiato/.style={style=Macchiato},
15  macchiato/.style={style=Macchiato},
16  Mocha/.style={style=Mocha},
17  mocha/.style={style=Mocha},
18  style/.is choice,
19  style/.value required,
20  style/Latte/.code = {\def\catpuccinpalette@style{Latte}},
21  style/latte/.style = {style=Latte},
22  style/Frappe/.code = {\def\catpuccinpalette@style{Frappe}},
23  style/frappe/.style = {style=Frappe},
24  style/Macchiato/.code = {\def\catpuccinpalette@style{Macchiato}},
25  style/macchiato/.style = {style=Macchiato},
26  style/Mocha/.code = {\def\catpuccinpalette@style{Mocha}},
27  style/mocha/.style = {style=Mocha},
28  textcolor/.is if = catpuccinpalette@textcolor,
29  textcolor/.default = true,
30  hyperref/.is if = catpuccinpalette@hyperref,
31  hyperref/.default = true,
32  listings/.is if = catpuccinpalette@listings,

```

```

33 listings/.default = true,
34 pagecolor/.is if = catppuccinpalette@pagecolor,
35 pagecolor/.default = true,
36 styleAll/.style = {pagecolor,textcolor,hyperref,listings},
Set initial values for all options
37 textcolor = false,
38 hyperref = false,
39 listings = false,
40 pagecolor = false,
41 style = Latte,
42 }
43 \ProcessPgfOptions{catppuccinPalette}
Define the Latte colorset
44 \preparecolorset{RGB/HTML}{CatLatte}{%}{%
45 Rosewater,220,138,120/DC8A78;%
46 Flamingo,221,120,120/DD7878;%
47 Pink,234,118,203/EA76CB;%
48 Mauve,136,57,239/8839EF;%
49 Red,210,15,57/D20F39;%
50 Maroon,230,69,83/E64553;%
51 Peach,254,100,11/FE640B;%
52 Yellow,223,142,29/DF8E1D;%
53 Green,64,160,43/40A02B;%
54 Teal,23,146,153/179299;%
55 Sky,4,165,229/04A5E5;%
56 Sapphire,32,159,181/209FB5;%
57 Blue,30,102,245/1E66F5;%
58 Lavender,114,135,253/7287FD;%
59 Text,76,79,105/4C4F69;%
60 Subtext1,92,95,119/5C5F77;%
61 Subtext0,108,111,133/6C6F85;%
62 Overlay2,124,127,147/7C7F93;%
63 Overlay1,140,143,161/8C8FA1;%
64 Overlay0,156,160,176/9CA0B0;%
65 Surface2,172,176,190/ACB0BE;%
66 Surface1,188,192,204/BCC0CC;%
67 Surface0,204,208,218/CCD0DA;%
68 Base,239,241,245/FFF1F5;%
69 Mantle,230,233,239/E6E9EF;%
70 Crust,220,224,232/DCE0E8%
71 }
72 \colorlet{CatLatteBackground}{CatLatteBase}
73 \colorlet{CatLatteLink}{CatLatteBlue}
74 \colorlet{CatLatteSuccess}{CatLatteGreen}
75 \colorlet{CatLatteWarning}{CatLatteYellow}
76 \colorlet{CatLatteError}{CatLatteRed}
77
78 \preparecolorset{RGB/HTML}{CtpLatte}{%}{%
79 Rosewater,220,138,120/DC8A78;%
80 Flamingo,221,120,120/DD7878;%
81 Pink,234,118,203/EA76CB;%
82 Mauve,136,57,239/8839EF;%
83 Red,210,15,57/D20F39;%

```

```

84 Maroon,230,69,83/E64553;%
85 Peach,254,100,11/FE640B;%
86 Yellow,223,142,29/DF8E1D;%
87 Green,64,160,43/40A02B;%
88 Teal,23,146,153/179299;%
89 Sky,4,165,229/04A5E5;%
90 Sapphire,32,159,181/209FB5;%
91 Blue,30,102,245/1E66F5;%
92 Lavender,114,135,253/7287FD;%
93 Text,76,79,105/4C4F69;%
94 Subtext1,92,95,119/5C5F77;%
95 Subtext0,108,111,133/6C6F85;%
96 Overlay2,124,127,147/7C7F93;%
97 Overlay1,140,143,161/8C8FA1;%
98 Overlay0,156,160,176/9CA0B0;%
99 Surface2,172,176,190/ACB0BE;%
100 Surface1,188,192,204/BCC0CC;%
101 Surface0,204,208,218/CCD0DA;%
102 Base,239,241,245/EFF1F5;%
103 Mantle,230,233,239/E6E9EF;%
104 Crust,220,224,232/DCE0E8%
105 }

```

Define colors according to the catppuccin style guide

```

106 \colorlet{CtpLatteBackground}{CtpLatteBase}
107 \colorlet{CtpLatteLink}{CtpLatteBlue}
108 \colorlet{CtpLatteSuccess}{CtpLatteGreen}
109 \colorlet{CtpLatteWarning}{CtpLatteYellow}
110 \colorlet{CtpLatteError}{CtpLatteRed}

```

Define the *Frappe* colorset

```

111 \preparecolorset{RGB/HTML}{CatFrappe}{-}{%
112 Rosewater,242,213,207/F2D5CF;%
113 Flamingo,238,190,190/EEBEBE;%
114 Pink,244,184,228/F4B8E4;%
115 Mauve,202,158,230/CA9EE6;%
116 Red,231,130,132/E78284;%
117 Maroon,234,153,156/EA999C;%
118 Peach,239,159,118/EF9F76;%
119 Yellow,229,200,144/E5C890;%
120 Green,166,209,137/A6D189;%
121 Teal,129,200,190/81C8BE;%
122 Sky,153,209,219/99D1DB;%
123 Sapphire,133,193,220/85C1DC;%
124 Blue,140,170,238/8CAAEE;%
125 Lavender,186,187,241/BABBF1;%
126 Text,198,208,245/C6D0F5;%
127 Subtext1,181,191,226/B5BFE2;%
128 Subtext0,165,173,206/A5ADCE;%
129 Overlay2,148,156,187/949CBB;%
130 Overlay1,131,139,167/838BA7;%
131 Overlay0,115,121,148/737994;%
132 Surface2,98,104,128/626880;%
133 Surface1,81,87,109/51576D;%
134 Surface0,65,69,89/414559;%

```

```

135 Base,48,52,70/303446;%
136 Mantle,41,44,60/292C3C;%
137 Crust,35,38,52/232634%
138 }
139 \colorlet{CatFrappeBackground}{CatFrappeBase}
140 \colorlet{CatFrappeLink}{CatFrappeBlue}
141 \colorlet{CatFrappeSuccess}{CatFrappeGreen}
142 \colorlet{CatFrappeWarning}{CatFrappeYellow}
143 \colorlet{CatFrappeError}{CatFrappeRed}
144
145 \preparecolorset{RGB/HTML}{CtpFrappe}{-}{%
146 Rosewater,242,213,207/F2D5CF;%
147 Flamingo,238,190,190/EEBEDE;%
148 Pink,244,184,228/F4B8E4;%
149 Mauve,202,158,230/CA9EE6;%
150 Red,231,130,132/E78284;%
151 Maroon,234,153,156/EA999C;%
152 Peach,239,159,118/EF9F76;%
153 Yellow,229,200,144/E5C890;%
154 Green,166,209,137/A6D189;%
155 Teal,129,200,190/81C8BE;%
156 Sky,153,209,219/99D1DB;%
157 Sapphire,133,193,220/85C1DC;%
158 Blue,140,170,238/8CAAEE;%
159 Lavender,186,187,241/BABBF1;%
160 Text,198,208,245/C6D0F5;%
161 Subtext1,181,191,226/B5BFE2;%
162 Subtext0,165,173,206/A5ADCE;%
163 Overlay2,148,156,187/949CBB;%
164 Overlay1,131,139,167/838BA7;%
165 Overlay0,115,121,148/737994;%
166 Surface2,98,104,128/626880;%
167 Surface1,81,87,109/51576D;%
168 Surface0,65,69,89/414559;%
169 Base,48,52,70/303446;%
170 Mantle,41,44,60/292C3C;%
171 Crust,35,38,52/232634%
172 }

```

Define colors according to the catppuccin style guide

```

173 \colorlet{CtpFrappeBackground}{CtpFrappeBase}
174 \colorlet{CtpFrappeLink}{CtpFrappeBlue}
175 \colorlet{CtpFrappeSuccess}{CtpFrappeGreen}
176 \colorlet{CtpFrappeWarning}{CtpFrappeYellow}
177 \colorlet{CtpFrappeError}{CtpFrappeRed}

```

Define the *Macchiato* colorset

```

178 \preparecolorset{RGB/HTML}{CatMacchiato}{-}{%
179 Rosewater,244,219,214/F4DBD6;%
180 Flamingo,240,198,198/FOC6C6;%
181 Pink,245,189,230/F5BDE6;%
182 Mauve,198,160,246/C6A0F6;%
183 Red,237,135,150/ED8796;%
184 Maroon,238,153,160/EE99A0;%
185 Peach,245,169,127/F5A97F;%

```



```

186 Yellow,238,212,159/EED49F;%
187 Green,166,218,149/A6DA95;%
188 Teal,139,213,202/8BD5CA;%
189 Sky,145,215,227/91D7E3;%
190 Sapphire,125,196,228/7DC4E4;%
191 Blue,138,173,244/8AADF4;%
192 Lavender,183,189,248/B7BDF8;%
193 Text,202,211,245/CAD3F5;%
194 Subtext1,184,192,224/B8COE0;%
195 Subtext0,165,173,203/A5ADCB;%
196 Overlay2,147,154,183/939AB7;%
197 Overlay1,128,135,162/8087A2;%
198 Overlay0,110,115,141/6E738D;%
199 Surface2,91,96,120/5B6078;%
200 Surface1,73,77,100/494D64;%
201 Surface0,54,58,79/363A4F;%
202 Base,36,39,58/24273A;%
203 Mantle,30,32,48/1E2030;%
204 Crust,24,25,38/181926%
205 }
206 \colorlet{CatMacchiatoBackground}{CatMacchiatoBase}
207 \colorlet{CatMacchiatoLink}{CatMacchiatoBlue}
208 \colorlet{CatMacchiatoSuccess}{CatMacchiatoGreen}
209 \colorlet{CatMacchiatoWarning}{CatMacchiatoYellow}
210 \colorlet{CatMacchiatoError}{CatMacchiatoRed}
211
212 \preparecolorset{RGB/HTML}{CtpMacchiato}{-}{%
213 Rosewater,244,219,214/F4DBD6;%
214 Flamingo,240,198,198/FOC6C6;%
215 Pink,245,189,230/F5BDE6;%
216 Mauve,198,160,246/C6A0F6;%
217 Red,237,135,150/ED8796;%
218 Maroon,238,153,160/EE99A0;%
219 Peach,245,169,127/F5A97F;%
220 Yellow,238,212,159/EED49F;%
221 Green,166,218,149/A6DA95;%
222 Teal,139,213,202/8BD5CA;%
223 Sky,145,215,227/91D7E3;%
224 Sapphire,125,196,228/7DC4E4;%
225 Blue,138,173,244/8AADF4;%
226 Lavender,183,189,248/B7BDF8;%
227 Text,202,211,245/CAD3F5;%
228 Subtext1,184,192,224/B8COE0;%
229 Subtext0,165,173,203/A5ADCB;%
230 Overlay2,147,154,183/939AB7;%
231 Overlay1,128,135,162/8087A2;%
232 Overlay0,110,115,141/6E738D;%
233 Surface2,91,96,120/5B6078;%
234 Surface1,73,77,100/494D64;%
235 Surface0,54,58,79/363A4F;%
236 Base,36,39,58/24273A;%
237 Mantle,30,32,48/1E2030;%
238 Crust,24,25,38/181926%
239 }

```

```

Define colors according to the catppuccin style guide
240 \colorlet{CtpMacchiatoBackground}{CtpMacchiatoBase}
241 \colorlet{CtpMacchiatoLink}{CtpMacchiatoBlue}
242 \colorlet{CtpMacchiatoSuccess}{CtpMacchiatoGreen}
243 \colorlet{CtpMacchiatoWarning}{CtpMacchiatoYellow}
244 \colorlet{CtpMacchiatoError}{CtpMacchiatoRed}

Define the Mocha colorset
245 \preparecolorset{RGB/HTML}{CatMocha}{}{%
246 Rosewater,245,224,220/F5E0DC;%
247 Flamingo,242,205,205/F2CDCD;%
248 Pink,245,194,231/F5C2E7;%
249 Mauve,203,166,247/CBA6F7;%
250 Red,243,139,168/F38BA8;%
251 Maroon,235,160,172/EBA0AC;%
252 Peach,250,179,135/FAB387;%
253 Yellow,249,226,175/F9E2AF;%
254 Green,166,227,161/A6E3A1;%
255 Teal,148,226,213/94E2D5;%
256 Sky,137,220,235/89DCEB;%
257 Sapphire,116,199,236/74C7EC;%
258 Blue,137,180,250/89B4FA;%
259 Lavender,180,190,254/B4BEFE;%
260 Text,205,214,244/CDD6F4;%
261 Subtext1,186,194,222/BAC2DE;%
262 Subtext0,166,173,200/A6ADC8;%
263 Overlay2,147,153,178/9399B2;%
264 Overlay1,127,132,156/7F849C;%
265 Overlay0,108,112,134/6C7086;%
266 Surface2,88,91,112/585B70;%
267 Surface1,69,71,90/45475A;%
268 Surface0,49,50,68/313244;%
269 Base,30,30,46/1E1E2E;%
270 Mantle,24,24,37/181825;%
271 Crust,17,17,27/11111B%
272 }
273 \colorlet{CatMochaBackground}{CatMochaBase}
274 \colorlet{CatMochaLink}{CatMochaBlue}
275 \colorlet{CatMochaSuccess}{CatMochaGreen}
276 \colorlet{CatMochaWarning}{CatMochaYellow}
277 \colorlet{CatMochaError}{CatMochaRed}
278
279 \preparecolorset{RGB/HTML}{CtpMocha}{}{%
280 Rosewater,245,224,220/F5E0DC;%
281 Flamingo,242,205,205/F2CDCD;%
282 Pink,245,194,231/F5C2E7;%
283 Mauve,203,166,247/CBA6F7;%
284 Red,243,139,168/F38BA8;%
285 Maroon,235,160,172/EBA0AC;%
286 Peach,250,179,135/FAB387;%
287 Yellow,249,226,175/F9E2AF;%
288 Green,166,227,161/A6E3A1;%
289 Teal,148,226,213/94E2D5;%
290 Sky,137,220,235/89DCEB;%
291 Sapphire,116,199,236/74C7EC;%

```

```

292 Blue,137,180,250/89B4FA;%
293 Lavender,180,190,254/B4BEFE;%
294 Text,205,214,244/CDD6F4;%
295 Subtext1,186,194,222/BAC2DE;%
296 Subtext0,166,173,200/A6ADC8;%
297 Overlay2,147,153,178/9399B2;%
298 Overlay1,127,132,156/7F849C;%
299 Overlay0,108,112,134/6C7086;%
300 Surface2,88,91,112/585B70;%
301 Surface1,69,71,90/45475A;%
302 Surface0,49,50,68/313244;%
303 Base,30,30,46/1E1E2E;%
304 Mantle,24,24,37/181825;%
305 Crust,17,17,27/11111B%
306 }

```

Define colors according to the catppuccin style guide

```

307 \colorlet{CtpMochaBackground}{CtpMochaBase}
308 \colorlet{CtpMochaLink}{CtpMochaBlue}
309 \colorlet{CtpMochaSuccess}{CtpMochaGreen}
310 \colorlet{CtpMochaWarning}{CtpMochaYellow}
311 \colorlet{CtpMochaError}{CtpMochaRed}

```

Define shortcuts for active style (legacy part)

```

312 \colorlet{CatRosewater}{Ctp\catppuccinpalette@style Rosewater}
313 \colorlet{CatFlamingo}{Ctp\catppuccinpalette@style Flamingo}
314 \colorlet{CatPink}{Ctp\catppuccinpalette@style Pink}
315 \colorlet{CatMauve}{Ctp\catppuccinpalette@style Mauve}
316 \colorlet{CatRed}{Ctp\catppuccinpalette@style Red}
317 \colorlet{CatMaroon}{Ctp\catppuccinpalette@style Maroon}
318 \colorlet{CatPeach}{Ctp\catppuccinpalette@style Peach}
319 \colorlet{CatYellow}{Ctp\catppuccinpalette@style Yellow}
320 \colorlet{CatGreen}{Ctp\catppuccinpalette@style Green}
321 \colorlet{CatTeal}{Ctp\catppuccinpalette@style Teal}
322 \colorlet{CatSky}{Ctp\catppuccinpalette@style Sky}
323 \colorlet{CatSapphire}{Ctp\catppuccinpalette@style Sapphire}
324 \colorlet{CatBlue}{Ctp\catppuccinpalette@style Blue}
325 \colorlet{CatLavender}{Ctp\catppuccinpalette@style Lavender}
326 \colorlet{CatText}{Ctp\catppuccinpalette@style Text}
327 \colorlet{CatSubtext1}{Ctp\catppuccinpalette@style Subtext1}
328 \colorlet{CatSubtext0}{Ctp\catppuccinpalette@style Subtext0}
329 \colorlet{CatOverlay2}{Ctp\catppuccinpalette@style Overlay2}
330 \colorlet{CatOverlay1}{Ctp\catppuccinpalette@style Overlay1}
331 \colorlet{CatOverlay0}{Ctp\catppuccinpalette@style Overlay0}
332 \colorlet{CatSurface2}{Ctp\catppuccinpalette@style Surface2}
333 \colorlet{CatSurface1}{Ctp\catppuccinpalette@style Surface1}
334 \colorlet{CatSurface0}{Ctp\catppuccinpalette@style Surface0}
335 \colorlet{CatBase}{Ctp\catppuccinpalette@style Base}
336 \colorlet{CatMantle}{Ctp\catppuccinpalette@style Mantle}
337 \colorlet{CatCrust}{Ctp\catppuccinpalette@style Crust}
338 \colorlet{CatBackground}{Ctp\catppuccinpalette@style Base}
339 \colorlet{CatLink}{Ctp\catppuccinpalette@style Blue}
340 \colorlet{CatSuccess}{Ctp\catppuccinpalette@style Green}
341 \colorlet{CatWarning}{Ctp\catppuccinpalette@style Yellow}
342 \colorlet{CatError}{Ctp\catppuccinpalette@style Red}

```

343

New command which parses the same options like the package. Can be used to e. g. reset/reinit the selected style.

```
344 \NewDocumentCommand\CtpReinit{0{}}{%  
345   \pgfkeys{%  
346     /catppuccinPalette/.cd,%  
347     #1%  
348   }%
```

Define shortcuts for active style

```
349 \colorlet{CtpRosewater}{Ctp\catppuccinpalette@style Rosewater}%  
350 \colorlet{CtpFlamingo}{Ctp\catppuccinpalette@style Flamingo}%  
351 \colorlet{CtpPink}{Ctp\catppuccinpalette@style Pink}%  
352 \colorlet{CtpMauve}{Ctp\catppuccinpalette@style Mauve}%  
353 \colorlet{CtpRed}{Ctp\catppuccinpalette@style Red}%  
354 \colorlet{CtpMaroon}{Ctp\catppuccinpalette@style Maroon}%  
355 \colorlet{CtpPeach}{Ctp\catppuccinpalette@style Peach}%  
356 \colorlet{CtpYellow}{Ctp\catppuccinpalette@style Yellow}%  
357 \colorlet{CtpGreen}{Ctp\catppuccinpalette@style Green}%  
358 \colorlet{CtpTeal}{Ctp\catppuccinpalette@style Teal}%  
359 \colorlet{CtpSky}{Ctp\catppuccinpalette@style Sky}%  
360 \colorlet{CtpSapphire}{Ctp\catppuccinpalette@style Sapphire}%  
361 \colorlet{CtpBlue}{Ctp\catppuccinpalette@style Blue}%  
362 \colorlet{CtpLavender}{Ctp\catppuccinpalette@style Lavender}%  
363 \colorlet{CtpText}{Ctp\catppuccinpalette@style Text}%  
364 \colorlet{CtpSubtext1}{Ctp\catppuccinpalette@style Subtext1}%  
365 \colorlet{CtpSubtext0}{Ctp\catppuccinpalette@style Subtext0}%  
366 \colorlet{CtpOverlay2}{Ctp\catppuccinpalette@style Overlay2}%  
367 \colorlet{CtpOverlay1}{Ctp\catppuccinpalette@style Overlay1}%  
368 \colorlet{CtpOverlay0}{Ctp\catppuccinpalette@style Overlay0}%  
369 \colorlet{CtpSurface2}{Ctp\catppuccinpalette@style Surface2}%  
370 \colorlet{CtpSurface1}{Ctp\catppuccinpalette@style Surface1}%  
371 \colorlet{CtpSurface0}{Ctp\catppuccinpalette@style Surface0}%  
372 \colorlet{CtpBase}{Ctp\catppuccinpalette@style Base}%  
373 \colorlet{CtpMantle}{Ctp\catppuccinpalette@style Mantle}%  
374 \colorlet{CtpCrust}{Ctp\catppuccinpalette@style Crust}%  
375 \colorlet{CtpBackground}{Ctp\catppuccinpalette@style Base}%  
376 \colorlet{CtpLink}{Ctp\catppuccinpalette@style Blue}%  
377 \colorlet{CtpSuccess}{Ctp\catppuccinpalette@style Green}%  
378 \colorlet{CtpWarning}{Ctp\catppuccinpalette@style Yellow}%  
379 \colorlet{CtpError}{Ctp\catppuccinpalette@style Red}%
```

Set pagecolor according to the style guide if the user wants this

```
380 \ifcatppuccinpalette@pagecolor%  
381   \pagecolor{CtpBackground}%  
382 \fi%
```

Set textcolor according to the style guide if the user wants this

```
383 \ifcatppuccinpalette@textcolor%  
384   \color{CtpText}%  
385 \fi%
```

Style hyperref⁷ according to the styleguide⁸ if the user wants it.

⁷<https://ctan.org/pkg/hyperref>

⁸<https://github.com/catppuccin/catppuccin/blob/main/docs/style-guide.md#typography>

```

386 \ifcatppuccinpalette@hyperref%
387 \PassOptionsToPackage{
388   linkcolor=CtpBlue,citecolor=CtpGreen,filecolor=CtpSky,menucolor=CtpBlue,runcolor=CtpSky,url
389   linkbordercolor=CtpBlue,citebordercolor=CtpGreen,filebordercolor=CtpSky,menubordercolor=Ctp
390 }{hyperref}%
391 \fi%

```

Style listings⁹ according to the styleguide¹⁰ if the user wants it. Though, as listings e.g. does not know a standardized group for *builtin*s this can only offer a rudimentary highlighting. In case the listing language definition breaks keywords in multiple groups, a more fine grained highlighting is possible.

```

392 \ifcatppuccinpalette@listings%
393 \lstset{
394   emphstyle=\color{CtpYellow},
395   stringstyle=\color{CtpGreen},
396   commentstyle=\color{CtpOverlay2},
397   keywordstyle=\color{CtpMauve},
398   backgroundcolor=\color{CtpBase},
399 }%
400 \fi%
401 }
402 \CtpReinit[]

```

Change History

v0.0.1		v1.0.2
General: Converted to DTX file . . .	1	General: Fix colors in documentation 1
v1.0.0		
General: First full release	1	
v1.0.1		v1.2.0
General: Make fit for CTAN	1	General: Add suport for beamer . . . 1

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

C	322, 323, 324,	349, 350, 351,
	325, 326, 327,	352, 353, 354,
\catppuccinpalette@style	328, 329, 330,	355, 356, 357,
. 20,	331, 332, 333,	358, 359, 360,
22, 24, 26, 312,	334, 335, 336,	361, 362, 363,
313, 314, 315,	337, 338, 339,	364, 365, 366,
316, 317, 318,	340, 341, 342,	367, 368, 369,
319, 320, 321,		

⁹<https://ctan.org/pkg/listings>

¹⁰<https://github.com/catppuccin/catppuccin/blob/main/docs/style-guide.md#code-editors>

370, 371, 372,	\ifcatppuccinpalette@listings	N
373, 374, 375,	 7, 392	
376, 377, 378, 379	\ifcatppuccinpalette@pagecolor	\NewDocumentCommand 344
\CtpReinit . 2, 344, 402	 4, 380	
	\ifcatppuccinpalette@textcolor	
	 5, 383	P
I		
\ifcatppuccinpalette@hyperref	L	\PassOptionsToPackage
..... 6, 386	\lstset	393
		387