

An
investment in
peace of
mind





protect



THE ARMY...



THE ROYAL NAVY...



BY APPOINTMENT TO H.M. THE QUEEN
SUPPLIERS OF FIRE EXTINGUISHERS
THE PYRENE COMPANY LIMITED


Safety from Fire demands



Fire may suddenly transform the proud owner of a fine car into a remorseful witness of its destruction, simply because he didn't bother to invest in fire protection. No car is fireproof—its very driving force is fire—captive, but ready to burst forth into destructive freedom at any moment. Common sense says "Get a 'PYRENE' Fire Extinguisher"—the best and most dependable safeguard obtainable. This world famous hand extinguisher (over 17,000,000 have already been supplied) has mastered motor vehicle fires for over 40 years! "PYRENE" Fire Extinguisher Liquid is converted into a heavy, cohesive vapour the instant it meets the flames and cuts off the oxygen necessary to combustion, therefore ensur-

The Standard Model

The recognised protection for the larger motor vehicles; also equally effective in extinguishing incipient fires involving highly inflammable materials. Provided that it is maintained in proper condition, the "PYRENE" Fire Extinguisher gives years of service. The double-acting rotating pump projects a powerful, continuous jet of "PYRENE" Fire Extinguisher Liquid at any angle or with any side up. Capacity approximately 1 quart. Easily refilled after use simply by unscrewing the filler cap and pouring in more liquid. Patent sealing device eliminates leakage of contents when not in use—proof against wear due to vibration. Supplied filled, ready for use, complete with bracket. Height 14 ins. Weight filled 6 lbs.



ing immediate extinction of petrol and oil fires. This special liquid is non-damaging and can be used safely and effectively against electrical short circuits of up to 200,000 volts.

The obvious answer to the motorist's fire safety problem is a "PYRENE" Extinguisher—supplied in the "Standard" size for large cars and the "Junior" size for small cars.



LONDON TRANSPORT...



BRITISH RAILWAYS...



COACH SERVICES...



RACING CAR



THE ROYAL AIR FORCE ...



THE G.P.O. ...



AMBULANCES ...



FIRE SERVICES ...

the best protection you can buy



The Junior Model

Operates on the same principle as the "Standard" Model and is equally effective in dealing with smaller motor vehicle and electrical fires. It is the ideal fire extinguisher for small cars, light vans and motor cycles.

Capacity approximately 1


pint. Supplied filled, ready for use, complete with bracket. Height 10 $\frac{3}{4}$ ins. Weight filled 4 lbs.

Approved by
the Fire Offices' Committee
for use on Public Service Vehicles.

Outstanding features of the *Pyrene* Fire Extinguisher

- **Simple operation**—Just turn the handle to the left and pump—the easiest and most obvious thing to do.
- **Dependability**—Does not have to depend on maintained pressure.
- **Periodical examination**—Testing of the pump and checking of the liquid level is easily carried out at any time. *Note.*—All Fire Extinguishers should be periodically inspected.
- **Easily refilled**—After use simply fill to the top with "PYRENE" Fire Extinguisher Liquid. *Note.*—Car fires are frequently extinguished with only two or three strokes of the pump. The remaining liquid is good for further use, but for safety's sake the extinguisher should be topped up to the proper level immediately after use on a fire.
- **Double-acting rotating pump** projects a powerful, continuous jet of fire-killing liquid with both upward and downward strokes.
- **Works at any angle**—This ingenious pump enables the Extinguisher to be used at any angle or with any side uppermost.
- **Resists vibration**—A special device eliminates wear due to vibration.
- **Non-damaging liquid**—"PYRENE" Fire Extinguisher Liquid does not damage even the most delicate mechanism.
- **Non-conductive—non-freezing**—This special liquid is safe to use on high voltage electrical fires—will not freeze unless temperature drops below—4° F. (36° of frost).
- **Anti-corrosive**—The liquid does not cause corrosion of the working parts of the Extinguisher.

Note.—These Extinguishers should not be used in confined spaces—a high concentration of the vapour is liable to be dangerous. Ventilate after use.



why not you?

AND ALL KINDS OF PUBLIC SERVICE VEHICLES



PRESSURE TYPE FIRE EXTINGUISHER

Model P.32



This pressure-type fire extinguisher, although it is filled with "PYRENE" Fire Extinguisher Liquid like the pump-type models already described, is entirely different in construction and method of operation. It is designed to comply with the Fire Offices' Committee's specification for a one-quart special liquid fire extinguisher for Public Service Vehicles. It possesses the advantage that it may be operated with only one hand. The container is made of seamless drawn copper, hermetically sealed by two independent metal discs. On striking the operating plunger, both of these discs are pierced instantly and the "PYRENE" Fire Extinguisher Liquid released in the form of a powerful jet.

The container of the "Pyrene" Model P.32 pressure-type fire extinguisher is tested to a pressure of 350 lbs. per square inch. A specially designed bracket is supplied which embodies a safety guard to prevent accidental operation. A special device also prevents replacement of an emptied extinguisher into its bracket. The extinguisher is supplied filled ready for operation, but must be returned for recharging after use. Size 16 ins. x 3 ins. Weight filled 6 lbs.

**Approved by the Fire Offices' Committee
for use on Public Service Vehicles.**

**ONE HAND
OPERATION**



PRICES

"PYRENE" Fire Extinguisher supplied filled, ready for use—complete with black enamelled bracket.

P.1.	Model "Standard" size (approx. 1 quart capacity) Polished Brass ..	90/- each
P.O.2.	Model "Standard" size (approx. 1 quart capacity) Chromium plated ..	105/- each
P.5.	Model "Junior" size (approx. 1 pint capacity) Polished Brass ..	75/- each
P.O.4.	Model "Junior" size (approx. 1 pint capacity) Chromium plated ..	82/6 each
P.6.	"PYRENE" Fire Extinguisher Liquid Refill, Standard size for P.1. and P.O.2. Models ..	10/6 each
P.7.	"PYRENE" Fire Extinguisher Liquid Refill, Junior Size for P.5. and P.O.4. Models ..	8/- each
P.32.	Model "PYRENE" Pressure Type Fire Extinguisher (approx. 1 quart capacity) ..	105/- each

**Get a "PYRENE" Extinguisher from the nearest dealer TO-DAY, ready to
save your car from fire, before it's too late.**

V/5000/859

Full particulars and prices will be supplied on application to Sales and Service Dept.

THE PYRENE COMPANY LIMITED

9 GROSVENOR GARDENS, LONDON, S.W.1 (Tel: VICtoria 3401)

Head Office & Works : Great West Road, Brentford, Middx. (Tel: ISLeworth 4131)