

Lab 16 Working with Mouse Events

In this lab, you will use JavaScript to simulate a roll of 5 dice such as you might use in the game Yahtzee.

1. Download and extract the zip file for this assignment.
2. Open **dice.html** in a browser and for editing.
3. Examine the HTML and notice that dice6.png is the default image for all five dice. Each has an id attribute.
4. This page will use an external .js file for the JavaScript instead of the embedded style we have done up to now. Notice the empty script element with the attribute src="index.js" at the end of the document before the closing body tag.
5. Open index.js for editing.
6. Add your name to the comment.
7. Prompt the user for their favorite color.
8. Change the font color of the text "Let's play Yahtzee" to that color.
9. Also change the font color of the "Dice 1", "Dice 2", ... "Dice 5" to be the same color. Use the `forEach()` method instead of doing this one by one.
10. Create a function that will emulate the roll of one die and change the image that displays. There should be one numeric parameter representing which die is being "rolled". For example, if the function parameter is 5, the function should pick the random number (1-6) that will be displayed for die #5 and display the appropriate png image for the fifth die in the HTML:
 - a. To simulate a random roll for a die with numbers 1-6, use **randomNumber = Math.floor(Math.random() * 6 +1);**
 - b. Create the string using a template literal that will represent the value of the id for the parameter received. For example, if the parameter is 5, you need a string, `img5`, to use to select the id of the correct die to manipulate.
 - c. Create another string that will be the `img src` value for the given parameter. Again, assuming 5, the image to be displayed is `'images/dice5.png'` because the dice images are in an images folder.
 - d. Use JS to select the current dice to manipulate using the id from b and set its `img src` using the string from c.
11. After the function closes, write a loop that will roll each of the 5 dice sending the die number as the argument.
12. Add an event listener to the button such that when the user clicks the button, all five dice are rolled and the result displayed.
13. Submit just your js file into Canvas.

Example on next page:

Sample finished page when favorite color is pink:

