

A Lean 4 Development of Scott’s Data Types as Lattices (1976)

Lars Warren Ericson¹

¹ORCID: 0000-0001-8299-9361

¹Catskills Research Company

¹lars.ericson@catskillsresearch.com

September 4, 2026

Github: <https://github.com/catskillsresearch/scott1976>

Palomar Registration:

<https://palomar-registry.org/entry?id=PALOMAR-2026-08-25-000004&version=1>

Primary Category: cs.LO (Logic in Computer Science)

Secondary Category: math.LO (Logic)

Abstract

This note records a partial Lean 4 / mathlib formalization of Dana Scott’s 1976 paper *Data Types as Lattices*. The completed core develops Scott’s universal domain $P\omega$, represents continuous maps by graph elements, proves the least-fixed-point theorem, and internalizes that construction through Scott’s first recursion theorem. Later sections currently contain definitions, supporting lemmas, and partial or schematic versions of the paper’s results; they are not claimed as complete formalizations. The development is packaged for Palomar with a Challenge / Solution pair and `formalization.yaml` metadata. Dana Scott was not contacted and did not participate in, review, or endorse this formalization.

- **Cursor [Cur26]** — agent-assisted editing in the Cursor IDE: formalizing Scott’s 1976 *Data Types as Lattices* in Lean 4 / mathlib, `lake build` repair, vision-OCR transcription, drafting this narrative (`arxiv.md`), and tracking the formalized inventory. Generated Lean was provisional until it compiled under the pinned toolchain.
- **Cursor Composer 2.5 Fast [Cmp25]** — routine multi-step work: module scaffolding, dependency-ordered wiring of `Scott1976/DataTypesAsLattices/`, documentation, and medium proof obligations where the strategy was already fixed.
- **Anthropic Claude Sonnet 5 (medium reasoning) [Son26]** — day-to-day formalization and proof-engineering in Cursor at the medium reasoning tier: inventory and narrative maintenance, module wiring, and medium-complexity Lean obligations where the proof strategy was already fixed.
- **Anthropic Claude Opus 4.8 (high reasoning) [Ant26]** — selective use for the heaviest proof work. Every emitted proof term was checked by the Lean kernel.

1 Scope

The Palomar Comparator selects every source theorem that the current audit classifies as fully faithful:

- `theorem_1_1`, the finite-piece characterization of Scott continuity.

- `theorem_1_2`, Scott’s graph theorem: continuous maps $P\omega \rightarrow P\omega$ are represented by elements of $P\omega$, with a characterization of canonical graph elements.
- `theorem_1_4`, the least-fixed-point theorem used by the recursion proof.
- `theorem_2_5`, Scott’s first recursion theorem: the internal ω/Y construction applied to the graph of a continuous map denotes its least fixed point.
- `theorem_4_2`, the partial order on retracts.
- `theorem_6_1`, the characterization of Scott-open sets by continuous characteristic maps.

The research-interest claim is this combined development of continuity, graph representation, internal recursion, retract structure, and open-set classification—not the standard fixed-point theorem in isolation.

2 Theorem inventory

This is the scope inventory for the current source tree.

Fully faithful source theorems:

- §1: Theorem 1.1 (finite-piece characterization), Theorem 1.2 (graph theorem), and Theorem 1.4 (least fixed point).
- §2: Theorem 2.5 (first recursion theorem), stated literally with the encoded Y combinator.
- §4: Theorem 4.2 (partial order on retracts).
- §6: Theorem 6.1 (the theorem), in the equivalent $0 \in f(x)$ form.

Substantial components proved without claiming the whole source theorem:

- §1: continuity and the extension property of `extend` for Theorem 1.5, and the injective continuous basis map for Theorem 1.6.
- §2: one-variable continuity of term interpretation for Theorem 2.1, the β and η components of Theorem 2.2, and the binary case of Theorem 2.3.
- §3: the diagonal contradiction used in Theorem 3.4 is proved under its enumeration hypotheses.
- §§4–7: numerous definitions and local algebraic consequences are kernel-checked, but no whole section is claimed complete.

Partial, schematic, or missing source claims:

- Theorem 1.3 is represented by composition and binary diagonal-substitution lemmas rather than a general finite-arity theorem. Theorem 1.5 does not connect the hand-defined Scott-open basis with the generated topology. Theorem 1.6 does not package the result as a `TopologicalEmbedding`.
- Theorem 2.1 is stated one free variable at a time.
- Theorem 2.2 does not separately formalize α -conversion; Theorem 2.3 is only binary. Theorem 2.4 merely records closure of the six generators and does not prove reduction of every LAMBDA term to them. Theorem 2.6 proves only the graph-r.e./computability clauses and omits equivalence with LAMBDA-definability.

- Theorems 3.1–3.3 and 3.5–3.7 are schematic or definitional fragments: enumeration by `val`, the second recursion theorem, Myhill–Shepherdson completeness, the finitely generated subalgebra characterization, and the finite-generation theorem for $\mathbf{RE} \cap \mathbf{FUN}$ remain unproved. Theorem 3.4 does not derive non-r.e.-ness from the repository’s computability definitions.
- Theorem 4.1 does not construct the complete-lattice and continuous-lattice structures stated in the paper. Theorem 4.3 contains the retract and value-mapping components only. Theorems 4.4 and 4.5 contain projection/strictness fragments. Theorem 4.6 proves that finite iterates are retracts, but not that the limit is a retract or the inverse-limit homeomorphism.
- Theorems 5.1–5.6 are fragments: fixed images, an idempotent representation map, function-space retractness, product shape, and value-level properties of $\mathbf{V}$. Algebraicity, representation up to isomorphism, closure of product and sum, the universe closure theorem, and the full limit theorem remain.
- Theorems 6.2–6.7 contain characteristic-map and set-theoretic directions, but the converse representation directions and descriptive-set-class closure arguments remain.
- Theorem 7.1 contains restricted-equivalence constructors and some membership consequences. Theorem 7.2’s isomorphisms are missing. Theorem 7.3 proves the identity case and records only weak/definitional $\mathbf{K}$ and $\mathbf{S}$ fragments; functionality and uniqueness are missing. Theorem 7.4 proves preservation for the explicit iterators, not Plotkin’s characterization or uniqueness theorem.

3 Source materials

- PDF: [sources/Data_Types_as_Lattices.pdf](#)
- Working vision transcription: [sources/Data_Types_as_Lattices_vision.md](#)

See NOTICE and `sources/README.md` for copyright carve-outs.

4 Build

```
lake exe cache get
lake build
bash scripts/palomar_preflight.sh
```

5 Palomar packaging

File	Role
<code>Challenge.lean</code>	Statement of record (Mathlib only; deliberate sorry)
<code>Solution.lean</code>	Imports sorry-free <code>Scott1976/*</code>
<code>comparator.json</code>	Compared theorem and definition names
<code>formalization.yaml</code>	<code>formalization.yaml</code> v0.4

- [Cur26] Anysphere, Inc. *Cursor: AI-native code editor and agent environment*. <https://cursor.com> (accessed 2026).
- [Cmp25] Anysphere, Inc. *Composer 2.5*. Model announcement and documentation, <https://cursor.com/blog/composer-2-5>; model card as integrated in Cursor, <https://cursor.com/docs/models> (accessed 2026).
- [Son26] Anthropic. *Claude Sonnet 5* (medium reasoning variant). System card, <https://www.anthropic.com/claude-sonnet-5-system-card>; model documentation as integrated in Cursor, <https://cursor.com/docs/models> (accessed 2026).
- [Ant26] Anthropic. *Claude Opus 4.8* (high thinking/reasoning variant). System card and announcement, <https://www.anthropic.com/news/claude-opus-4-8>; model documentation as integrated in Cursor, <https://cursor.com/docs/models/claude-opus-4-8> (accessed 2026).

A Complete Lean source

Role	File
Root import graph	Scott1976.lean
Scaffold	Scott1976/DataTypesAsLattices/Basic.lean

Primary source (PDF): [sources/Data_Types_as_Lattices.pdf](#) — Dana S. Scott, *Data Types as Lattices* (PRG-5 / SIAM J. Comput. 5, 1976).

Files appear in `Scott1976.lean` import order. Each block is a verbatim copy of the repository file at generation time.

A.1 Scott1976.lean

19 lines.

Lean 4 source

```

/-
Copyright (c) 2026 Lars Warren Ericson. All rights reserved.
Released under Apache 2.0 license as described in the file LICENSE.
Authors: Lars Warren Ericson.
Github: https://github.com/catskillsresearch/scott1976
-/

```

```

import Scott1976.DataTypesAsLattices.Pomega
import Scott1976.DataTypesAsLattices.Continuous
import Scott1976.DataTypesAsLattices.Graph
import Scott1976.DataTypesAsLattices.FixedPoint
import Scott1976.DataTypesAsLattices.Embedding
import Scott1976.DataTypesAsLattices.Lambda
import Scott1976.DataTypesAsLattices.Computability
import Scott1976.DataTypesAsLattices.Enumeration
import Scott1976.DataTypesAsLattices.Retracts
import Scott1976.DataTypesAsLattices.Closures
import Scott1976.DataTypesAsLattices.Classification
import Scott1976.DataTypesAsLattices.Functionality

```

A.2 Scott1976/DataTypesAsLattices/Basic.lean

17 lines.

Lean 4 source

```
/-
Copyright (c) 2026 Lars Warren Ericson. All rights reserved.
Released under Apache 2.0 license as described in the file LICENSE.
Authors: Lars Warren Ericson.
-/
import Scott1976.DataTypesAsLattices.Classification

/-!
# Scott 1976 -- Data Types as Lattices

Primary source: Dana S. Scott, *Data Types as Lattices*, Technical Monograph
PRG-5 (September 1976); reprinted SIAM J. Comput. 5 (1976), 522-587.
Working transcription: `sources/Data_Types_as_Lattices_vision.md`.

The compared Palomar results are the fully faithful Theorems 1.1, 1.2, 1.4,
2.5, 4.2, and 6.1.
-/
```