

Formalizing Dana Scott’s 1982 Information Systems in Lean 4

Lars Warren Ericson¹

¹Catskills Research Company

¹<https://github.com/catskillsresearch/scott1982>

¹lars.ericson@catskillsresearch.com

July 10, 2026

ORCID: 0000-0001-8299-9361

Primary Category: cs.LO (Logic in Computer Science)

Secondary Category: math.LO (Logic)

Abstract

In 1982 Dana Scott published *Domains for Denotational Semantics* (ICALP, LNCS 140), presenting domains via **information systems**: finite consistency and entailment on data objects (tokens), with domain elements recovered as consistent, deductively closed sets. This is the third of Scott’s major presentations of domain theory—after continuous lattices [Sco72] and neighbourhood systems (PRG-19, [Sco81]) — and is the most explicitly constructive of the three. Companion Lean formalizations of those earlier presentations are [scott1972](#) [SR72] and [scott1980](#) [ER80].

This Lean 4 formalization targets the **entire paper** (Sections 1–8). We strive to avoid the law of excluded middle. Every completed module is audited with `#print axioms`; the target footprint is `#print axioms ⊆ {propext, Quot.sound}`. Choice-tainted `mathlib` `Finset` operations are replaced by the prelude in `Scott1982/Constructive.lean`.

1 Introduction

Scott’s 1982 ICALP paper reorganizes domain theory around four simple ideas:

1. **Data objects** (tokens / propositions) with a distinguished least-informative object Δ .
2. **Consistency** (Con): which finite sets of tokens can hold of a single element.
3. **Entailment** ($\vdash$): which tokens are forced by a consistent set.
4. **Elements** as consistent, deductively closed sets of tokens — the domain $|A|$.

From this substrate he builds approximable mappings (a category), products, separated sums, function spaces (cartesian closed structure), least fixed points, and recursive domain equations (trees / S-expressions, λ -calculus models, universal domains).

1.1 Paper section dependency

Edges follow Scott’s narrative dependencies. Lean import graphs for §§2–3 and §§5–8 are stable (see per-section diagrams below); §4 remains mostly unfinished (only Factoid 4.1 is mechanized), so the dashed §4 edges stay advisory.




Figure 1: Paper section dependency.

1.2 Lean module map

Named concepts get section-style modules; unnamed numbered results get **DefinitionXY** / **PropositionXY** / **TheoremXY** files; invented claims use **Factoid** labels. Edges are Lean imports (coarse: **Factoid3*** stands for the §3 family). §8 factoids are **independent** constructions — they do not import each other; **DomainEquation.lean** only re-exports 8.1–8.2.




Figure 2: Lean module map.

2 Methodology

2.1 Source material

Primary source: Dana Scott, *Domains for Denotational Semantics*, ICALP 1982, LNCS 140. Working OCR: [sources/Domains_for_Denotational_Semantics.md](#) (extraction_method: cursor-vision-triple-merge).

2.2 Numbering

- **Scott's numbers** are used wherever present (Def/Prop/Thm share one counter per section).
- **Invented claims** (informal remarks we elevate to formal statements) use **Factoid** labels continuing the section counter, e.g. after Def 3.1 the next invented item is Factoid 3.2.
- Factoids are first-class inventory rows with Lean files and proof notes.

2.3 Constructivity

Target: `#print axioms ⊆ {propext, Quot.sound}`. Scott1982/Constructive.lean supplies choice-free `funion` ($\bigcup'$) and `insert_comm'`. Avoid `mathlib` ($\cdot \cup \cdot$), `Finset.image`, `tauto`, `aesop` unless audited.

2.4 Portable prior work

Where Scott 1972 [Sco72] / `scott1972` [SR72] and PRG-19 [Sco81] / `scott1980` [ER80] developed the *same* mathematics in a portable form, we **copy** the Lean into this repo (adapted to `InfoSys` / `Finset` as needed) rather than depending on sibling packages. Cross-presentation equivalence theorems remain in `scott_models`.

3 Chronological Formalization Narrative

3.1 §1 Introduction

Motivational prose only — no numbered mathematical claims. No Lean modules.




Figure 3: §1 Introduction.

3.2 §2 Information systems




Figure 4: §2 Information systems.

Paper order: examples sit between Def 2.1 and Def 2.2; Lean matches that — each `Factoid2*.lean` imports only `InfoSys`. Prop 2.3 also needs `Constructive` for $\cup'$.

Definition 2.1

- **Mathematical Target:** Information system $(D, \Delta, \text{Con}, \vdash)$ with Scott's six axioms (i)–(vi).
- **Lean File:** `Scott1982/InfoSys.lean` (`structure InfoSys`)

- **Proof Notes:** structure fields `con_subset`, `con_sing`, `ent_con`, `ent_bot`, `ent_refl`, `ent_trans`. Uses `insert` (not `mathlib` `∪`) in `ent_con` for choice-freedom. Footprint target `{propxt, Quot.sound}`.

Definition 2.2

- **Mathematical Target:** For $u, v \in \text{Con}$, write $u \vdash v$ to mean $u \vdash X$ for all $X \in v$.
- **Lean File:** `Scott1982/Definition22.lean`
- **Proof Notes:** `InfoSys.EntSet`.

Proposition 2.3

- **Mathematical Target:** For $u, v, w, u', v' \in \text{Con}$: (i) $\emptyset \vdash \{\Delta\}$; (ii) $u \vdash v \Rightarrow u \cup v \in \text{Con}$;
(iii) $u \vdash u$; (iv) transitivity; (v) monotonicity; (vi) $u \vdash v \wedge u \vdash v' \Rightarrow u \vdash v \cup v'$.
- **Lean File:** `Scott1982/Proposition23.lean`
- **Proof Notes:** uses `∪'` from `Constructive.lean` for (ii) and (vi).

Factoid 2.4

- **Mathematical Target:** First example: $D = \mathbb{N}$, $\Delta = 0$, all finite sets consistent, $\{n_i\} \vdash m$ iff $m = 0 \vee \exists i, m \leq n_i$.
- **Lean File:** `Scott1982/Factoid24.lean`
- **Proof Notes:** `example : InfoSys ℕ with lowerBoundEnt`; axioms (i)–(iii) trivial (`Con = univ`); (iv) 0-bot; (v) reflexivity via `le_refl`; (vi) cut by chaining $\leq$ through the witness in `u`. Imports only `InfoSys` (Def 2.1 apparatus). No `sorry`.

Factoid 2.5

- **Mathematical Target:** Second example: open intervals (n, m) with $n < m$, plus $(0, \infty)$.
- **Lean File:** `Scott1982/Factoid25.lean`
- **Proof Notes:** `Token = bot ⊕ strict intervals`; `satisfaction on ; ofSatisfaction` builds any Scott-style semantic `InfoSys` from `Sat + true bot + inhabited singletons`. `Ent` pairs consistency of the LHS with $\forall$ -entailment (so `ent_con` is not vacuous). Midpoint witness for singletons. No `sorry`.

Factoid 2.6

- **Mathematical Target:** Third example: partial functions $A \multimap B$ as graphs plus Δ .
- **Lean File:** `Scott1982/Factoid26.lean`
- **Proof Notes:** `Token A B = bot ⊕ (A × B)`; `Consistent = functional on pairs`; minimal `Ent` ($X = \Delta \vee X \in u$) with LHS consistency; `partialFunctionSystem A B` plus `example` on $\mathbb{N}/\text{Bool}$. No `sorry`.




Figure 5: §3 The elements of a system.

3.3 §3 The elements of a system

Def 3.1 (Element) lives in `InfoSys.lean` with Def 2.1. Factoids 3.2/3.5 import `Proposition23` (for `EntSet /  $\cup$` lemmas); 3.3 builds on 3.2; 3.4 needs only `InfoSys`; 3.6 imports `Factoid35` and `Constructive` for directedness via `$\cup$` .

Definition 3.1

- **Mathematical Target:** Elements $|A|$: subsets $x \subseteq D$ with (i) every finite subset in `Con`, (ii) closed under entailment. Total elements `Tot_A`.
- **Lean File:** `Scott1982/InfoSys.lean` (`InfoSys.Element`, `PartialOrder`)
- **Proof Notes:** `Element / PartialOrder`; `IsTotal / top` via Factoid 3.4.

Factoid 3.2

- **Mathematical Target:** Every element contains Δ .
- **Lean File:** `Scott1982/Factoid32.lean`

Factoid 3.3

- **Mathematical Target:** $\perp_A = \{X \mid \{\Delta\} \vdash X\}$ is the least element.
- **Lean File:** `Scott1982/Factoid33.lean`

Factoid 3.4

- **Mathematical Target:** Top $\top = D$ exists iff all finite subsets are consistent; then unique total.
- **Lean File:** `Scott1982/Factoid34.lean`
- **Proof Notes:** `IsTotal` (maximal); `AllConsistent`; `topElement` with carrier `Set.univ`; `exists_top_iff_allConsistent`; `uniqueness eq_topElement_of_isTotal / exists_unique_total_of_allConsistent`. No sorry.

Factoid 3.5

- **Mathematical Target:** $\text{Closure} = \{X \mid u \vdash X\}$ of $u \in \text{Con}$ is an element (finite element).
- **Lean File:** Scott1982/Factoid35.lean

Factoid 3.6

- **Mathematical Target:** Every element is the directed union of its finite approximations: $x = \bigcup \{u \subseteq x, u \in \text{Con}\}$.
 - **Lean File:** Scott1982/Factoid36.lean
 - **Proof Notes:** `approxUnion / element_eq_approxUnion` (via singleton witnesses and entailment closure); `closures_directed` using $\cup$; helpers `closure_le_of_entSet`, `closure_le_of_subset`, `closure_le_element`. No sorry.
-

3.4 §4 Domains as lattices and as topological spaces

Informal section; elevated claims are Factoids. Lean dependencies provisional.

Factoid 4.1

- **Mathematical Target:** $|A|$ is an inf-semilattice under $\cap$; $x \subseteq y \leftrightarrow x \cap y = x$.
- **Lean File:** Scott1982/Factoid41.lean
- **Proof Notes:** `inf` via carrier $\cap$; `inf_le_left/right`, `le_inf`, `le_iff_inf_eq`; `idempotent/commutative/associative`; `botElement_inf`. No sorry.

Factoid 4.2

- **Mathematical Target:** Nonempty families of elements have set-theoretic intersections that are elements.
- **Lean File:** Scott1982/Factoid42.lean
- **Proof Notes:** Not Yet

Factoid 4.3

- **Mathematical Target:** Join of a family exists in $|A|$ iff the union is consistent; then `join` = deductive closure of the union.
- **Lean File:** Scott1982/Factoid43.lean
- **Proof Notes:** Not Yet

Factoid 4.4

- **Mathematical Target:** Directed (in particular chain) unions of elements are elements (`cpo`).
- **Lean File:** Scott1982/Factoid44.lean
- **Proof Notes:** Not Yet




Figure 6: §4 Domains as lattices and as topological spaces.

Factoid 4.5

- **Mathematical Target:** Finite elements are compact; every element is directed lub of finite elements below it (algebraicity).
- **Lean File:** Scott1982/Factoid45.lean
- **Proof Notes:** Not Yet

Factoid 4.6

- **Mathematical Target:** Scott topology via basic opens $\{x \mid X \in x\}$; approximable maps = continuous maps (statement-level bridge).
 - **Lean File:** Scott1982/Factoid46.lean
 - **Proof Notes:** Not Yet — full topology may borrow patterns from continuous-lattice work copied into this repo if needed.
-

3.5 §5 Approximable mappings between domains

Approximable.lean imports Constructive and Factoid35. Def 5.1–5.2 and 5.3(i)/(iv) live there; singleton reduction and 5.3(v)/(iii)/(ii) are in Proposition53.lean. Prop 5.5 imports Prop 5.4; Prop 5.6 imports Prop 5.3 (extensionality) and Prop 5.5 (composition).

Definition 5.1

- **Mathematical Target:** Approximable mapping $f : A \rightarrow B$ as relation on $\text{Con}_A \times \text{Con}_B$ with
(i) $\emptyset f \emptyset$; (ii) $u f v \wedge u f v' \Rightarrow u f (v \cup v')$; (iii) $u' \vdash u, u f v, v \vdash v' \Rightarrow u' f v'$.
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** Structure. Adapted from PRG-19 ApproximableMap pattern, rewritten for Finset/Con.

Definition 5.2

- **Mathematical Target:** $f(x) = \{Y \mid \exists u \subseteq x, u f \{Y\}\}$.
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** toElement; exists_rel_of_subset_image.

Proposition 5.3(i)

- **Mathematical Target:** f maps elements to elements under Def 5.2 ($f(x) \in |B|$).
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** toElement (consistency + closure).

Proposition 5.3(ii)




Figure 7: §5 Approximable mappings between domains.

- **Mathematical Target:** Extensionality: $f = g$ iff $f(x) = g(x)$ for all $x \in |A|$.
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** `ext_iff_toElement` via 5.3(iii) both ways + `ApproximableMap.ext`. No sorry.

Proposition 5.3(iii)

- **Mathematical Target:** Pointwise order: $f \subseteq g$ (as relations) iff $f(x) \subseteq g(x)$ for all $x \in |A|$.
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** `Le / le_iff_toElement_le`; $\leftarrow$ uses 5.3(v). No sorry.

Proposition 5.3(iv)

- **Mathematical Target:** Monotonicity: $x \subseteq y$ in $|A|$ implies $f(x) \subseteq f(y)$ in $|B|$.
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** `toElement_mono`.

Singleton reduction

- **Mathematical Target:** Scott's remark before Def 5.2: $u f v \leftrightarrow \forall Y \in v, u f \{Y\}$ (for $u \in \text{Con}_A, v \in \text{Con}_B$).
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** `rel_iff_forall_singleton` (`mono + union_right /  $\cup'$`). Unnumbered inventory row. No sorry.

Proposition 5.3(v)

- **Mathematical Target:** Bridge lemma: $u f v \leftrightarrow v \subseteq f()$ for $u \in \text{Con}_A, v \in \text{Con}_B$.
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** `rel_iff_closure_le`; $\rightarrow$ via `subset_closure + mono`; $\leftarrow$ via `exists_rel_of_subset_image` on `then EntSet u u' + mono`. No sorry.

Proposition 5.4

- **Mathematical Target:** Identity I_A given by $u I v \leftrightarrow u \vdash v; I(x) = x$.
- **Lean File:** Scott1982/Proposition54.lean

Proposition 5.5

- **Mathematical Target:** Composition $g \circ f; (g \circ f)(x) = g(f(x))$.
- **Lean File:** Scott1982/Proposition55.lean

Proposition 5.6

- **Mathematical Target:** Unique constant map `const b` with $(\text{const } b)(x) = b$; also $f \circ (\text{const } b) = \text{const } (f(b))$ and $(\text{const } b) \circ g = \text{const } b$.
- **Lean File:** `Scott1982/Proposition56.lean`
- **Proof Notes:** `constMap` via `u` $(\text{const } b) \ v \leftrightarrow \uparrow v \subseteq b$; `constMap_toElement`; uniqueness via `ext_iff_toElement`; composition laws via `comp_toElement`. No sorry.

3.6 §6 Products and sums of domains




Figure 8: §6 Products and sums of domains.

`Product.lean` (Def 6.1 / `productSystem`) imports `Constructive` and `Proposition23`. `Proposition62.lean` adds approximable `fst/snd/⟨f,g⟩` on top of `Product` / Prop 5.3–5.5. `Sum.lean` (Def 6.3 / `sumSystem`) is parallel to `Product.lean`; `Proposition64.lean` adds `inl/inr/[f,g]` (also `Factoid 3.3` for $\perp$ on copairing). `Factoid65.lean` (unit domain) imports Prop 5.6 (`constMap`) and `Factoid 3.3` ($\perp$); Scott places it after the product remarks, before the sum construction.

Definition 6.1

- **Mathematical Target:** Product information system $A \times B$ on tagged tokens.
- **Lean File:** `Scott1982/Product.lean`
- **Proof Notes:** `ProdToken` / `IsProdToken`; `prodBot`; `fstFinset` / `sndFinset`; `ProdCon` / `ProdEnt`; `productSystem` : `InfoSys _` with all six Def 2.1 axioms. No sorry.

Proposition 6.2

- **Mathematical Target:** Approximable `fst`, `snd`, pairing $\langle f, g \rangle$ with universal property ($A \times B$ as an `InfoSys` is already Def 6.1 / `productSystem`).
- **Lean File:** `Scott1982/Proposition62.lean`
- **Proof Notes:** `fstMap` / `sndMap` / `pairMap`; `comp_fstMap_pairMap` / `comp_sndMap_pairMap`; uniqueness via `element_eq_of_fst_snd` + Prop 5.3 extensionality. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Definition 6.3

- **Mathematical Target:** Separated sum $A + B$.

- **Lean File:** `Scott1982/Sum.lean`
- **Proof Notes:** `SumToken (left / right / bot); sumBot; lftFinset / rhtFinset; SumCon / SumEnt; sumSystem : InfoSys _` with all six Def 2.1 axioms. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Proposition 6.4

- **Mathematical Target:** Sum is an information system; injections and copairing.
- **Lean File:** `Scott1982/Proposition64.lean`
- **Proof Notes:** `inlMap / inrMap / copairMap; comp_copairMap_inlMap / comp_copairMap_inrMap; copairMap_botElement; uniqueness via relation extensionality (choice-free lft/rht emptiness dichotomy)`. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 6.5

- **Mathematical Target:** Unit domain 1 with unique element $\perp$; terminal/initial mapping facts Scott records at end of §6.
- **Lean File:** `Scott1982/Factoid65.lean`
- **Proof Notes:** `unitSystem on PUnit; unitElement_eq_bot; approxMap_from_unit_eq_const / approxMap_to_unit_eq_const; toElement_constMap_bot`. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

3.7 §7 The function space as a domain

`FunctionSpace.lean` (Def 7.1) imports `Constructive` and `Proposition23` only. Theorem 7.2 adds Prop 5.3/5.5, Prop 6.2 (apply/curry pairing), and Factoid 3.2. Theorem 7.3 (fix) sits on Theorem 7.2 plus Factoid 3.3 ($\perp$); Prop 7.4 adds identity/composition and closure. Factoid 7.5 reuses Factoid 2.5 (BOOL) for the conditional iso. Factoid 7.6 curries Prop 5.6/pair composites. Factoid 7.7 packages the CCC as `Mathlib Category / CartesianMonoidalCategory / MonoidalClosed` (Scott data constructive; Mathlib packaging uses `Classical.choice`).

Definition 7.1

- **Mathematical Target:** Function-space information system $A \rightarrow B$ with Scott's `Con`/`⊢` on pairs of consistent sets.
- **Lean File:** `Scott1982/FunctionSpace.lean`
- **Proof Notes:** `FunToken / funBot; funInputUnion / funOutputUnion; FunCon / FunEnt` (witness form of 7.1(iv)); `functionSystem : InfoSys _` with all six Def 2.1 axioms. Choice-free decidableEq_finset for token equality. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Theorem 7.2

- **Mathematical Target:** Elements of $|A \rightarrow B|$ = approximable maps; apply and curry.
- **Lean File:** `Scott1982/Theorem72.lean`




Figure 9: §7 The function space as a domain.

- **Proof Notes:** bijection `approxMap_toElement` / `element_toApproxMap`; approximable `applyMap` and `curryMap`; `apply(g,y) = g(y)`; `uncurry ∘ curry = id` with uniqueness of `curry`. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Theorem 7.3

- **Mathematical Target:** Least fixed-point operator `fix` : $(A \rightarrow A) \rightarrow A$.
- **Lean File:** `Scott1982/Fixpoint.lean`
- **Proof Notes:** `FixChain` / `FixReach`; approximable `fixMap`; `fixElement` with `f(fix f) = fix f`, least among pre-fixed points, and operator uniqueness. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Proposition 7.4

- **Mathematical Target:** Plotkin-style equational characterization of `fix`.
- **Lean File:** `Scott1982/Proposition74.lean`
- **Proof Notes:** (ii) `fix(f) = f(fix(f))`; (iii) naturality for strict commuting maps; uniqueness via the Theorem 7.3 least-fixed-point property. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 7.5

- **Mathematical Target:** Strict function space $A \rightarrow B$ and `strict` operator; $A \times A \cong (B\text{OOL} \rightarrow A)$.
- **Lean File:** `Scott1982/Factoid75.lean`
- **Proof Notes:** `IsStrict`; `strictify` with `IsStrict_strictify`; `strictFunctionSystem` (`StrictFunToken` + empty-input `Con` clause); retract via `approxMap_toStrictElement` / `strictifyElement`; `flat boolSystem`; conditional `condMap` with `condMap_unique` / `conditional_iso` ($A \times A \cong (B\text{OOL} \rightarrow A)$ at the strict-map level, packaged into `|B\text{OOL} \rightarrow A|` by `condElement`). Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 7.6

- **Mathematical Target:** Combinators `const`, `pair`, `comp` as approximable operators.
- **Lean File:** `Scott1982/Factoid76.lean`
- **Proof Notes:** `constOp = curry fst` with `constOp_toElement`; `pairOp` / `compOp` by currying `applyfst/snd` composites; `pairOp_toElement` / `compOp_toElement` recover `<f,g>` and `g ∘ f`. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 7.7

- **Mathematical Target:** Scott's CCC remark (*Categories again*): Props 6.2 and Theorem 7.2 (with unit 1 from Factoid 6.5) show the category of information systems and approximable maps is cartesian closed.
- **Lean File:** `Scott1982/Factoid77.lean`

- **Proof Notes:** bundled `InfoSysObj`; Mathlib `Category`, `CartesianMonoidalCategory` (terminal 1, binary products from Prop 6.2), and `MonoidalClosed` via `tensorExpEquiv / uncurryRight_comp_left` (Scott curry after product symmetry, left-natural in the domain). Bare `Category` axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$; `CartesianMonoidalCategory / MonoidalClosed` pull `Classical.choice` through Mathlib’s chosen-products / adjunction constructors — an artifact of Lean’s category library, isolated to this stretch factoid, not of Scott’s argument. No sorry.

3.8 §8 Some domain equations

Scott presents Factoids 8.1–8.4 in narrative order, but the Lean modules are **independent** constructions (no `Factoid8i` $\rightarrow$ `Factoid8(i+1)` imports). Edges below are actual Lean imports. `DomainEquation.lean` only re-exports 8.1–8.2.




Figure 10: §8 Some domain equations.

Factoid 8.1

- **Mathematical Target:** Inductive construction of tree / S-expression domain $T \cong A + (T \times T)$.
- **Lean File:** `Scott1982/Factoid81.lean`
- **Proof Notes:** inductive `TreeToken` (Scott (1)–(3)); projection-based `TreeCon / TreeEnt` matching `sum×product` clauses (4)–(12); `treeSystem` : `InfoSys _` with all six Def 2.1 axioms; unfolding `treeUnfold / treeRhs` into `sumSystem A` (`productSystem (treeSystem A)` (`treeSystem A`)). Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 8.2

- **Mathematical Target:** λ -calculus model $D \cong A + (D \rightarrow D)$ via mutual recursion of `D` and `Con`.
- **Lean File:** `Scott1982/Factoid82.lean`
- **Proof Notes:** choice-free well-founded `LamConDepth` / inductive `LamEntDepth` (Scott (8)–(11)); Def 2.1 `ent_refl / ent_con / ent_trans` (bot/atom + `funTok` via combined witness + depth IH); `lambdaSystem` : `InfoSys (LamDToken A)` on depth-WF tokens; unfolding `lamUnfold / lamRhs` into `sumSystem A` (`functionSystem (lambdaSystem A)` (`lambdaSystem A`)). Staged `LamConN` retained as scaffolding. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 8.3

- **Mathematical Target:** Universal domain remarks (V , retract U).
- **Lean File:** `Scott1982/Factoid83.lean`
- **Proof Notes:** `VToken` (Scott (1)–(2): $\Delta // \text{pairL/pairR}$); all finite sets consistent; inductive `VEnt` (3)–(6); `vSystem` : `InfoSys VToken`; `vUnfold` / `vRhs` into `productSystem` `vSystem` `vSystem` ($V \cong V \times V$); `UToken` = $D_V \setminus \{\}$ with `UCon` = $\not\vdash_V$ and `UEnt` from `VEnt` (7)–(10); `uSystem` : `InfoSys UToken`. Scott’s retract/universality theorem (every countably based domain is a retract of U) is stated without proof in the source and left external. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 8.4

- **Mathematical Target:** Domain of domains via approximable maps on P satisfying (1)–(5).
- **Lean File:** `Scott1982/Factoid84.lean`
- **Proof Notes:** (Scott’s sketch, as far as stated) — powerset `InfoSys P` on $\mathbb{N}$ ($0 = \Delta$, all finite sets `Con`, minimal `Ent`); Scott’s (1)–(5) as `ReflApprox` / `IdemApprox` / `BotApprox` / `RogueApprox` / `ConsistentApprox` on `ApproximableMap P P`; package `DomainApprox`; consistency remark `scottCon`; inhabitant `flatDomainApprox` (1 as rogue); `I_P` fails (4). Token-level `InfoSys` for the domain of domains (U -from- V style on $P \rightarrow P$) and functors/powerdomains are deferred with Scott. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

4 Build

```
lake exe cache get
lake build Scott1982
```

Pinned: Lean / mathlib **v4.30.0**.

Acknowledgments (Dana Scott [Sco82], AI tool cards, artifact URL) are injected before References when building `arxiv.tex` via `scripts/ai_model_cards.py` — they are not kept in this file.

Build the arXiv PDF / submission zip (GitHub-link Lean Code appendix, modelled on `scott1980`):

```
bash scripts/build_arxiv_tex.sh      # arxiv.md -> arxiv.tex + figures/
bash scripts/build_arxiv_pdf.sh      # compile PDF + package dist/arxiv_submit.zip
# or: bash scripts/package_arxiv_submit.sh
```

5 Acknowledgments

- **Dana Scott** — *Domains for Denotational Semantics* [Sco82], the paper this development formalizes.

5.1 AI-assisted development

The human author retains sole responsibility for the mathematical content, the choice of formalization route, and every formal claim in this work. Following standard publisher practice (e.g., COPE guidance on authorship and AI tools [COPE24]), **no large language model is listed as a co-author** — authorship implies an accountability that automated systems cannot bear.

Because this development may borrow Lean and proof patterns from the sibling formalizations [scott1972](#) [SR72] and [scott1980](#) [ER80], **every model in the registry is treated as used** for acknowledgement purposes. We gratefully acknowledge assistance from the following tools (auto-generated from `scripts/ai_model_cards.py` when building `arxiv.tex`):

- **Cursor** [Cur26] — agent-assisted editing in the Cursor IDE: formalizing Scott’s 1982 information-system layer in Lean 4 / `mathlib`, `lake` build repair, vision-OCR transcription of `sources/Domains_for_Denotational_Semantics.md`, drafting this narrative (`arxiv.md`), and tracking the formalized inventory. Generated Lean was provisional until it compiled under the pinned toolchain. Also used in the sibling formalizations whose portable work may be copied into this repo.
- **Cursor Composer 2.5 Fast** [Cmp25] — routine multi-step work: module scaffolding, dependency-ordered wiring of `Scott1982/`, documentation and Mermaid blueprints, medium proof obligations where the strategy was already fixed, and the triple-pass vision OCR pipeline (`composer-2.5`). Also used in sibling repos whose portable Lean may be adapted here.
- **Cursor Grok 4.5** [Grk45] — primary agent model for the `scott1982` information-systems formalization sessions: inventory design in `arxiv.md`, constructive `InfoSys / Approximable` Lean development, choice-free `Finset` discipline, and adaptation of portable patterns from prior Scott formalizations. Jointly trained by SpaceXAI and Cursor; used here via the Cursor agent environment.
- **Anthropic Claude Sonnet 5 (medium reasoning)** [Son26] — day-to-day formalization and proof-engineering in Cursor at the medium reasoning tier in sibling Scott formalizations (and available for this repo): inventory and narrative maintenance, module wiring, and medium-complexity Lean obligations where the proof strategy was already fixed. Listed because portable prior work may be copied into `scott1982`.
- **Anthropic Claude Opus 4.8 (high reasoning)** [Ant26] — selective use for the heaviest proof work in sibling formalizations (e.g. continuous lattices and PRG-19). Every emitted proof term was checked by the Lean kernel. Listed because portable prior work may be copied into `scott1982`.
- **Google Gemini 3.5 Flash** [Gem25] — exploratory passes in sibling formalizations (typographic conventions, scope decisions). Listed because portable prior work may be copied into `scott1982`.

All definitions, constructivity audits, and final prose were reviewed by the human author, who takes full responsibility for them.

5.2 Artifact availability

The development is at github.com/catskillsresearch/scott1982. Run `lake build Scott1982` for the formalization; `bash scripts/build_arxiv_tex.sh` builds `arxiv.tex` from `arxiv.md` (Lean Code appendix = GitHub hyperlinks).

List of Figures

1	Paper section dependency.	2
2	Lean module map.	3
3	§1 Introduction.	4
4	§2 Information systems.	4
5	§3 The elements of a system.	6
6	§4 Domains as lattices and as topological spaces.	8
7	§5 Approximable mappings between domains.	10
8	§6 Products and sums of domains.	12
9	§7 The function space as a domain.	14
10	§8 Some domain equations.	16

6 References

- [Sco82] D. Scott. *Domains for Denotational Semantics*. ICALP 1982, LNCS 140, pp. 577–613.
- [Sco81] D. Scott. *Lectures on a Mathematical Theory of Computation*. PRG-19, Oxford, 1981.
- [Sco72] D. Scott. *Continuous Lattices*. LNM 274, 1972.
- [SR72] Catskills Research. *scott1972*. <https://github.com/catskillsresearch/scott1972>.
- [ER80] Catskills Research. *scott1980*. <https://github.com/catskillsresearch/scott1980>.
- [Win93] G. Winskel. *The Formal Semantics of Programming Languages*. MIT Press, 1993.
- [COPE24] Committee on Publication Ethics (COPE). *Authorship and AI tools: COPE position statement*. 2024. <https://publicationethics.org/guidance/cope-position/authorship-and-ai-tools>
- [Cur26] Anyosphere, Inc. *Cursor: AI-native code editor and agent environment*. <https://cursor.com> (accessed 2026).
- [Cmp25] Anyosphere, Inc. *Composer 2.5*. Model announcement and documentation, <https://cursor.com/blog/composer-2-5>; model card as integrated in Cursor, <https://cursor.com/docs/models> (accessed 2026).
- [Grk45] SpaceXAI and Anyosphere, Inc. *Grok 4.5*. Model documentation, <https://docs.x.ai/developers/models/grok-4.5>; Cursor announcement, <https://cursor.com/blog/grok-4-5> (accessed 2026).
- [Son26] Anthropic. *Claude Sonnet 5* (medium reasoning variant). System card, <https://www.anthropic.com/claude-sonnet-5-system-card>; model documentation as integrated in Cursor, <https://cursor.com/docs/models> (accessed 2026).
- [Ant26] Anthropic. *Claude Opus 4.8* (high thinking/reasoning variant). System card and announcement, <https://www.anthropic.com/news/claude-opus-4-8>; model documentation as integrated in Cursor, <https://cursor.com/docs/models/claude-opus-4-8> (accessed 2026).

- [Gem25] Google DeepMind. *Gemini 3.5 Flash*. Technical documentation and model cards. <https://ai.google.dev/gemini-api/docs/models> (accessed 2026).
-

A Lean Code

All Lean 4 modules in the `scott1982` repository are listed below as GitHub links (sources stay on GitHub; nothing is inlined in the arXiv PDF). Order matches `Scott1982.lean`.

A.1 Root

- `Scott1982.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982.lean>

A.2 Library (import order)

- `Scott1982/Constructive.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Constructive.lean>
- `Scott1982/InfoSys.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/InfoSys.lean>
- `Scott1982/Definition22.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Definition22.lean>
- `Scott1982/Proposition23.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition23.lean>
- `Scott1982/Factoid24.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid24.lean>
- `Scott1982/Factoid25.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid25.lean>
- `Scott1982/Factoid26.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid26.lean>
- `Scott1982/Factoid32.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid32.lean>
- `Scott1982/Factoid33.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid33.lean>
- `Scott1982/Factoid34.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid34.lean>
- `Scott1982/Factoid35.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid35.lean>
- `Scott1982/Factoid36.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid36.lean>
- `Scott1982/Factoid41.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid41.lean>

- Scott1982/Approximable.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Approximable.lean>
- Scott1982/Proposition53.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition53.lean>
- Scott1982/Proposition54.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition54.lean>
- Scott1982/Proposition55.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition55.lean>
- Scott1982/Proposition56.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition56.lean>
- Scott1982/Product.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Product.lean>
- Scott1982/Proposition62.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition62.lean>
- Scott1982/Sum.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Sum.lean>
- Scott1982/Proposition64.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition64.lean>
- Scott1982/Factoid65.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid65.lean>
- Scott1982/FunctionSpace.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/FunctionSpace.lean>
- Scott1982/Theorem72.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Theorem72.lean>
- Scott1982/Fixpoint.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Fixpoint.lean>
- Scott1982/Proposition74.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Proposition74.lean>
- Scott1982/Factoid75.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid75.lean>
- Scott1982/Factoid76.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid76.lean>
- Scott1982/Factoid77.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid77.lean>
- Scott1982/Factoid81.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid81.lean>
- Scott1982/Factoid82.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid82.lean>
- Scott1982/Factoid83.lean — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid83.lean>

- `Scott1982/Factoid84.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/Factoid84.lean>
- `Scott1982/DomainEquation.lean` — <https://github.com/catskillsresearch/scott1982/blob/main/Scott1982/DomainEquation.lean>

Vision transcript: `sources/Domains_for_Denotational_Semantics.md`.