

A Lean 4 Certificate of Scott’s Domains for Denotational Semantics (1982) generated by LLM and registered by Palomar

Lars Warren Ericson¹

¹ORCID: 0000-0001-8299-9361

¹Catskills Research Company

¹lars.ericson@catskillsresearch.com

September 12, 2026

Github: <https://github.com/catskillsresearch/scott1982>

Palomar Registration:

<https://palomar-registry.org/entry?id=PALOMAR-2026-08-24-000005&version=1>

Abstract

In 1982 Dana Scott published Domains for Denotational Semantics (ICALP, LNCS 140), presenting domains via information systems: finite consistency and entailment on data objects (tokens), with domain elements recovered as consistent, deductively closed sets. This is the third of Scott’s major presentations of domain theory, after continuous lattices [Sco72] and neighbourhood systems (PRG-19, [Sco81]), and is the most explicitly constructive of the three. Companion Lean formalizations of those earlier presentations are `scott1972` [SR72] and `scott1980` [ER80].

This Lean 4 formalization targets the entire paper (Sections 1-8). We strive to avoid the law of excluded middle. Every completed module is audited by printing its axioms; the target footprint is only `propext` and `Quot.sound`. Choice-tainted `mathlib` `Finset` operations are replaced by a constructive prelude. The Lean 4 sources are not reproduced here; each module is listed in the Lean source appendix with a pointer to the registered Palomar archive snapshot `d3221eec09505aa75e1b818aabc73f1f04339bdc` and a brief description of its contents.

arXiv: `cs.LO` (primary); `cs.PL`, `math.LO`.

ACM CCS (1998): F.3.2 [Logics and Meanings of Programs]: Semantics of Programming Languages—Denotational semantics; F.3.1 [Logics and Meanings of Programs]: Specifying and Verifying and Reasoning about Programs—Mechanical verification; F.4.1 [Mathematical Logic and Formal Languages]: Mathematical Logic—Mechanical theorem proving, Lambda calculus and related systems; D.3.1 [Programming Languages]: Formal Definitions and Theory—Semantics. *General Terms:* Theory, Verification, Languages.

MSC 2020: 68Q55 (primary) Semantics in the theory of computing; 68V20 Formalization of mathematics in connection with theorem provers; 06B35 Continuous lattices and posets, applications; 03B70 Logic in computer science; 18C50 Categorical semantics of formal languages.

1 Introduction

Scott’s 1982 ICALP paper reorganizes domain theory around four simple ideas:

1. **Data objects** (tokens / propositions) with a distinguished least-informative object Δ .

2. **Consistency** (Con): which finite sets of tokens can hold of a single element.
3. **Entailment** ($\vdash$): which tokens are forced by a consistent set.
4. **Elements** as consistent, deductively closed sets of tokens — the domain $|A|$.

From this substrate he builds approximable mappings (a category), products, separated sums, function spaces (cartesian closed structure), least fixed points, and recursive domain equations (trees / S-expressions, λ -calculus models, universal domains).

1.1 Paper section dependency

Edges follow Scott’s narrative dependencies. Lean import graphs for §§2–3 and §§5–8 are stable (see per-section diagrams below); §4 Factoids 4.1–4.6 are mechanized (the dashed §4→§5 edge remains advisory: later sections do not import §4).

1.2 Lean module map

Named concepts get section-style modules; unnamed numbered results get `DefinitionXY` / `PropositionXY` / `TheoremXY` files; invented claims use **Factoid** labels. Edges are Lean imports (coarse: `Factoid3*` stands for the §3 family). §8 factoids are **independent** constructions — they do not import each other; `DomainEquation.lean` only re-exports 8.1–8.2.

2 Methodology

2.1 Source material

Primary source: Dana Scott, *Domains for Denotational Semantics*, ICALP 1982, LNCS 140. Repository copy: [sources/Domains_for_Denotational_Semantics.pdf](#).

2.2 Numbering

- **Scott’s numbers** are used wherever present (Def/Prop/Thm share one counter per section).
- **Invented claims** (informal remarks we elevate to formal statements) use **Factoid** labels continuing the section counter, e.g. after Def 3.1 the next invented item is Factoid 3.2.
- Factoids are first-class inventory rows with Lean files and proof notes.

2.3 Constructivity

Target: `#print axioms` $\subseteq$ `{propext, Quot.sound}`. `Scott1982/Constructive.lean` supplies choice-free `funion` ($\cup'$) and `insert_comm'`. Avoid `mathlib` ($\cdot \cup \cdot$), `Finset.image`, `tauto`, `aesop` unless audited.

2.4 Portable prior work

Where Scott 1972 [**Sco72**] / [scott1972](#) [**SR72**] and PRG-19 [**Sco81**] / [scott1980](#) [**ER80**] developed the *same* mathematics in a portable form, we **copy** the Lean into this repo (adapted to `InfoSys` / `Finset` as needed) rather than depending on sibling packages. Cross-presentation equivalence theorems remain in `scott_models`.

3 Chronological Formalization Narrative

3.1 §1 Introduction

Motivational prose only — no numbered mathematical claims. No Lean modules.




Figure 1: Paper section dependency.




Figure 2: Lean module map.

3.2 §2 Information systems




Figure 3: §2 Information systems.

Paper order: examples sit between Def 2.1 and Def 2.2; Lean matches that — each `Factoid2*.lean` imports only `InfoSys`. Prop 2.3 also needs `Constructive` for $\cup'$.

Definition 2.1

- **Mathematical Target:** Information system $(D, \Delta, \text{Con}, \vdash)$ with Scott's six axioms (i)–(vi).
- **Lean File:** `Scott1982/InfoSys.lean` (`structure InfoSys`)
- **Proof Notes:** structure fields `con_subset`, `con_sing`, `ent_con`, `ent_bot`, `ent_refl`, `ent_trans`.
Uses `insert` (not `mathlib` $\cup$) in `ent_con` for choice-freedom. Footprint target `{propext, Quot.sound}`.

Definition 2.2

- **Mathematical Target:** For $u, v \in \text{Con}$, write $u \vdash v$ to mean $u \vdash X$ for all $X \in v$.
- **Lean File:** `Scott1982/Definition22.lean`
- **Proof Notes:** `InfoSys.EntSet`.

Proposition 2.3

- **Mathematical Target:** For $u, v, w, u', v' \in \text{Con}$: (i) $\emptyset \vdash \{\Delta\}$; (ii) $u \vdash v \Rightarrow u \cup v \in \text{Con}$;
(iii) $u \vdash u$; (iv) transitivity; (v) monotonicity; (vi) $u \vdash v \wedge u \vdash v' \Rightarrow u \vdash v \cup v'$.
- **Lean File:** `Scott1982/Proposition23.lean`
- **Proof Notes:** uses $\cup'$ from `Constructive.lean` for (ii) and (vi).

Factoid 2.4

- **Mathematical Target:** First example: $D = \mathbb{N}$, $\Delta = 0$, all finite sets consistent, $\{n_i\} \vdash m$ iff $m = 0 \vee \exists i, m \leq n_i$.
- **Lean File:** `Scott1982/Factoid24.lean`
- **Proof Notes:** `example : InfoSys  $\mathbb{N}$  with lowerBoundEnt; axioms (i)–(iii) trivial (Con = univ); (iv) 0-bot; (v) reflexivity via le_refl; (vi) cut by chaining  $\leq$  through the witness in  $u$ . Imports only InfoSys (Def 2.1 apparatus). No sorry.`

Factoid 2.5

- **Mathematical Target:** Second example: open intervals (n, m) with $n < m$, plus $(0, \infty)$.
- **Lean File:** `Scott1982/Factoid25.lean`
- **Proof Notes:** `Token = bot  $\oplus$  strict intervals`; satisfaction on $\mathbb{Q}$; `ofSatisfaction` builds any Scott-style semantic `InfoSys` from `Sat + true bot + inhabited singletons`. `Ent` pairs consistency of the LHS with $\forall$ -entailment (so `ent_con` is not vacuous). Midpoint witness for singletons. No sorry.

Factoid 2.6

- **Mathematical Target:** Third example: partial functions $A \multimap B$ as graphs plus Δ .
- **Lean File:** `Scott1982/Factoid26.lean`
- **Proof Notes:** `Token A B = bot  $\oplus$  (A  $\times$  B)`; `Consistent = functional on pairs`; minimal `Ent` (`X =  $\Delta \vee X \in u$`) with LHS consistency; `partialFunctionSystem A B` plus `example` on $\mathbb{N}/\text{Bool}$. No sorry.

3.3 §3 The elements of a system




Figure 4: §3 The elements of a system.

Def 3.1 (`Element`) lives in `InfoSys.lean` with Def 2.1. Factoids 3.2/3.5 import `Proposition23` (for `EntSet` / $\cup'$ lemmas); 3.3 builds on 3.2; 3.4 needs only `InfoSys`; 3.6 imports `Factoid35` and `Constructive` for directedness via $\cup'$.

Definition 3.1

- **Mathematical Target:** Elements $|A|$: subsets $x \subseteq D$ with (i) every finite subset in `Con`,
(ii) closed under entailment. Total elements `Tot_A`.
- **Lean File:** `Scott1982/InfoSys.lean` (`InfoSys.Element`, `PartialOrder`)
- **Proof Notes:** `Element` / `PartialOrder`; `IsTotal` / `top` via `Factoid 3.4`.

Factoid 3.2

- **Mathematical Target:** Every element contains Δ .
- **Lean File:** `Scott1982/Factoid32.lean`

Factoid 3.3

- **Mathematical Target:** $\perp_A = \{X \mid \{\Delta\} \vdash X\}$ is the least element.
- **Lean File:** `Scott1982/Factoid33.lean`

Factoid 3.4

- **Mathematical Target:** `Top` $\top = D$ exists iff all finite subsets are consistent; then unique total.
- **Lean File:** `Scott1982/Factoid34.lean`
- **Proof Notes:** `IsTotal` (`maximal`); `AllConsistent`; `topElement` with carrier `Set.univ`; `exists_top_iff_allConsistent`; `uniqueness_eq_topElement_of_isTotal` / `exists_unique_total_of_allConsistent`. No sorry.

Factoid 3.5

- **Mathematical Target:** Closure $\bar{u} = \{X \mid u \vdash X\}$ of $u \in \text{Con}$ is an element (finite element).
- **Lean File:** `Scott1982/Factoid35.lean`

Factoid 3.6

- **Mathematical Target:** Every element is the directed union of its finite approximations: $x = \bigcup \{\bar{u} \mid u \subseteq x, u \in \text{Con}\}$.
- **Lean File:** `Scott1982/Factoid36.lean`
- **Proof Notes:** `approxUnion` / `element_eq_approxUnion` (via singleton witnesses and entailment closure); `closures_directed` using $\cup'$; helpers `closure_le_of_entSet`, `closure_le_of_subset`, `closure_le_element`. No sorry.

3.4 §4 Domains as lattices and as topological spaces

Scott keeps §4 informal (bridge to lattice/topology presentations). Elevated claims are Factoids; Lean edges below match imports. Later sections (§5–§8) do not depend on these modules.

Factoid 4.1

- **Mathematical Target:** $|A|$ is an inf-semilattice under $\cap$; $x \subseteq y \leftrightarrow x \cap y = x$.
- **Lean File:** `Scott1982/Factoid41.lean`
- **Proof Notes:** `inf` via carrier $\cap$; `inf_le_left/right`, `le_inf`, `le_iff_inf_eq`; `idempotent/commutative/associative`; `botElement_inf`. No sorry.

Factoid 4.2




Figure 5: §4 Domains as lattices and as topological spaces.

- **Mathematical Target:** Nonempty families of elements have set-theoretic intersections that are elements.
- **Lean File:** Scott1982/Factoid42.lean
- **Proof Notes:** familyInf / familyInf_le / le_familyInf; agrees with binary inf via familyInf_pair. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 4.3

- **Mathematical Target:** Join of a family exists in $|A|$ iff the union is consistent; then join = deductive closure of the union.
- **Lean File:** Scott1982/Factoid43.lean
- **Proof Notes:** IsFinitelyConsistent / deductiveClosure / familySup / binary join; exists_isLUB_iff / exists_join_iff. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 4.4

- **Mathematical Target:** Directed (in particular chain) unions of elements are elements (cpo).
- **Lean File:** Scott1982/Factoid44.lean
- **Proof Notes:** IsDirected / IsChain; directedSup with carrier = raw union; chainSup. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 4.5

- **Mathematical Target:** Finite elements $\bar{u}$ are compact; every element is directed lub of finite elements below it (algebraicity).
- **Lean File:** Scott1982/Factoid45.lean
- **Proof Notes:** finiteApproximants directed; eq_directedSup_finiteApproximants; compact_closure. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 4.6

- **Mathematical Target:** Scott topology via basic opens $\{x \mid u \subseteq x\}$; approximable maps = Scott-continuous maps.
- **Lean File:** Scott1982/Factoid46.lean
- **Proof Notes:** basicOpen / basicOpen_inter / T_0 ; ScottContinuous; toScottContinuous / ofScottContinuous / toElement_ofScottContinuous. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

3.5 §5 Approximable mappings between domains

Approximable.lean imports Constructive and Factoid35. Def 5.1–5.2 and 5.3(i)/(iv) live there; singleton reduction and 5.3(v)/(iii)/(ii) are in Proposition53.lean. Prop 5.5 imports Prop 5.4; Prop 5.6 imports Prop 5.3 (extensionality) and Prop 5.5 (composition).

Definition 5.1

- **Mathematical Target:** Approximable mapping $f : A \rightarrow B$ as relation on $\text{Con}_A \times \text{Con}_B$ with
 (i) $\emptyset f \emptyset$; (ii) $u f v \wedge u f v' \Rightarrow u f (v \cup v')$; (iii) $u' \vdash u, u f v, v \vdash v' \Rightarrow u' f v'$.
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** Structure. Adapted from PRG-19 ApproximableMap pattern, rewritten for Finset/Con.

Definition 5.2

- **Mathematical Target:** $f(x) = \{Y \mid \exists u \subseteq x, u f Y\}$.




Figure 6: §5 Approximable mappings between domains.

- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** toElement; exists_rel_of_subset_image.

Proposition 5.3(i)

- **Mathematical Target:** f maps elements to elements under Def 5.2 ($f(x) \in |B|$).
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** toElement (consistency + closure).

Proposition 5.3(ii)

- **Mathematical Target:** Extensionality: $f = g$ iff $f(x) = g(x)$ for all $x \in |A|$.
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** ext_iff_toElement via 5.3(iii) both ways + ApproximableMap.ext. No sorry.

Proposition 5.3(iii)

- **Mathematical Target:** Pointwise order: $f \subseteq g$ (as relations) iff $f(x) \subseteq g(x)$ for all $x \in |A|$.
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** Le / le_iff_toElement_le; $\leftarrow$ uses 5.3(v). No sorry.

Proposition 5.3(iv)

- **Mathematical Target:** Monotonicity: $x \subseteq y$ in $|A|$ implies $f(x) \subseteq f(y)$ in $|B|$.
- **Lean File:** Scott1982/Approximable.lean
- **Proof Notes:** toElement_mono.

Singleton reduction

- **Mathematical Target:** Scott's remark before Def 5.2: $u f v \leftrightarrow \forall Y \in v, u f \{Y\}$ (for $u \in \text{Con}_A, v \in \text{Con}_B$).
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** rel_iff_forall_singleton (mono + union_right / $\cup'$). Unnumbered inventory row. No sorry.

Proposition 5.3(v)

- **Mathematical Target:** Bridge lemma: $u f v \leftrightarrow v^- \subseteq f(\bar{u})$ for $u \in \text{Con}_A, v \in \text{Con}_B$.
- **Lean File:** Scott1982/Proposition53.lean
- **Proof Notes:** rel_iff_closure_le; $\rightarrow$ via subset_closure + mono; $\leftarrow$ via exists_rel_of_subset_image on $\bar{u}$ then EntSet $u u'$ + mono. No sorry.

Proposition 5.4

- **Mathematical Target:** Identity I_A given by $u I v \leftrightarrow u \vdash v$; $I(x) = x$.
- **Lean File:** Scott1982/Proposition54.lean

Proposition 5.5

- **Mathematical Target:** Composition $g \circ f$; $(g \circ f)(x) = g(f(x))$.
- **Lean File:** Scott1982/Proposition55.lean

Proposition 5.6

- **Mathematical Target:** Unique constant map $\text{const } b$ with $(\text{const } b)(x) = b$; also $f \circ (\text{const } b) = \text{const } (f(b))$ and $(\text{const } b) \circ g = \text{const } b$.
- **Lean File:** Scott1982/Proposition56.lean
- **Proof Notes:** constMap via $u (\text{const } b) v \leftrightarrow \uparrow v \subseteq b$; constMap_toElement; uniqueness via ext_iff_toElement; composition laws via comp_toElement. No sorry.

3.6 §6 Products and sums of domains




Figure 7: §6 Products and sums of domains.

`Product.lean` (Def 6.1 / `productSystem`) imports `Constructive` and `Proposition23`. `Proposition62.lean` adds approximable `fst/snd/⟨f,g⟩` on top of `Product` / Prop 5.3–5.5. `Sum.lean` (Def 6.3 / `sumSystem`) is parallel to `Product.lean`; `Proposition64.lean` adds `inl/inr/[f,g]` (also `Factoid 3.3` for $\perp$ on co-pairing). `Factoid65.lean` (unit domain) imports Prop 5.6 (`constMap`) and `Factoid 3.3` ($\perp$); Scott places it after the product remarks, before the sum construction.

Definition 6.1

- **Mathematical Target:** Product information system $A \times B$ on tagged tokens.
- **Lean File:** `Scott1982/Product.lean`
- **Proof Notes:** `ProdToken` / `IsProdToken`; `prodBot`; `fstFinset` / `sndFinset`; `ProdCon` / `ProdEnt`; `productSystem` : `InfoSys _` with all six Def 2.1 axioms. No sorry.

Proposition 6.2

- **Mathematical Target:** Approximable `fst`, `snd`, pairing $\langle f, g \rangle$ with universal property ($A \times B$ as an `InfoSys` is already Def 6.1 / `productSystem`).
- **Lean File:** `Scott1982/Proposition62.lean`
- **Proof Notes:** `fstMap` / `sndMap` / `pairMap`; `comp_fstMap_pairMap` / `comp_sndMap_pairMap`; uniqueness via `element_eq_of_fst_snd` + Prop 5.3 extensionality. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Definition 6.3

- **Mathematical Target:** Separated sum $A + B$.
- **Lean File:** `Scott1982/Sum.lean`
- **Proof Notes:** `SumToken` (`left` / `right` / `bot`); `sumBot`; `lftFinset` / `rhtFinset`; `SumCon` / `SumEnt`; `sumSystem` : `InfoSys _` with all six Def 2.1 axioms. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Proposition 6.4

- **Mathematical Target:** Sum is an information system; injections and copairing.
- **Lean File:** `Scott1982/Proposition64.lean`
- **Proof Notes:** `inlMap` / `inrMap` / `copairMap`; `comp_copairMap_inlMap` / `comp_copairMap_inrMap`; `copairMap_botElement`; uniqueness via relation extensionality (choice-free `lft/rht` emptiness dichotomy). Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 6.5

- **Mathematical Target:** Unit domain 1 with unique element $\perp$; terminal/initial mapping facts Scott records at end of §6.
- **Lean File:** Scott1982/Factoid65.lean
- **Proof Notes:** unitSystem on PUnit; unitElement_eq_bot; approxMap_from_unit_eq_const / approxMap_to_unit_eq_const; toElement_constMap_bot. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

3.7 §7 The function space as a domain




Figure 8: §7 The function space as a domain.

`FunctionSpace.lean` (Def 7.1) imports `Constructive` and `Proposition23` only. Theorem 7.2 adds Prop 5.3/5.5, Prop 6.2 (apply/curry pairing), and Factoid 3.2. Theorem 7.3 (`fix`) sits on Theorem 7.2 plus Factoid 3.3 ($\perp$); Prop 7.4 adds identity/composition and closure. Factoid 7.5 reuses Factoid 2.5 (BOOL) for the conditional iso. Factoid 7.6 curries Prop 5.6/pair composites. Factoid 7.7 packages the CCC as `Mathlib Category / CartesianMonoidalCategory / MonoidalClosed` (Scott data constructive; Mathlib packaging uses `Classical.choice`).

Definition 7.1

- **Mathematical Target:** Function-space information system $A \rightarrow B$ with Scott's $\text{Con}/\vdash$ on pairs of consistent sets.
- **Lean File:** Scott1982/FunctionSpace.lean
- **Proof Notes:** FunToken / funBot; funInputUnion / funOutputUnion; FunCon / FunEnt (witness form of 7.1(iv)); functionSystem : InfoSys _ with all six Def 2.1 axioms. Choice-free decidableEq_finset for token equality. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Theorem 7.2

- **Mathematical Target:** Elements of $|A \rightarrow B|$ = approximable maps; apply and curry.
- **Lean File:** Scott1982/Theorem72.lean
- **Proof Notes:** bijection approxMap_toElement / element_toApproxMap; approximable applyMap and curryMap; apply(g,y) = g(y); uncurry $\circ$ curry = id with uniqueness of curry. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Theorem 7.3

- **Mathematical Target:** Least fixed-point operator $\text{fix} : (A \rightarrow A) \rightarrow A$.
- **Lean File:** Scott1982/Fixpoint.lean
- **Proof Notes:** FixChain / FixReach; approximable fixMap; fixElement with $f(\text{fix } f) = \text{fix } f$, least among pre-fixed points, and operator uniqueness. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Proposition 7.4

- **Mathematical Target:** Plotkin-style equational characterization of fix.
- **Lean File:** Scott1982/Proposition74.lean
- **Proof Notes:** (ii) $\text{fix}(f) = f(\text{fix}(f))$; (iii) naturality for strict commuting maps; uniqueness via the Theorem 7.3 least-fixed-point property. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 7.5

- **Mathematical Target:** Strict function space $A \rightarrow_s B$ and strict operator; $A \times A \cong (B00L \rightarrow_s A)$.
- **Lean File:** Scott1982/Factoid75.lean
- **Proof Notes:** IsStrict; strictify with IsStrict_strictify; strictFunctionSystem (StrictFunToken + empty-input Con clause); retract via approxMap_toStrictElement / strictifyElement; flat boolSystem; conditional condMap with condMap_unique / conditional_iso ($A \times A \cong (B00L \rightarrow_s A)$ at the strict-map level, packaged into $|B00L \rightarrow_s A|$ by condElement). Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 7.6

- **Mathematical Target:** Combinators const, pair, comp as approximable operators.
- **Lean File:** Scott1982/Factoid76.lean
- **Proof Notes:** constOp = curry fst with constOp_toElement; pairOp / compOp by currying apply-fst/snd composites; pairOp_toElement / compOp_toElement recover $\langle f, g \rangle$ and $g \circ f$. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 7.7

- **Mathematical Target:** Scott's CCC remark (*Categories again*): Props 6.2 and Theorem 7.2 (with unit 1 from Factoid 6.5) show the category of information systems and approximable maps is cartesian closed.

- **Lean File:** Scott1982/Factoid77.lean
- **Proof Notes:** bundled InfoSysObj; Mathlib Category, CartesianMonoidalCategory (terminal 1, binary products from Prop 6.2), and MonoidalClosed via tensorExpEquiv / uncurryRight_comp_left (Scott curry after product symmetry, left-natural in the domain). Bare Category axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$; CartesianMonoidalCategory / MonoidalClosed pull Classical.choice through Mathlib's chosen-products / adjunction constructors — an artifact of Lean's category library, isolated to this stretch factoid, not of Scott's argument. No sorry.

3.8 §8 Some domain equations

Scott presents Factoids 8.1–8.4 in narrative order, but the Lean modules are **independent** constructions (no Factoid8i $\rightarrow$ Factoid8(i+1) imports). Edges below are actual Lean imports. DomainEquation.lean only re-exports 8.1–8.2.




Figure 9: §8 Some domain equations.

Factoid 8.1

- **Mathematical Target:** Inductive construction of tree / S-expression domain $T \cong A + (T \times T)$.
- **Lean File:** Scott1982/Factoid81.lean
- **Proof Notes:** inductive TreeToken (Scott (1)–(3)); projection-based TreeCon / TreeEnt matching sum×product clauses (4)–(12); treeSystem : InfoSys _ with all six Def 2.1 axioms; unfolding treeUnfold / treeRhs into sumSystem A (productSystem (treeSystem A) (treeSystem A)). Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 8.2

- **Mathematical Target:** λ -calculus model $D \cong A + (D \rightarrow D)$ via mutual recursion of D and Con.
- **Lean File:** Scott1982/Factoid82.lean
- **Proof Notes:** choice-free well-founded LamConDepth / inductive LamEntDepth (Scott (8)–(11)); Def 2.1 ent_refl / ent_con / ent_trans (bot/atom + funTok via combined witness + depth IH); lambdaSystem : InfoSys (LamDToken A) on depth-WF tokens; unfolding lamUnfold / lamRhs into sumSystem A (functionSystem (lambdaSystem A) (lambdaSystem A)). Staged LamConN retained as scaffolding. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 8.3

- **Mathematical Target:** Universal domain remarks (V, retract U).
- **Lean File:** Scott1982/Factoid83.lean
- **Proof Notes:** VToken (Scott (1)–(2): $\Delta/\nabla/\text{pairL}/\text{pairR}$); all finite sets consistent; inductive VEnt (3)–(6); vSystem : InfoSys VToken; vUnfold / vRhs into productSystem vSystem vSystem ($V \cong V \times V$); UToken = $D_V \setminus \{\nabla\}$ with UCon = $\not\models_V \nabla$ and UEnt from VEnt (7)–(10); uSystem : InfoSys UToken. Scott's retract/universality theorem (every countably based domain is a retract of U) is stated without proof in the source and left external. Axioms $\subseteq \{\text{propext}, \text{Quot.sound}\}$. No sorry.

Factoid 8.4

- **Mathematical Target:** Domain of domains via approximable maps on P satisfying (1)–(5).
 - **Lean File:** `Scott1982/Factoid84.lean`
 - **Proof Notes:** (Scott’s sketch, as far as stated) — powerset `InfoSys P` on $\mathbb{N}$ ($0 = \Delta$, all finite sets `Con`, minimal `Ent`); Scott’s (1)–(5) as `ReflApprox` / `IdemApprox` / `BotApprox` / `RogueApprox` / `ConsistentApprox` on `ApproximableMap P P`; package `DomainApprox`; consistency remark `scottCon`; inhabitant `flatDomainApprox (1 as rogue)`; `I_P` fails (4). Token-level `InfoSys` for the domain of domains (U-from-V style on $P \rightarrow P$) and functors/powerdomains are deferred with Scott. Axioms $\subseteq \{\text{proptext}, \text{Quot.sound}\}$. No sorry.
-

4 Build

```
lake exe cache get
lake build Scott1982
```

Pinned: Lean / mathlib **v4.30.0**.

Acknowledgments (Dana Scott [Sco82], AI tool cards, artifact URL) are injected before References when building `arxiv.tex` via `scripts/ai_model_cards.py` — they are not kept in this file.

Rebuild this document (PDF with a Lean-module appendix: Palomar hyperlink and a brief description per file, not verbatim source):

```
bash scripts/build_arxiv_pdf.sh          # expand Lean -> tex -> arxiv.pdf
bash scripts/build_arxiv_pdf.sh --pdf-only # PDF only when arxiv.tex already current
bash scripts/package_arxiv_submit.sh      # -> dist/arxiv_submit.zip (pdfLaTeX; PNG figures)
```

5 Acknowledgments

- **Dana Scott** — *Domains for Denotational Semantics* [Sco82], the paper this development formalizes.

5.1 AI-assisted development

The human author retains sole responsibility for the mathematical content, the choice of formalization route, and every formal claim in this work. Following standard publisher practice (e.g., COPE guidance on authorship and AI tools [COPE24]), **no large language model is listed as a co-author** — authorship implies an accountability that automated systems cannot bear.

Because this development may borrow Lean and proof patterns from the sibling formalizations `scott1972` [SR72] and `scott1980` [ER80], **every model in the registry is treated as used** for acknowledgment purposes. We gratefully acknowledge assistance from the following tools (auto-generated from `scripts/ai_model_cards.py` when building `arxiv.tex`):

- **Cursor** [Cur26] — agent-assisted editing in the Cursor IDE: formalizing Scott’s 1982 information-system layer in Lean 4 / mathlib, `lake build` repair, working from the Scott 1982 source PDF, drafting this narrative (`arxiv.md`), and tracking the formalized inventory. Generated Lean was provisional until it compiled under the pinned toolchain. Also used in the sibling formalizations whose portable work may be copied into this repo.
- **Cursor Composer 2.5 Fast** [Cmp25] — routine multi-step work: module scaffolding, dependency-ordered wiring of `Scott1982/`, documentation and Mermaid blueprints, medium proof obligations where the strategy was already fixed, and the triple-pass vision OCR pipeline (`composer-2.5`). Also used in sibling repos whose portable Lean may be adapted here.

- **Cursor Grok 4.5 [Grk45]** — primary agent model for the scott1982 information-systems formalization sessions: inventory design in `arxiv.md`, constructive `InfoSys` / `Approximable` Lean development, choice-free `Finset` discipline, and adaptation of portable patterns from prior Scott formalizations. Jointly trained by SpaceXAI and Cursor; used here via the Cursor agent environment.
- **Anthropic Claude Sonnet 5 (medium reasoning) [Son26]** — day-to-day formalization and proof-engineering in Cursor at the medium reasoning tier in sibling Scott formalizations (and available for this repo): inventory and narrative maintenance, module wiring, and medium-complexity Lean obligations where the proof strategy was already fixed. Listed because portable prior work may be copied into scott1982.
- **Anthropic Claude Opus 4.8 (high reasoning) [Ant26]** — selective use for the heaviest proof work in sibling formalizations (e.g. continuous lattices and PRG-19). Every emitted proof term was checked by the Lean kernel. Listed because portable prior work may be copied into scott1982.
- **Google Gemini 3.5 Flash [Gem25]** — exploratory passes in sibling formalizations (typographic conventions, scope decisions). Listed because portable prior work may be copied into scott1982.

All definitions, constructivity audits, and final prose were reviewed by the human author, who takes full responsibility for them.

5.2 Artifact availability

The development is at github.com/catskillsresearch/scott1982. Run `lake build Scott1982` for the formalization; `bash scripts/build_arxiv_tex.sh` builds `arxiv.tex` from `arxiv.md` (Lean Code appendix = GitHub hyperlinks).

List of Figures

1	Paper section dependency.	3
2	Lean module map.	4
3	§2 Information systems.	4
4	§3 The elements of a system.	5
5	§4 Domains as lattices and as topological spaces.	7
6	§5 Approximable mappings between domains.	9
7	§6 Products and sums of domains.	11
8	§7 The function space as a domain.	12
9	§8 Some domain equations.	14

6 References

- [Sco82] D. Scott. *Domains for Denotational Semantics*. ICALP 1982, LNCS 140, pp. 577–613.
- [Sco81] D. Scott. *Lectures on a Mathematical Theory of Computation*. PRG-19, Oxford, 1981.
- [Sco72] D. Scott. *Continuous Lattices*. LNM 274, 1972.
- [SR72] Catskills Research. *scott1972*. <https://github.com/catskillsresearch/scott1972>.
- [ER80] Catskills Research. *scott1980*. <https://github.com/catskillsresearch/scott1980>.
- [Win93] G. Winskel. *The Formal Semantics of Programming Languages*. MIT Press, 1993.
- [COPE24] Committee on Publication Ethics (COPE). *Authorship and AI tools: COPE position statement*. 2024. <https://publicationethics.org/guidance/cope-position/authorship-and-ai-tools>
- [Cur26] Anysphere, Inc. *Cursor: AI-native code editor and agent environment*. <https://cursor.com> (accessed 2026).
- [Cmp25] Anysphere, Inc. *Composer 2.5*. Model announcement and documentation, <https://cursor.com/blog/composer-2-5>; model card as integrated in Cursor, <https://cursor.com/docs/models> (accessed 2026).

- [Grk45] SpaceXAI and Anysphere, Inc. *Grok 4.5*. Model documentation, <https://docs.x.ai/developers/models/grok-4.5>; Cursor announcement, <https://cursor.com/blog/grok-4-5> (accessed 2026).
- [Son26] Anthropic. *Claude Sonnet 5* (medium reasoning variant). System card, <https://www.anthropic.com/claude-sonnet-5-system-card>; model documentation as integrated in Cursor, <https://cursor.com/docs/models> (accessed 2026).
- [Ant26] Anthropic. *Claude Opus 4.8* (high thinking/reasoning variant). System card and announcement, <https://www.anthropic.com/news/claude-opus-4-8>; model documentation as integrated in Cursor, <https://cursor.com/docs/models/claude-opus-4-8> (accessed 2026).
- [Gem25] Google DeepMind. *Gemini 3.5 Flash*. Technical documentation and model cards. <https://ai.google.dev/gemini-api/docs/models> (accessed 2026).



A Lean source

Lean modules in Palomar packaging order, then `Scott1982.lean` import order. Each subsection title links to the registered Palomar archive snapshot `d3221eec09505aa75e1b818aabc73f1f04339bdc`. The Lean text is not reproduced here.

A.1 `Challenge.lean`

Palomar statement of record for the first sentence of Theorem 7.2. Imports Mathlib only and restates the locked definitions with deliberate `sorry`s.

A.2 `Solution.lean`

Palomar solution module. Imports the sorry-free Theorem 7.2 development so compared names and types match the Challenge.

A.3 `Scott1982.lean`

Root import graph. Re-exports every library module in dependency order.

A.4 `Scott1982/Constructive.lean`

Choice-free Finset prelude: `funion` ($\cup'$), insert commutativity, and decidable Finset equality, avoiding Mathlib’s choice-tainted union.

A.5 `Scott1982/InfoSys.lean`

Definition 2.1 information systems and Definition 3.1 elements, with the carrier-inclusion partial order.

A.6 `Scott1982/Definition22.lean`

Definition 2.2: set-level entailment $u \vdash v$.

A.7 `Scott1982/Proposition23.lean`

Proposition 2.3: elementary properties of set-level entailment.

A.8 `Scott1982/Factoid24.lean`

Factoid 2.4: first example — lower-bound information system on $\mathbb{N}$.

A.9 [Scott1982/Factoid25.lean](#)

Factoid 2.5: second example — open intervals plus $(0, \infty)$.

A.10 [Scott1982/Factoid26.lean](#)

Factoid 2.6: third example — partial-function graphs plus Δ .

A.11 [Scott1982/Factoid32.lean](#)

Factoid 3.2: every element contains Δ .

A.12 [Scott1982/Factoid33.lean](#)

Factoid 3.3: the bottom element $\perp$.

A.13 [Scott1982/Factoid34.lean](#)

Factoid 3.4: top element and total elements.

A.14 [Scott1982/Factoid35.lean](#)

Factoid 3.5: finite elements as entailment closures $\bar{u}$.

A.15 [Scott1982/Factoid36.lean](#)

Factoid 3.6: every element is the directed union of its finite approximations.

A.16 [Scott1982/Factoid41.lean](#)

Factoid 4.1: $|A|$ is an inf-semilattice under intersection.

A.17 [Scott1982/Factoid42.lean](#)

Factoid 4.2: conditional completeness for meets.

A.18 [Scott1982/Factoid43.lean](#)

Factoid 4.3: consistent joins.

A.19 [Scott1982/Factoid44.lean](#)

Factoid 4.4: directed (and chain) unions are elements; cpo structure.

A.20 [Scott1982/Factoid45.lean](#)

Factoid 4.5: algebraicity via compact finite elements.

A.21 [Scott1982/Factoid46.lean](#)

Factoid 4.6: Scott topology and continuous maps.

A.22 [Scott1982/Approximable.lean](#)

Definitions 5.1–5.2: approximable mappings and `toElement`.

A.23 [Scott1982/Proposition53.lean](#)

Proposition 5.3: images, order, and the closure bridge.

A.24 [Scott1982/Proposition54.lean](#)

Proposition 5.4: the identity approximable mapping.

A.25 [Scott1982/Proposition55.lean](#)

Proposition 5.5: composition of approximable mappings.

A.26 [Scott1982/Proposition56.lean](#)

Proposition 5.6: constant approximable mappings.

A.27 [Scott1982/Product.lean](#)

Definition 6.1: product information system $A \times B$.

A.28 [Scott1982/Proposition62.lean](#)

Proposition 6.2: product projections and pairing.

A.29 [Scott1982/Sum.lean](#)

Definition 6.3: separated sum $A + B$.

A.30 [Scott1982/Proposition64.lean](#)

Proposition 6.4: sum injections and copairing.

A.31 [Scott1982/Factoid65.lean](#)

Factoid 6.5: the unit domain (empty product).

A.32 [Scott1982/FunctionSpace.lean](#)

Definition 7.1: the function-space information system $A \rightarrow B$.

A.33 [Scott1982/Theorem72.lean](#)

Theorem 7.2: approximable maps are the elements of $|A \rightarrow B|$; apply and curry.

A.34 [Scott1982/Fixpoint.lean](#)

Theorem 7.3: unique approximable least fixed-point operator `fix`.

A.35 [Scott1982/Proposition74.lean](#)

Proposition 7.4: Plotkin's equational characterization of `fix`.

A.36 [Scott1982/Factoid75.lean](#)

Factoid 7.5: strict mappings, `strictify`, `BOOL`, and the conditional.

A.37 [Scott1982/Factoid76.lean](#)

Factoid 7.6: combinators as approximable operators (`const`, `pair`, `comp`).

A.38 [Scott1982/Factoid77.lean](#)

Factoid 7.7: cartesian closed packaging as a Mathlib category.

A.39 [Scott1982/Factoid81.lean](#)

Factoid 8.1: tree / S-expression domain $T \cong A + (T \times T)$.

A.40 [Scott1982/Factoid82.lean](#)

Factoid 8.2: λ -calculus model $D \cong A + (D \rightarrow D)$.

A.41 [Scott1982/Factoid83.lean](#)

Factoid 8.3: universal domain via V (with top) and U (top removed).

A.42 [Scott1982/Factoid84.lean](#)

Factoid 8.4: Scott's sketch of a domain of domains on the powerset P .

A.43 [Scott1982/DomainEquation.lean](#)

Section 8 re-export of the Factoid 8.1–8.2 constructions.