

GotWeb?

Cmd	Resource	Input Example	Output Example	API methods
GET	/characters/	{}	{“names”: [‘Arya Stark’, ‘Khal Drogo’,...]}	get_characters()
GET	/characters/:char_name	{“name”: ‘Arya Stark’}	{“name”: ‘Arya Stark’, “house” : ‘Stark’, ...}	is_dead() get_gender() get_nobility()
GET	/houses/:house_name	{“house”: ‘Stark’}	{‘names’: [‘Arya Stark’, ‘Sansa Stark’,...]}	get_house()
GET	/houses/	{}	{‘names’: [‘Stark’, ‘Lannister’,...]}	get_houses()
GET	/deadpeeps/	{}	{‘names’: [‘Margaery Tyrell’, ‘Khal Drogo’, ...]}	get_dead()
GET	/deadpeeps/:book	{“book”: 1}	{‘names’: [‘Ned Stark’,...]}	get_dead() get_death_book()
GET	/deadpeeps/:house_name	{“house” : ‘Stark’}	{‘names’: [‘Ned Stark’, ‘Cat Stark’, ...]}	get_house() get_dead()
GET	/bookstats/	{}	{‘deaths’: [...], ‘births’: [...], ‘char_intros’: [...]}	get_deaths() get_births() get_character() get_intros()
GET	/bookstats/:book	{“book”: 1}	{‘deaths’: [...], ‘births’: [...], ‘char_intros’: [...]}	get_dead() get_births() get_character() get_intros()

