

A Chaperone Function of NO CATALASE ACTIVITY1 Is Required to Maintain Catalase Activity and for Multiple Stress Responses in Arabidopsis

Jing Li, Juntao Liu, Guoqiang Wang, Joon-Yung Cha, Guannan Li, She Chen, Zhen Li, Jinghua Guo, Caiguo Zhang, Yongqing Yang, Woe-Yeon Kim, Dae-Jin Yun, Karen S. Schumaker, Zhongzhou Chen and Yan Guo

Plant Cell 2015;27;908-925; originally published online February 19, 2015;
DOI 10.1105/tpc.114.135095

This information is current as of July 3, 2015

Supplemental Data	http://www.plantcell.org/content/suppl/2015/02/05/tpc.114.135095.DC1.html
References	This article cites 52 articles, 28 of which can be accessed free at: http://www.plantcell.org/content/27/3/908.full.html#ref-list-1
Permissions	https://www.copyright.com/ccc/openurl.do?sid=pd_hw1532298X&issn=1532298X&WT.mc_id=pd_hw1532298X
eTOCs	Sign up for eTOCs at: http://www.plantcell.org/cgi/alerts/ctmain
CiteTrack Alerts	Sign up for CiteTrack Alerts at: http://www.plantcell.org/cgi/alerts/ctmain
Subscription Information	Subscription Information for <i>The Plant Cell</i> and <i>Plant Physiology</i> is available at: http://www.aspb.org/publications/subscriptions.cfm