

lab02

Caue

```
library(DBI)
library(RSQLite)
#conexão com SQL
con <- dbConnect(SQLite(), "me315.sqlite")
```

```
SELECT * FROM PRESERVE
```

Table 1: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0

1

```
SELECT STATE, PNO, PNAME FROM PRESERVE
ORDER BY STATE
```

Table 2: Displaying records 1 - 10

STATE	PNO	PNAME
AZ	5	HASSAYAMPA RIVER
AZ	7	MULESHOE RANCH
AZ	80	RAMSEY CANYON
AZ	6	PAPAGONIA-SONOITA CREEK
MA	14	MCELWAIN-OLSEN
MA	13	TATKON
MA	9	DAVID H. SMITH
MA	11	MIACOMET MOORS
MA	12	MOUNT PLANTAIN
MA	10	HOFT FARM

2.

```
SELECT STATE, PNO, PNAME FROM PRESERVE
ORDER BY STATE DESC
```

Table 3: Displaying records 1 - 10

STATE	PNO	PNAME
MT	3	DANCING PRAIRIE
MT	40	SOUTH FORK MADISON
MT	1	COMERTOWN PRAIRIE
MT	2	PINE BUTTE SWAMP
MA	14	MCELWAIN-OLSEN
MA	13	TATKON
MA	9	DAVID H. SMITH
MA	11	MIACOMET MOORS
MA	12	MOUNT PLANTAIN
MA	10	HOFT FARM

3.

```
SELECT STATE, PNO, PNAME FROM PRESERVE
ORDER BY STATE DESC, PNO DESC
```

Table 4: Displaying records 1 - 10

STATE	PNO	PNAME
MT	40	SOUTH FORK MADISON
MT	3	DANCING PRAIRIE
MT	2	PINE BUTTE SWAMP
MT	1	COMERTOWN PRAIRIE
MA	14	MCELWAIN-OLSEN
MA	13	TATKON
MA	12	MOUNT PLANTAIN
MA	11	MIACOMET MOORS
MA	10	HOFT FARM
MA	9	DAVID H. SMITH

4.

```
SELECT STATE, PNO, PNAME FROM PRESERVE
WHERE STATE = 'AZ'
ORDER BY PNO DESC
```

Table 5: 4 records

STATE	PNO	PNAME
AZ	80	RAMSEY CANYON
AZ	7	MULESHOE RANCH
AZ	6	PAPAGONIA-SONOITA CREEK
AZ	5	HASSAYAMPA RIVER

5.

```
SELECT PNO, ACRES, PNAME FROM PRESERVE
WHERE STATE = 'AZ'
ORDER BY STATE
```

Table 6: 4 records

PNO	ACRES	PNAME
5	660	HASSAYAMPA RIVER
7	49120	MULESHOE RANCH

PNO	ACRES	PNAME
80	380	RAMSEY CANYON
6	1200	PAPAGONIA-SONOITA CREEK

6.

```
SELECT * FROM PRESERVE
ORDER BY ACRES DESC, PNAME
```

Table 7: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
1	COMERTOWN PRAIRIE	MT	1130	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
3	DANCING PRAIRIE	MT	680	0
5	HASSAYAMPA RIVER	AZ	660	3
80	RAMSEY CANYON	AZ	380	3
40	SOUTH FORK MADISON	MT	121	0

7.

```
SELECT PNO, PNAME FROM PRESERVE
ORDER BY ACRES DESC
```

Table 8: Displaying records 1 - 10

PNO	PNAME
7	MULESHOE RANCH
2	PINE BUTTE SWAMP
6	PAPAGONIA-SONOITA CREEK
1	COMERTOWN PRAIRIE
9	DAVID H. SMITH
12	MOUNT PLANTAIN
3	DANCING PRAIRIE

PNO	PNAME
5	HASSAYAMPA RIVER
80	RAMSEY CANYON
40	SOUTH FORK MADISON

8.

```
SELECT STATE, FEE, PNAME FROM PRESERVE
ORDER BY STATE, FEE DESC, PNAME DESC
```

Table 9: Displaying records 1 - 10

STATE	FEE	PNAME
AZ	3	RAMSEY CANYON
AZ	3	PAPAGONIA-SONOITA CREEK
AZ	3	HASSAYAMPA RIVER
AZ	0	MULESHOE RANCH
MA	0	TATKON
MA	0	MOUNT PLANTAIN
MA	0	MIACOMET MOORS
MA	0	MCELWAIN-OLSEN
MA	0	HOFT FARM
MA	0	DAVID H. SMITH

9.

```
SELECT PNO, ACRES FROM PRESERVE
ORDER BY PNO
LIMIT 3
```

Table 10: 3 records

PNO	ACRES
1	1130
2	15000
3	680

EXERCICIOS DA LISTA

1.

```
SELECT * FROM PRESERVE
ORDER BY ACRES
```

Table 11: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
11	MIACOMET MOORS	MA	4	0
13	TATKON	MA	40	0
14	MCELWAIN-OLSEN	MA	66	0
10	HOFT FARM	MA	90	0
40	SOUTH FORK MADISON	MT	121	0
80	RAMSEY CANYON	AZ	380	3
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
12	MOUNT PLANTAIN	MA	730	0
9	DAVID H. SMITH	MA	830	0

2.

```
SELECT PNAME, FEE FROM PRESERVE
WHERE STATE = 'MT'
ORDER BY PNAME DESC
```

Table 12: 4 records

PNAME	FEE
SOUTH FORK MADISON	0
PINE BUTTE SWAMP	0
DANCING PRAIRIE	0
COMERTOWN PRAIRIE	0

3.

```
SELECT FEE, ACRES FROM PRESERVE
ORDER BY FEE, ACRES
```

Table 13: Displaying records 1 - 10

FEE	ACRES
0	4
0	40
0	66
0	90
0	121
0	680
0	730
0	830
0	1130
0	15000

4.

```
SELECT PNAME FROM PRESERVE
WHERE STATE = 'AZ' ORDER BY PNO
```

Table 14: 4 records

PNAME
HASSAYAMPA RIVER
PAPAGONIA-SONOITA CREEK
MULESHOE RANCH
RAMSEY CANYON

5.

```
SELECT STATE, FEE, PNO FROM PRESERVE
WHERE ACRES > 100 ORDER BY STATE DESC, FEE DESC, PNO
```

Table 15: Displaying records 1 - 10

STATE	FEE	PNO
MT	0	1
MT	0	2
MT	0	3
MT	0	40

STATE	FEE	PNO
MA	0	9
MA	0	12
AZ	3	5
AZ	3	6
AZ	3	80
AZ	0	7

6.

```
SELECT * FROM PRESERVE
WHERE STATE >= 'M'
```

Table 16: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

7.

```
SELECT * FROM PRESERVE
WHERE STATE >= 'M'
```

Table 17: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0

PNO	PNAME	STATE	ACRES	FEE
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

9.

```
SELECT * FROM EMPLOYEE
ORDER BY ENAME
```

Table 18: 6 records

ENO	ENAME	SALARY	DNO
3000	CURLY	3000	20
6000	GEORGE	9000	20
5000	JOE	400	10
2000	LARRY	2000	10
1000	MOE	2000	20
4000	SHEMP	500	40

10.

```
SELECT ENAME, SALARY FROM EMPLOYEE
WHERE SALARY > 2000 ORDER BY SALARY DESC
```

Table 19: 2 records

ENAME	SALARY
GEORGE	9000
CURLY	3000

11.

```
SELECT DNO, ENO, ENAME FROM EMPLOYEE  
ORDER BY DNO DESC, ENO
```

Table 20: 6 records

DNO	ENO	ENAME
40	4000	SHEMP
20	1000	MOE
20	3000	CURLY
20	6000	GEORGE
10	2000	LARRY
10	5000	JOE

```
Sys.setenv(TZ = "America/Sao_Paulo")  
Sys.time()
```

```
[1] "2026-08-24 19:56:02 -03"
```