

Lista04_Lambertucci

Caue Esteves Lambertucci

```
library(DBI)
library(RSQLite)

# Conecta/Cria o arquivo
con <- dbConnect(RSQLite::SQLite(), "me315.sqlite")
```

1.

```
SELECT * FROM PRESERVE
WHERE PNO IN (2, 4, 6, 8, 10)
```

Table 1: 3 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
10	HOFT FARM	MA	90	0

2.

```
SELECT * FROM PRESERVE
WHERE PNAME NOT IN ('DANCING PRAIRIE', 'MULESHOE RANCH', 'MCELWAIN-OLSEN', 'TATKON')
```

Table 2: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
40	SOUTH FORK MADISON	MT	121	0

PNO	PNAME	STATE	ACRES	FEE
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

3.

```
SELECT * FROM PRESERVE
WHERE PNO BETWEEN 3 AND 10
```

Table 3: 6 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
5	HASSAYAMPA RIVER	AZ	660	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
7	MULESHOE RANCH	AZ	49120	0
9	DAVID H. SMITH	MA	830	0
10	HOFT FARM	MA	90	0

4.

```
SELECT * FROM PRESERVE
WHERE PNO < 3 OR PNO > 10
```

Table 4: 8 records

PNO	PNAME	STATE	ACRES	FEE
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
13	TATKON	MA	40	0

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
40	SOUTH FORK MADISON	MT	121	0
80	RAMSEY CANYON	AZ	380	3

5.

```
SELECT STATE, PNO, ACRES FROM PRESERVE
WHERE STATE NOT IN ('Montana', 'Arizona')
AND (ACRES < 50 OR ACRES > 800)
ORDER BY PNO DESC
```

Table 5: 7 records

STATE	PNO	ACRES
MA	13	40
MA	11	4
MA	9	830
AZ	7	49120
AZ	6	1200
MT	2	15000
MT	1	1130

6.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE 'D%'
```

Table 6: 2 records

PNAME
DANCING PRAIRIE
DAVID H. SMITH

7.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%TOWN%'
```

Table 7: 1 records

PNAME
COMERTOWN PRAIRIE

8.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%PRAIRIE'
```

Table 8: 2 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE

9.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%ING%'
```

Table 9: 1 records

PNAME
DANCING PRAIRIE

10.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%E'
```

Table 10: 2 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE

11.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%ME%'
```

Table 11: 2 records

PNAME
MIACOMET MOORS
COMERTOWN PRAIRIE

12.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%M%E%'
```

Table 12: 6 records

PNAME
HASSAYAMPA RIVER
MULESHOE RANCH
MCELWAIN-OLSEN
MIACOMET MOORS
COMERTOWN PRAIRIE
RAMSEY CANYON

13.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '_A%'
```

Table 13: 6 records

PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
TATKON
DAVID H. SMITH
RAMSEY CANYON
PAPAGONIA-SONOITA CREEK

14.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%FARM%'
      OR PNAME LIKE '%SWAMP%'
      OR PNAME LIKE '%PRAIRIE%'
```

Table 14: 4 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
HOFT FARM

15.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '%FARM%'
      OR PNAME LIKE '%SWAMP%'
      OR PNAME LIKE '%PRAIRIE%'
```

Table 15: 4 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
HOFT FARM

PNAME

16.

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%.%'
      OR PNAME LIKE '%-%'
```

Table 16: 3 records

PNAME
MCELWAIN-OLSEN
DAVID H. SMITH
PAPAGONIA-SONOITA CREEK

17.

```
SELECT PNAME FROM PRESERVE
WHERE PNAME LIKE '___R%PRAIRIE'
```

Table 17: 1 records

PNAME
COMERTOWN PRAIRIE

18.

```
SELECT * FROM EMPLOYEE
WHERE DNO IN (10, 40)
```

Table 18: 3 records

ENO	ENAME	SALARY	DNO
2000	LARRY	2000	10
4000	SEMP	500	40

ENO	ENAME	SALARY	DNO
5000	JOE	400	10

19.

```
SELECT * FROM EMPLOYEE
WHERE DNO NOT IN (10, 40)
```

Table 19: 3 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
3000	CURLY	3000	20
6000	GEORGE	9000	20

20.

```
SELECT * FROM EMPLOYEE
WHERE SALARY BETWEEN 500 AND 2000
```

Table 20: 3 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
2000	LARRY	2000	10
4000	SHEMP	500	40

21.

```
SELECT * FROM EMPLOYEE
WHERE SALARY < 500 OR SALARY > 2000
```

Table 21: 3 records

ENO	ENAME	SALARY	DNO
3000	CURLY	3000	20
5000	JOE	400	10

ENO	ENAME	SALARY	DNO
6000	GEORGE	9000	20

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-09-07 15:54:05 -03"
```