## Regression Discontinuity

INFO/STSCI/ILRST 3900: Causal Inference

28 Oct 2025

### Learning goals for today

At the end of class, you will be able to:

- 1. Explain how discontinuities can be exploited for causal identification
- 2. Understand bias variance trade-off in selecting bandwiths

# Logistics

- ► PSET 4 Peer Review due Nov 4
- ► Quiz 4 on Nov 4

► Thistlewaite and Campbell (1960) are interested in measuring causal effect of winning a scholarship

- ► Thistlewaite and Campbell (1960) are interested in measuring causal effect of winning a scholarship
- ► High school students take Scholarship Qualifying Test (SQT)

- ► Thistlewaite and Campbell (1960) are interested in measuring causal effect of winning a scholarship
- ► High school students take Scholarship Qualifying Test (SQT)
- ► Each state has a specific threshold for score

- ► Thistlewaite and Campbell (1960) are interested in measuring causal effect of winning a scholarship
- ► High school students take Scholarship Qualifying Test (SQT)
- ► Each state has a specific threshold for score
- Students who score above a state specific threshold get
   Certificate of Merit
- Students who score well, but below the threshold get letter of commendation

- ► Thistlewaite and Campbell (1960) are interested in measuring causal effect of winning a scholarship
- ► High school students take Scholarship Qualifying Test (SQT)
- ► Each state has a specific threshold for score
- Students who score above a state specific threshold get
   Certificate of Merit
- Students who score well, but below the threshold get letter of commendation
- ▶ Data contains 5,126 Certificate of Merit winners and 2,848 letters of commendation winners

► CoM winners got  $\approx 2.5x$  recognition, published in lists, etc.

- ► CoM winners got  $\approx 2.5x$  recognition, published in lists, etc.
- ▶ 6 Months after awards, survey is sent out
  - Other scholarships won
  - ► Planning to pursue PhD or MD
  - ► Attitude towards intellectualism

- ► CoM winners got  $\approx 2.5x$  recognition, published in lists, etc.
- ▶ 6 Months after awards, survey is sent out
  - Other scholarships won
  - ► Planning to pursue PhD or MD
  - ► Attitude towards intellectualism

What is the causal effect of the CoM on various attributes?

### What is the effect of a scholarship?




Fig. 2. Regression of success in winning scholarships on exposure determiner.

What is the effect of a scholarship?

SQT

 $\mathsf{CoM} \longrightarrow \mathsf{Other} \ \mathsf{Scholarships}$ 

► Conditioning on SQT score yields conditional exchangeability

- ► Conditioning on SQT score yields conditional exchangeability
- ► Try to apply previous methods:

- ► Conditioning on SQT score yields conditional exchangeability
- ► Try to apply previous methods:
  - ► Standardization:

$$\mathsf{E}(Y^{a=1}) = \sum_{s} \mathsf{E}(Y \mid \mathit{Score} = s, A = 1) P(\mathsf{Score} = s)$$
 $\mathsf{E}(Y^{a=0}) = \sum_{s} \mathsf{E}(Y \mid \mathit{Score} = s, A = 0) P(\mathsf{Score} = s)$ 

- ► Conditioning on SQT score yields conditional exchangeability
- ► Try to apply previous methods:
  - Standardization:

$$\mathsf{E}(Y^{a=1}) = \sum_{s} \mathsf{E}(Y \mid \mathit{Score} = s, A = 1) P(\mathsf{Score} = s)$$
$$\mathsf{E}(Y^{a=0}) = \sum_{s} \mathsf{E}(Y \mid \mathit{Score} = s, A = 0) P(\mathsf{Score} = s)$$

► Matching:

- ► Conditioning on SQT score yields conditional exchangeability
- ► Try to apply previous methods:
  - ► Standardization:

$$\mathsf{E}(Y^{a=1}) = \sum_{s} \mathsf{E}(Y \mid \mathit{Score} = s, A = 1) P(\mathsf{Score} = s)$$
 $\mathsf{E}(Y^{a=0}) = \sum_{s} \mathsf{E}(Y \mid \mathit{Score} = s, A = 0) P(\mathsf{Score} = s)$ 

- ► Matching: Match each person who received Certificate of Merit with a "similar" person who received Letter of Recommendation
- ▶ In both cases,  $P(CoM = 1 \mid Score) = 0$  for some scores
- ► Violates Positivity Assumption

$$P(A = a \mid L = \ell) > 0$$
 for each a and  $\ell$ 

► No overlap implies we can't directly estimate ATE without strong assumptions

- ► No overlap implies we can't directly estimate ATE without strong assumptions
- ► Let's aim for an easier target

- ► No overlap implies we can't directly estimate ATE without strong assumptions
- ► Let's aim for an easier target
- ► Average Treatment effect for individuals at the cut-off

**Local** 
$$ATE = E(Y_i^{a=1} \mid Score = c) - E(Y_i^{a=0} \mid Score = c_0)$$

▶ Does not tell us about treatment effect for everyone!

► Treatment of interest depends only on whether a **running variable** is above or below a threshold *c* 

- ► Treatment of interest depends only on whether a running variable is above or below a threshold c
  CoM only depends on above or below score threshold
- Assume  $E(Y^{a=1} \mid R = r)$  and  $E(Y^{a=0} \mid R = r)$  varies smoothly


- ► Treatment of interest depends only on whether a running variable is above or below a threshold c
  CoM only depends on above or below score threshold
- Assume E(Y<sup>a=1</sup> | R = r) and E(Y<sup>a=0</sup> | R = r) varies smoothly
  The average potential outcomes for score = 99.9 is very close to the average for score = 100.1
- ▶ Using observed data, estimate,  $E(Y \mid R = r)$  for r closer and closer to the cut-off


- ► Treatment of interest depends only on whether a running variable is above or below a threshold c
  CoM only depends on above or below score threshold
- Assume  $E(Y^{a=1} \mid R = r)$  and  $E(Y^{a=0} \mid R = r)$  varies smoothly


The average **potential outcomes** for score = 99.9 is very close to the average for score = 100.1


- ▶ Using observed data, estimate,  $E(Y \mid R = r)$  for r closer and closer to the cut-off
- ▶ Estimate local ATE E $(Y_i^{a=1} \mid R_i = c) E(Y_i^{a=0} \mid X_i = c)$  by


$$\underbrace{\lim_{X \to c^{+}} \mathsf{E}(Y \mid X = x)}_{\text{from above the cut-off}} - \underbrace{\lim_{X \to c^{-}} \mathsf{E}(Y \mid X = x)}_{\text{from below the cut-off}}$$

















#### Alternative intuition

► Within a small neighborhood of the cut-off, people are more or less the same

### Alternative intuition

- ► Within a small neighborhood of the cut-off, people are more or less the same
- ► Ending up above or below the threshold is more or less chance Scoring 100.1 vs 99.9 is essentially random

### Alternative intuition

- ➤ Within a small neighborhood of the cut-off, people are more or less the same
- ► Ending up above or below the threshold is more or less chance Scoring 100.1 vs 99.9 is essentially random
- Conditional exchangeability holds for people very close to the cut-off

### Alternative intuition

- ➤ Within a small neighborhood of the cut-off, people are more or less the same
- ► Ending up above or below the threshold is more or less chance Scoring 100.1 vs 99.9 is essentially random
- Conditional exchangeability holds for people very close to the cut-off
- Conditional exchangeability does not hold for people further from the cut-off

## Discontinuities in the wild

Discontinuities turn up in lots of places...

► Enrollment in flagship state universities may require certain test scores¹

<sup>&</sup>lt;sup>1</sup>Hoekstra (2009)

<sup>&</sup>lt;sup>2</sup>Van der Klaauw (2002)

<sup>&</sup>lt;sup>3</sup>Card, Dobkin, Maestas (2009)

## Discontinuities in the wild

Discontinuities turn up in lots of places...

- ► Enrollment in flagship state universities may require certain test scores¹
- ► Financial aid eligibility may require income being below a threshold<sup>2</sup>

<sup>&</sup>lt;sup>1</sup>Hoekstra (2009)

<sup>&</sup>lt;sup>2</sup>Van der Klaauw (2002)

<sup>&</sup>lt;sup>3</sup>Card, Dobkin, Maestas (2009)

## Discontinuities in the wild

Discontinuities turn up in lots of places...

- ► Enrollment in flagship state universities may require certain test scores¹
- ► Financial aid eligibility may require income being below a threshold<sup>2</sup>
- ► Medicare eligibility requires age to be 65+3
- ▶ ...


<sup>&</sup>lt;sup>1</sup>Hoekstra (2009)

<sup>&</sup>lt;sup>2</sup>Van der Klaauw (2002)


<sup>&</sup>lt;sup>3</sup>Card, Dobkin, Maestas (2009)

What if  $E(Y^{a=1} | X)$  is non-linear?


What if  $E(Y^{a=1} | X)$  is non-linear?



What if  $E(Y^{a=1} \mid X)$  is non-linear?




What if  $E(Y^{a=1} \mid X)$  is non-linear?




How do we choose the bandwidth?

How do we choose the bandwidth?




▶ Bias: how far off of the truth in infinite data?

How do we choose the bandwidth?



- ▶ Bias: how far off of the truth in infinite data?
- ► Variance: how much would my estimate change in new sample?

How do we choose the bandwidth?



- ▶ Bias: how far off of the truth in infinite data?
- ► Variance: how much would my estimate change in new sample?
- Roughly speaking, bandwidth should be smaller when your data set is larger

# Regression discontinuity

#### Pros:

► Very few assumptions required

# Regression discontinuity

#### Pros:

- Very few assumptions required
- ► Plausible in many real applications

#### Cons:

- ► Can only estimate local ATE, does not generalize well
- Results depend on picking a bandwidth

# Learning goals for today

At the end of class, you will be able to:

- 1. Explain how discontinuities can be exploited for causal identification
- 2. Understand bias variance trade-off in selecting bandwiths