

SECTION –IV
KEYSPECIFICATIONS(CONTD....)

Item Number	Item Title	Item Description	Consignee
1	Locker Bed Side Steel FD-1029	Over all size shall be 760mm long, 600 mm wide and 1100 mm high. 02 numbers base channel of 100 mm hight made of mild steel sheet shall be welded at 50mm from each end of 760 mm length.Steel sheet shall be 1 mm thick. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
2	Bath Mat PVC FD/E6/MAP/07	Over all size 400 mm long 300 mm wide and 250 mm high. 4 nos arc shaped legs of size 10 mm x 100 at corners and one leg of 25 mm dia in center shall be provided. PVC sheet thickness shall be 5 mm. Size of stiffener shall be 3mm x 10 mm. Rest all as per drg.	GE JHANSI
3	Hat stand with mirror FD 233	Over all size shall be 1000 mm long and 710 mm high. 4mm thick teak plywood of size 100mmx 710 mm shall be provided in front and 4 mm thick commercial ply of same size shall be provided to the back of frame. 5 mm thick mirror of size 300mm x 440 mm shall be provided. Brass pegs of size 120mm x 75mm shall be fixed with screw. All wood work shall be teak wood. All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
4	Receptical PVC 20 ltr FD/E6/MAP/13	The body of receptacle PVC shall be made up of thick polymer plastic .It shall be of capacity 20 liters, provided with lid and handle as shown in drg.	GE JHANSI
5	Charpoy MS Tubing with Plywood Top FD/MAP-II/01	Over all size shall be 1980 mm long x 900 mm wide x 440mm high. Frame and leg shall be made of 32mm x 32mm x 16 guage MS tube. 03 Nos stiffeners of 25mm x 25 mm x18 guage shall be provided hoewever only 02 Nos stiffeners have shown on drawing. Top shall be made of 12 mm thick BWR grade plywood. All exposed steel surface shall be painted with two coat of black coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
6	Chair dining JCO/OR FD/MAP-II/05	Over all size shall be 440mm long in front side and 405 mm in rear side, 430mm wide and 890mm high. All wood shall be teak wood. Leg shall be made of 55 x 30 mm section teak wood.seat shall be made of 4 mm thick PVC Sheet.All exposed wooden surface shall be french polished. Rest all as per drg.	GE JHANSI
7	Chair Easy FD 229	Over all size shall be 575 mm long 510 mm wide and 740 mm high.All wood shall be teak wood. Canning shall be done as per Godrej pattern with 2 mm wide and 0.40 mm thick half round cane.All exposed wooden surface shall be french polished. Rest all as per drg.	GE JHANSI
8	Table dinning 1200x900 mm FD/MAP-II/03	Over all size shall be 1200mm long 900 mm wide and 760 mm high. Leg shall be 75mm x40mm in section. 5mm x 5mm in dection groove shall be provided at the visible portion of top of legs.8 Nos wooden corners shall be provided to joining legs with top rail even not shown on drg as directed by engineer in charge. All wood shall be teak wood.Top of table shall be 18/19 mm thick exterior grade postforming MDF board of color to be approved by Engr-in-charge.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI

SECTION –IV**KEYSPECIFICATIONS(CONTD....)**

9	Table Dressing with mirror (gents) FD/E6/MAP/16	Over all size 1650 mm high 600 mm wide and 100 mm deep. Cabinet size shall be 1200 mm x 600 mm x 100mm. Side bottom and top of cabinet shall be made of 18/19 mm thick exterior grade particle board. Back and base of mirror shall be made of 12 mm thick plywood.02 nos legs of size 450mm x 38mm x 38 mm shall be provided including brackets of size 38 mm x 112 mm x 112mm .All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
10	Table Peg FD-277	Over all size shall be 450mm long 300 mm wide and 380 mm high. Leg shall be 50mm x30mm in section. 5mm x 5mm in dection groove shall be provided at the visible portion of top of legs. H type stiffener of size 20 mm x 50mm shall be provided even not shown on drg. All wood shall be teak wood.Top of table shall be 18/19 mm thick exterior grade postforming MDF board of color to be approved by Engr-in-charge.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
11	Table centre glass top FD-375	Over all size shall be 970 mm long x 680mm wide x 1220 mm high.Frame shall be made of 1.6 mm thick 75mm x 50 mm MS tube. Top shall be made of 18/19 mm thick exterior grade MDF board. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
12	Desk stand lecture FD-1022	Over all size shall be 970 mm long x 680mm wide x 1220 mm high.Frame shall be made of 1.6 mm thick 75mm x 50 mm MS tube. Top shall be made of 18/19 mm thick exterior grade MDF board. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
13	Table restaurant	Cafeteria table 6 seater - 1500x1500x750 with table of size 1500x600x750 mm and bench of size 1500x300x450 mm. Model No-Radiance-04 of Methodex or equivalent.	
14	Almirah Wooden Spl	Almirah wooden of dimensions 900W x 1800H x 450D mm with glass door. Model No- WST-11 of Methodex or equivalent.	GE JHANSI
15	Teapoy FD-278	Over all size shall be 600mm long 450 mm wide and 540 mm high. Leg shall be 60mm x30mm in section. 5mm x 5mm in dection groove shall be provided at the visible portion of top of legs. H type stiffener of size 20 mm x 50mm shall be provided even not shown on drg. All wood shall be teak wood.Top of table shall be 18/19 mm thick exterior grade postforming MDF board of color to be approved by Engr-in-charge.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
16	Table writing FD 275	Over all size shall be 1145mm long 600 mm wide and 760 mm high. Leg shall be 55mm x35mm in section. 5mm x 5mm in dection groove shall be provided at the visible portion of top of legs. Shutter of cabinet shall be fixed with piano type continuous hinges.All wood shall be teak wood.Top of the table shall be approved colour 18/19 mm thick exterior grade Postforming prelaminated MDF board. All exposed surface shall be melamine polished. Rest all as per drg.	GE JHANSI
17	Chair without arms TP	Chair with SS frame, seat and back leatherite. Model No-ESC/CAF/86 of Royal koas or equivalent.	GE JHANSI
18	Table Bed side FD/E6/MAP-II/15(R)	Over all size shall be 450 mm x 450 mm x 600 mm. Whole body and drawer shall be made of 18/19 mm thick exterior grade post forming MDF board. Frame shall be made of 18 mm x 18 mm square mild steel 18 gauge tube. The drawers shall run on powder coated 1.6mm thick telescopic channels. All exposed steel surface shall be painted with black coloured powder coated paint. Rest all as per drg.	GE JHANSI

SECTION –IV

KEYSPECIFICATIONS(CONTD....)

19	Conversion of charpoy Newar to Ply Top FD-220	Removing of unserviceable nylon newar from Charpoy GI Pipe tightening of loose components of (ie. Complete charpoy) S&F plywood 12mm thick BWR Grade ISI marked confirming to IS-303 of required size (out of 7'x3') mild steel galvanized iron nuts and bolts of required size and suitable length. S&F three stiffener made out of flat iron 900x50x5mm duly painted with two coat of black colour synthetic enamel paint of 1st quality over a coat of red oxide primer to be fixed over the long rails of drilling holes in flat iron and long rail by 01 No semicircular top bolts of 6mm diax75mm long for every stiffener and every side total 02 Nos for every stiffener, 01 No semi circular to bolts of 6mm diax50mm long shall be fixed on middle of the every stiffener to fix the plytop total 10 Nos nut and bolts with semi circular top of 6mm diax75mm long and 03 Nos nut and bolts with semi circular top of 6mmdiax50mm long with steel washers to be used for fixing of plywood top all as specified and as directed by Engr-in- Charge , Drawing No FD-220.Make of Ply :- Greenply/ Century/ Duro	GE JHANSI
20	Supply and Fix Long Rail FD-220	Removing existing old and unserviceable long rail from charpoy GI pipe and supply and fix new long rail of GI Pipe 32 mm bore medium grade ISI marked threaded at both end fixed in position complete all as directed and shown on drawing. Drawing No : FD-220	GE JHANSI
21	Conversion of Long Rail to Short Rail	Removing existing old and unserviceable short rail of charpoy GI and fabrication and fixing of short rail by cutting and converting from long rail obtained here in before threading both end complete all as shoiwn on drawing and as directed Engr-in-Charge. Drawing No : FD-220	GE JHANSI
22	Conversion of Short Rail to Leg	Removing existing old and unserviceable legs from charpoy GI pipe and fabrication and fixing of legs by cutting and converting from short rails as obtained here in before cutting and threading at one end and supply and fixing MS plate 3 mm thick, 40 mm dia by welding at other and of legs including provision of two parallel MS clamps made of 25x3 mm flat iron duly welded from MNF set fixed in position and painted with two coats of synthetic enamel paint black over coat of red oxide primer complete. Drawing No : FD-220	GE JHANSI
23	Supply and fix GI Check nut	Removing existing old unserviceable GI check nut from the frame of charpoy GI 32mm bore and supplying and fixing of new check nut, fixed in position all as shown in drg and as directed. Drawing No : FD-220	GE JHANSI
24	Supply and fix GI Elbow	Removing existing unserviceable GI elbow 32mm dia from the frame of GI charpoy and supply & fixing of new Elbow GI 32mm ISI Marked and fixed in position all as shown in drg as directed. Drawing No : FD-220	GE JHANSI
25	Rack side steel with tray 4 space FD 1023	Over all size shall be 1120mm long 355 mm wide and 810 mm high. 04 Nos mild steel angle iron of size 40mm x 40 mm x 3mm shall be provided as legs and shall be 810 mm high. Top shelf shall have 4 compartments of equally spaced with 50 mm high partition and back covered with 1 mm thick MS steel sheet. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
26	Stool Steel 760mm FD 81	Over all size shall be 305mm wide x 305mm long x 760 mm high.Stool shall be made out of 1 mm thick MS sheet. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
27	Table office offrs Steel FD 1003	Over all size shall be 1680mm long 870 mm wide and 760 mm high. Steel frame shall be 1600 mm x 565 mm x 742mm. three equal sized drawer on right side and a cupboard with front openable door on left hand side of table shall be provided. Top of legs shall be joined together with U shaped frame of 25mm x 40 mm sized 1 mm theek sheet.Top of table shall be 18/19 mm thick exterior grade prelaminated particle board of teak face shade. All exposed steel	GE JHANSI

SECTION –IV**KEYSPECIFICATIONS(CONTD....)**

		surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	
28	Rack pigeon hole steel FD-1037	Over all size shall be 915mm longx 610 mm wide x 1905mm long.Angle iron of size 40mm x 40mm x 3mm shall be provided in all four corners.Top, side,shelves and back shall be made of 1 mm thick MS sheet.All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
29	Table office clerk steel FD-1004	Over all size shall be 1200mm long 610 mm wide and 760 mm high. Steel frame shall be 1160 mm x 570 mm x 742mm made of 1.6 mm thick 25 mm square mild steel tube. three drawer of equal shall be provided. Size of drawer shall be 350mm wide 430 mm high and 410 mm deep.Top of table shall be 18/19 mm thick exterior grade prelaminated particle board of teak face shade. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
30	Almirah Map steel FD-1030	over all size shall be 1140 mm wide x 760 mm deep x 1270 mm high. Top side back and shelves of the almirah map shall be made of 1 mm thick MS sheet. 05 Nos drawers each high 150 mm shall be provided as per drg. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
31	Bed hard FD/E6/MAP/08R	Overall size shall be of 2050X900 on plan with foot rest height of 500 & head rest of height 800mm.Long rail and short rail shall be 25X65mm box section of 16 guage. Frame of foot and head rest shall be 18 mm x 18mm box section of 16 guage.Top of the bed shall be 12 mm thick BWR commercial plywood duly ISI marked. 4 Nos stiffener shall be 25mm x 25mm box section in 16 guage.All exposed steel surface shall be painted with two coat of black coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
32	Table steel 900x900x760 mm FD-1009	Over all size shall be 900mm long 900 mm wide and 760 mm high. Steel frame shall be 800 mm x 800 mm x 742mm made of 1.6 mm thick 25 mm square mild steel tube.Top of table shall be 18/19 mm thick exterior grade prelaminated particle board of teak face shade. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
33	Foam with out back FD-1027	Over all size shall be 1900 mm long x 300 mm wide x 450 mm high. Frame shall be made of 1.6 mm thick 25 mm suare MS tube.All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
34	Table cook house FD-1019	Over all size shall be900 mm long 540 mm wide x 840 mm high.Steel frame shall be made of 1.6 mm thick 25 mm square MS tube of size 850mm x 490 mm x 815mm.10 mm long lug 4 in number shall be welded at the top of the frame to fix the 25 mm thick stone top. Top of the table shall be made of 25mm thick polished kota stone slab duly round edges. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
35	Bench Workshop type 'A' (1800x900x760mm) FD-1024	Over all size shall be 1800 mm long 900 mm wide and 760 mm heigh. Legs shall be made of 1.6 mm thick 32 mm MS squre pipe. Frame shall be 1700mm x 800mm x 720mm.A drawer shall be provided in right hand side of the table with locking arrangement. Top of the table shall be made of 40 mm thick SAL wood plank not less than 150 mm wide and joint together with flush joint.space.All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
36	Foam with back FD-78	Over all size shall be 1800mm long 510 mm wide and 900mm high. Steel frame shall be made of 1.6 mm thick 25 mm square MS pipe.Wooden seat shall be teak wood in one piece and of size 1800 mm long x 255 mm wide x 25mm thick. Wooden back shall be teak wood in one piece and of size 1800 mm lond x 150 mm wide x 19 mm thick.All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI

SECTION –IV**KEYSPECIFICATIONS(CONTD....)**

37	Safe meat and milk FD-370	Over all size shall be 5300mm long x 840 mm high. Top shall be made of 25 mm thick polished Kota stone duly round edges. Side front and back shall be made of 19 mm thick exterior grade prelaminated partical board in teak finish.Legs shall be made of teak wood of size 45mmx45mm at the top and 30mm x 30mm at the bottom. 12 mesh 20 guage wire mesh shall be fixed in sides and all three front shutters.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
38	Hot case FD-364	Over all size shall be 1350mm long x 540 mmm wide x 1140 mm high. Legs shall be 45mm x 45mm section at top and 30 mm x 30 mm section at bottom. Side back and front shutter shall be made of 18 mm thick exterior grade prelaminated particle board. Top shall be made of 25 mm thick polished kota stone sleb. All wood shall be teak. All exposed wooden surface shall be french polished. Rest all as per drg.	GE JHANSI
39	Table Draftsman FD- 1016	Over all size shall be 1650 mm long x 800mm wide x 900 mm high. Frame of the table shall be of size 1470mm long x 740mm wide x 882mm high of 1.6 mm thick 25 mm square MS tube.Top of table shall be 18/19 mm thick exterior grade prelaminated MDF board of teak face shade. All exposed steel surface shall be painted with two coat of light grey coloured enamel paint over a coat of primer. Rest all as per drg.	GE JHANSI
40	Board Notice 8 feet x 4 feet FD-99	Over all size shall be 1830 mm long 1220 mm high. Side bottom and top shall be made of teak wood.Green baize cloth shall be fixed on 12 mm thick soft board fixed on 6 mm thick commercial ply wood irrespective of what shown on drg.All wood shall be first class hard teak wood. All exposed wooden surface shall be french polished. Rest all as per drg.	GE JHANSI
41	Sofa set 5 Seater FD-281	The set shall be consist of two single seat and one three seat.Legs and arms shall be 70mm x 35 mm in section.Front and side rails shall be 35mm x 100 mm teek wood. 40mm x 40mm wooden bearer shall be provided at the bottom of seat over which 50 mm x 20 mm wooden batten (21 numbers for three seat and 7 numbers for single seat sofa) shall be fixed.50mm x 20 mm wooden batten ((14 numbers for three seat and 4 numbers for single seat sofa) shall be provided at the back of sofa.Foam cushion of 32 density of size 530mm x 500mm x100mm duly upholstered with tepastry cloth as approved by GE not less than 350/- per RM shall be provided.All wood shall be teak wood.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
42	Table Centre FD- 274	Over all size shall be 900 mm long x 450 mm wide x 400 mm high.Legs shall be 60mm x 30 mm in section.5mm x5mm in section groove shall be provided in the visible portion of top of leg.Side rail shall be 50mm x20 mm in section. Top of the table shall be 18/19 mm thick exterior grade prelaminated particle board. All wood shall be teak.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
43	Chair Draftsman FD-3	Over all size shall be 470 mm widein front side and 405 mm in rear side, 495 mm deep and 1040 mm high. seat hight shall be 635mm . All wood shall be teak wood. Canning shall be done as per Godrej pattern with 2 mm wide and 0.40 mm thick half round cane.All exposed wooden surface shall be french polished. Rest all as per drg.	GE JHANSI
44	Table dining 6 pers FD-273	Over all size shall be 1500mm long 900 mm wide and 760 mm high. Leg shall be 75mm x40mm in section. 5mm x 5mm in detection groove shall be provided at the visible portion of top of legs.8 Nos wooden corners shall be provided to joining legs with top rail even not shown on drg as directed by engineer in charge. All wood shall be teak wood.Top of table shall be 18/19 mm thick exterior grade prelaminated particle board of teak face shade.All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI
45	Chair Writing FD- 280	Over all size shall be 535mm long in front side and 470 mm in rear side, 470mm wide and 890mm high. All wood shall be teak wood. Canning shall be done as per Godrej pattern with 2 mm wide and 0.40 mm thick half round cane.All exposed wooden surface shall be french polished. Rest all as per drg.	GE JHANSI
46	Table 900x600x760mm without drawer FD- 284	Over all size shall be 900mm long 600 mm wide and 760 mm high. Top of table shall be 18/19 mm thick exterior grade prelaminated particle board of teak face shade. All wood shall be teak wood. All exposed surface shall be french polished. Rest all as per drg.	GE JHANSI

SECTION –IV

KEYSPECIFICATIONS(CONTD....)

47	Carpet Woollen 3Mx2M TP	Carpet of size 3 x 2 mtr' thickness should not be less than 10mm. Made of Khadi Bhandar or superior in quality as approved by GE and rate should not be less than Rs 8000/-	GE JHANSI
48	White board TP	Over all size shall be 1200 mm x 900mm. Board shall be both side white laminated sheet and bounded with all around aluminium frame with hanging provision. Make - Elkosine or eqvut	GE JHANSI
49	Rack for 20 rifles (10 rifles in each side) TP	Rack for 20 rifles having locking arrangement with Ammunition box made of SS sheet and suitable for fixing on ground. Model No: 20 Rifle of Army stores or eqvt.	GE JHANSI
50	Pointer Telescopic aluminium 1 to 2 Mtr Long TP	Pointer telescopic aluminium closed length 1 Mtr and extended length upto 2 mtr. Make - Nova or equivalent	GE JHANSI

SECTION-V

Ser No.	Description of Item	Ref Drawing No.
1	Locker Bed Side Steel FD-1029	FD-1029
2	Bath Mat PVC FD/E6/MAP/07	FD/E6/MAP/07
3	Hat stand with mirror FD 233	FD 233
4	Receptical PVC 20 ltr FD/E6/MAP/13	FD/E6/MAP/13
5	Charpoy MS Tubing with Plywood Top FD/MAP-II/01	FD/MAP-II/01
6	Chair dining JCO/OR FD/MAP-II/05	FD/MAP-II/05
7	Chair Easy FD 229	FD 229
8	Table dinning 1200x900 mm FD/MAP-II/03	FD/MAP-II/03
9	Table Dressing with mirror (gents) FD/E6/MAP/16	FD/E6/MAP/16
10	Table Peg FD-277	FD-277
11	Table centre glass top FD-375	FD-375
12	Desk stand lecture FD-1022	FD-1022
13	Table restaurant	TP
14	Almirah Wooden Spl	TP
15	Teapoy FD-278	FD-278
16	Table writing FD 275	FD 275
17	Chair without arms TP	TP
18	Table Bed side FD/E6/MAP-II/15(R)	FD/E6/MAP-II/15(R)
19	Conversion of charpoy Newar to Ply Top FD-220	FD-220
20	Supply and Fix Long Rail FD-220	FD-220
21	Conversion of Long Rail to Short Rail	FD
22	Conversion of Short Rail to Leg	FD
23	Supply and fix GI Check nut	FD
24	Supply and fix GI Elbow	FD
25	Rack side steel with tray 4 space FD 1023	FD 1023
26	Stool Steel 760mm FD 81	FD 81
27	Table office offrs Steel FD 1003	FD 1003
28	Rack pigeon hole steel FD-1037	FD-1037
29	Table office clerk steel FD-1004	FD-1004
30	Almirah Map steel FD-1030	FD-1030
31	Bed hard FD/E6/MAP/08R	FD/E6/MAP/08R
32	Table steel 900x900x760 mm FD-1009	FD-1009
33	Foam with out back FD-1027	FD-1027
34	Table cook house FD-1019	FD-1019
35	Bench Workshop type 'A' (1800x900x760mm) FD-1024	FD-1024
36	Foam with back FD-78	FD-78
37	Safe meat and milk FD-370	FD-370
38	Hot case FD-364	FD-364
39	Table Draftsman FD- 1016	FD- 1016
40	Board Notice 8 feet x 4 feet FD-99	FD-99
41	Sofa set 5 Seater FD-281	FD-281
42	Table Centre FD-274	FD-274
43	Chair Draftsman FD-3	FD-3
44	Table dining 6 pers FD-273	FD-273
45	Chair Writing FD-280	FD-280
46	Table 900x600x760mm without drawer FD-284	FD-284
47	Carpet Woollen 3Mx2M TP ¹⁷	TP
48	White board TP	TP
49	Rack for 20 rifles (10 rifles in each side) TP	TP
50	Pointer Telescopic aluminium 1 to 2 Mtr Long TP	TP