

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	18-06-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	18-06-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	gautamd58-cgo@gov.in
कुल मात्रा/Total Quantity	5884
	Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (Q2) , Ceiling rose - IS 371 (Q3) , Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (Q3) , Electric Bells and Accessories as per IS 2268 (Q3) , Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II) (Q2) , Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1) (Q2) , Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (Q2) , LED Batten Light (LED Tube Light) (V2) (Q2) , LED Bulkhead Light (Q3) , LED Garden Light (V2) (Q2) , LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II) (Q2) , Supply and Fixing socket combination flush type multipurpose 2 by 3 pin 5 amps 2 in 1, 230 Volts all as specified. , Supply and Fixing switch socket combination flush type multipurpose 2 by 3 pin 5 amps 2 in 1 230 Volts complete all as specified and directed. , Supply and Fixing of switch socket combination 2 in 1 multipurpose 3 by 5 pin 5 by 15 amps flush type complete all as specified , Supply and Fixing lamp holder insulated body surface bakelite with back plate suitable for angle by batten fittings fixed with PVC round by square blocks complete all as specified and directed. , Supply and Fixing in repair switch socket combination flush type multipurpose 2 by 3 pin 5 by 15 amps 2 in 1, 230 volts , Supply and Fixing in repair switch socket combination 2 in 1 multipurpose 3 by 5 pin 5 by 15 amps flush type , Supply and Fixing in repair lamp holder insulated body surface bakelite with back plate suitable for angle by batten fittings fixed with wooden round blocks , Supply and Fixing new

विड विवरण/Bid Details	energy saving rechargeable LED bulb 9 Watt, Base-22, 240 V, CCT-6500K polycarbonate body. Lamp life 15000 Working Hours complete all as specified and directed , Supply and Fixing sheet metal enclosure for VT DB TPN, MCB DB TFN 4 way with provision for MCCB as INCOMER and MCB as out going, , Supply and Fixing of sheet metal enclosure for MCB, DB, TPN 415 Velts, IP-43, 100 amps rated copper busbar 4 way Double door , Supply and Fixing of sheet metal enclosure for MCB, DB, SPN, 240 Volts, 100 Amps rated busbar, Confirming to IS as per IEC 61439-3, 8 way Double door , Supply and Fixing of sheet metal enclosure for MCB, DB, SPN, 240 Volts, 100 Amps rated busbar, Confirming to IS as per IEC 61439-3, 4 way Double door , Supply and fixing in repair sheet metal enclosures triple pole and earth plug with socket, as per IEC 61439 3 complete with one four pole MCB of capacity 63 A 3P plus N plus E FP, 415 V , Supply and Fixing for Sub main wiring with Four run of single core 3 phase PVC insulated unsheathed cable 1100 volts grade, 6.0 Sqmm , All as per Item No 47 of BoQ Spec file here in before but of size 6 Sqmm 3 core for single phase phase, Neutral and Earth. 2 x 6.0 sqmm plus 1 x 6.0 Sqmm earth wire , All as per Item No 47 of BoQ Spec file here in before but of size 4 Sqmm 3 core for single phase phase, Neutral and Earth. 2 x 4.0 samm plus 1 x 4.0 Sqmm earth wire , All as per Item No 47 of BoQ Spec file here in before but of size 10 Sqmm 5 core for three phase, Neutral and Earth. 4 x 10.0 sqmm plsu 1x 10.0 Sqmm earth wire , Supply and fixing in repair Ultra bright LED tube rod18 Watt G-13 Lamp Holder 240 V, PF 0.90, colour Temp 6500K , Supply and Fixing Energy saving new generation environmental friendly long life IP66 security light fitting high power LEDs as light source and electronic driver of capacity 25 watts , Supply and fix Round highway LED light 100 watt operational voltage of 170 volts to 270 volts, frequency of 50 Hz, lumen efficacy of minimum 100 lumens per watt , Supply and fix of LED Aviation Obstruction light Red Colour incl taking out old uis fitting , Supply and Fixing in repair hylam sheet 3 mm thick white in colour of size 130 mm x 180 mm including taking down existing unserviceable complete all as specified and directed , Supply and Fixing in repair hylam sheet 3 mm thick white in colour of size 120 mm x 170 mm including taking down. existing unserviceable complete all as specified and directed , Supply and Fixing in repair hylam sheet 3 mm thick white in colour of size 230 mm x 280 mm including taking down existing unserviceable complete all as specified and directed. , Supply and Fixing in repair hylam sheet 3 mm thick white in colour round type of size 80 mm dia including taking down existing unserviceable complete all as specified and directed , Supply and Fixing in repair modular switch 1 way 6A, 1 Module complete all as specified and directed , Supply and Fixing in repair modular switch 1 way 16A, 1 Module complete all as specified and directed , Supply and Fixing in repair modular bell switch 1 way, 1 Module complete all as specified and directed , Supply and Fixing in repair modular socket 6A 2 by 3 Pin combined -2 module , Supply and Fixing in repair modular switch socket combination 16A, 6 Pin combined -3 module , Supply and fixing in repair of stepped type Modular electronic fan regulator 1-module, 100 watt flush type, , Supply and Fixing in repair Modular metal flush box of 1 by 2 module with white cover plate including make good to match with existing surface complete all as specified and directed by EIC , Supply and Fixing in repair Modular metal flush box of 3 module with white cover plate including make
-----------------------	---

विड विवरण / Bid Details	good to match with existing surface complete all as specified and directed by EIC , Supply and Fixing in repair
वस्तु श्रेणी /Item Category	Modular metal flush box of 4 module with white cover plate including , Supply and Fixing in repair Modular metal flush box of 6 module with white cover plate , Material and labour for earthing complete with galvanized steel plate electrodes of size 600x600x6mm thick , Supply and Fixing of LED wall light Bed side light fitting for study table including 3 watt LED, aluminium body, , Supply only inner container SS or as per sample suitable for vertical type geyser 50 ltrs storage capacity , Supply only inner container SS or as per sample suitable for vertical type geyser 25 ltrs storage capacity , Supply only in repair Thermostat 0-75 Degree as per exiting size as per OEMs specifications complete all as specified and directed , Supply only in repair Heating clement 1.5 KW, as per OEMs specifications all as specified and directed , Supply only in repair Heating element 2 KW, as per OEMs specifications all as specified and directed , Supply only Indicator lamp with flexibe copper wire of suitable size Red by Green , Supply and fixing PVC Connection with steel reinforced pipe for hot water connection of Size 18 inches x 1 by 2 inches , Supply only Apperture plate SS suitable for 25 by 50 ltrs geyser along with rubber gasket, nuts, bolts, etc , Supply and fixing in repairs plug top 15 by 16 Amps suitable for geyser socket outlet complete all as specified and as directed , Supply and Fixing in repair stop valve but fancy type, chromium plated, screwed down CP of size 15 mm fancy type complete all as specified and directed. , Supply and Fixing in repair bib taps, cast copper alloy with butterfly handle, screwed down, screwed for iron pipe , Supply and Fixing of solar collector plate panel as per existing size, specification and make of capacity upto 200 LPD , Supply and Fixing of solar water heater tank as per existing size, specification and make of capacity upto 300 LPD , Supply and Fixing of CIMFR certified LED flame proof batten suitable for single T8 tube of 20 Watt, IP 65 protected , Supply and Fixing CIMFR certified LED flame proof bay light, 60 watt, Well glass in die cast Al housing with heat resistant toughened glass, IP 65 protected. 240 Volt, , Supply and Fixing of Flame proof weather proof rotary switch with cable termination box in LM 6 aluminium allcy housing single Pole 16 Amp, 250 volts , Supply and Fixing of Flame proof-weather proof switch socket and plug combined 16 A, 250 V 2P plus Earth , Supply and Fixing of Flame proof weather proof switch socket and plug combined 32 A, 500 V 4P plus Earth , Supply and Fixing of flame proof weather proof metallic hose conduit 3 by 4 inches dia, M20 by 3 by 4 inches conduit MxM by FM x M by Fx F 3 by 4 inches dia 300 mm long , Supply and Fixing of flame proof weather proof metallic hose conduit 3 by 4 inches dia, M20 by 3 by 4 inches conduit MxM by FMxMFxF 3 by 4 inches dia 500 mm long , Taking down copper by aluminium point wiring light, fan, socket or power complete, including fixture and fittings , Supply and Fixing for concealed conduit for one light point wiring with 1.5 Sqmm nominal cross-sectional area PVC insulated unsheathed single core copper cable working voltage 1100 volts grade , Supply and Fixing for concealed conduit for one light point wiring with 1.5 Sqmm PVC single core cable for one Ceiling Fan by exhaust fan point controlled by one, one way switch and regulator , Supply and Fixing for concealed conduit for one light point wiring 1.5 Sqmm PVC single core cable for one 3 point 5 Amps switch socket outlet point controlled by one switch on the same board. , Supply and Fixing for concealed conduit for

विड विवरण/Bid Details	one light point wiring with 1.5 Sqmm PVC single core cable for one 3 pin 5 Amps switch socket outlet point controlled by one switch on independent board. , Supply and Fixing for concealed conduit for one light point wiring with 1.5 Sqmm PVC unsheathed single core cable working for one bell point controlled by one, bell switch 5 Amps , Supply and Fixing for concealed conduit for one light point wiring with 2.5 Sqmm PVC unsheathed single core cable working for for 5 BY 15 amps switch socket cobmination point. , Supply and Fixing for concealed conduit for one light point wiring with 4.0 Sqmm PVC unsheathed single core cable working for power point metal plug earth socket , Supply and Fixing of point wiring using approved colour coding as per IS by using FRLS PVC 1.5 Sqmm copper cable for fixing switches, sockets, regularors, for 1 light point controlled by 1 switch , Supply and Fixing of point wiring using approved colour coding by FRLS PVC insulated 1.5 Sqmm copper cable for one Ceiling Fan by exhaust fan point controlled by , one way switch and regulator , Supply and Fixing of point wiring using approved colour coding by using FRLS PVC 1.5 Sqmm copper cable for one 3 pin 5 Amps switch socket outlet point controlled by 1 switch on independent board , Supply and Fixing of point wiring using approved colour coding by using FRLS PVC 1.5 Sqmm copper cable for one 3 pin 5 Amps switch socket outlet point controlled by 1 switch on independent board. , Supply and Fixing of wiring using approved colour coding as per IS by using FRLS PVC 1.5 Sqmm copper cable for 1 bell point controlled by 1, bell switch 5 Amps , Supply and Fixing of point wiring using approved colour coding by using FRLS PVC 2.5 Sqmm copper cable for for 5 by 15 amps switch socket cobmination point , Supply and Fixing of point wiring using approved colour coding as per IS by using FRLS PVC insulated 4.0 Sqmm copper conductor cable for power point metal plug earth socket , Supply and Fixing Sheet metal enclosure with Single pole and neutral enclosure with a two pin and earth plug and socket complete with one two pole MCB 20 Amo, 10 KA , Supply and Fixing in repair Sheet metal enclosure with Single pole and neutral enclosure with a two pin and earth plug and socket , Taking down the existing unserviceable main switch by cut out DBs of any type by capacity by description , Taking down the existing unservicable sub main wiring of any type by description as existing at site including making good the disturbed surfaces to match with the existing finishes all as specified. , Attending complaints of Geyser of any capacity any type from exiting position for checking of heating element, thermostat, and all accessories incl electrical connection etc , Material and Labour for dismantling Geyser of any capacity any type from exiting position for descaling, removing its accessories removing the scale , Material and Labour for complete servicing of solar hot water system solar water heater, fiate plate collector type, with cleaning of sluge deposited in pipe line of solar pannel , Supply and Fixing in repair for replacement of thermostate, long body, ISI marked of solar water heater of cap up to 200 LPD , Supply and Fixing in repair for replacement of electrical heating element of 1.5 by 2.0 KW ISI marked long thread type, as per existing , Supply and Fixing for replacement in repair hot water pipe insulation with glass wool and aluminium cladding 20 mm bore , Supply and Fixing for replacement in repair hot water pipe insulation with glass wool and aluminium cladding 40 mm bore
	Taking down copper/aluminium point wiring (light, fan, socket or power), M&L concealed conduit for one light point wiring with 1.5 Sqmm cable, M&L concealed conduit for one Ceiling Fan/exhaust fan point , 1.5 CABLE, M&L concealed

विड विवरण / Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	conduit for one 3 pin 5 Amps switch socket outlet on same board, M&L concealed conduit for one 3 pin 5 Amps switch socket outlet, M&L concealed conduit for one bell point controlled by one, bell switch 5 Amps, M&L concealed conduit for one 5/15 amps switch socket combination point., M&L concealed conduit for one power point metal plug earth socket, M&L point wiring 1.5 Sqmm for one light point controlled by one switch, M&L point wiring 1.5 Sqmm for one Ceiling Fan / exhaust fan, M&L point wiring 1.5 Sqmm for one 3 pin 5 Amps switch socket outlet, M&L point wiring 1.5 Sqmm for one 3 pin 5 Amps switch socket outlet, M&L point wiring 1.5 Sqmm for one bell point, M&L Point wiring 2.5 sqmm for 5/15 amps switch SSC, M&L Point wiring for power point metal plug earth socket, S&F socket combination flush type multipurpose 2/3 pin 5 amps 2 in 1, S&F switch socket combination flush type multipurpose 2/3 pin 5 amps 2 in 1, S&F switch socket combination 2 in 1 multipurpose 3/5 pin 5/15 amps, S&F lamp holder insulated body surface bakelite with back plate, S&F switch socket combination flush type multipurpose 2/3 pin 5/15 amps, S&F switch socket combination 2 in 1 multipurpose 3/5 pin 5/15 amps, S&F lamp holder insulated body surface bakelite with back plate, S&F new energy saving rechargeable LED bulb 9 Watt, M&L SPN enclosure with a two pin and earth plug and socket ,MCB 20 A, M&L in repair SPN enclosure with a two pin and earth plug and socket ,MCB 20 A, Taking down the existing unserviceable main switch/ cut out DBs of any type, S&F sheet metal enclosure for VT DB TPN, MCB DB TFN 4 way, S&F sheet metal enclosure for MCB, DB, TPN 415 Volts, IP-43 , 4way, S&F sheet metal enclosure for MCB, DB, SPN, 240 Volts,8 way, S&F sheet metal enclosure for MCB, DB, SPN, 240 Volts,4 way, S&F in repair sheet metal enclosures TP and earth plug with socket, 63 A, Taking down the existing unservicable sub main wiring of any type, S&F Sub main wiring with Four run of single core (3 phase) PVC cable 6.0 Sqmm, S&F Sub main wiring of size 6 sqmm 3 core, S&F Sub main wiring of size 4 sqmm 3 core, S&F Sub main wiring of size 10 sqmm 5 core, Supply & fixing in repair Ultra bright LED tube rod18 Watt, S&F IP66 security light fitting luminaire with high power capacity 25 watt, S&F Round highway LED light 100 watt operational voltage of 170 to 270 v, S&F of LED Aviation Obstruction light (Red Colour), S&F of hylam sheet 3 mm thick white in colour of size 130 mm x 180 mm, S&F of hylam sheet 3 mm thick white in colour of size 120 mm x 170 mm, S&F of hylam sheet 3 mm thick white in colour of size 230 mm x 280 mm, S&F of hylam sheet 3 mm thick white in colour round type of size 80 mm, S&F of modular switch 1 way 6A, 1 Module, S&F of modular switch 1 way 16A, 1 Module, S&F of modular bell switch 1 way, 1 Module, S&F of modular socket 6A 2/3 Pin combined -2 module, S&F of modular switch socket combination 16A, 6 Pin combined, S&F of stepped type Modular electronic fan regulator 1-module, 100 watt, S&F in repair Modular metal flush box of 1/2 module with white cover plate, S&F of Modular metal flush box of 3 module with white cover plate, S&F of Modular metal flush box of 4 module with white cover plate , S&F of Modular metal flush box of 6 module with white cover plate, M&L for earthing complete with GI steel plate electrodes of size600x600x6mm, S&F LED wall light (Bed side light) fitting for study table including 3 watt, Attending complaints of Geyser of any capacity any type from exiting position, M& L for dismantling Geyser of any capacity any type from exiting position, Supply inner container SS suitable for vertical

बिड विवरण/Bid Details	geyser 50 ltrs cap, Supply inner container SS suitable for vertical geyser 25 ltrs cap, Supply only Thermostat 0-75 Degree as per exiting size, Supply only Heating clement 1.5 KW, Supply only Heating element 2 KW, Supply only Indicator lamp with flexibe copper wire of suitable size Red/Green, S&F PVC Connection with steel reinforced pipe of size 18" x 1/2", Supply only Apperture plate SS suitable for 25/50 ltrs geyser, Supply and fixing of plug top 15/16 Amps, S&F of stop valve but fancy type, chromium plated, (CP) of size 15 mm, M&L of bib taps, cast copper alloy with butterfly handle, screwed down,15 mm, M&L for complete servicing of solar hot water system, M&L of thermostate, long body, of solar water heater of cap up to 200 LPD, M&L of electrical heating element of 1.5/2.0 KW of solar water heater, M&L for replacement in repair hot water pipe insulation with glass wool 20 mm, M&L for replacement in repair hot water pipe insulation with glass wool 40 mm, S&F of solar collector plate panel as per existing size, cap upto 200 LPD, S&F in repair to solar water heater tank as per existing size, cap upto 300 LPD, S&F CIMFR certified LED flame proof batten suitable single T8 tube of 20w, S&F CIMFR certified LED flame proof bay light, 60 watt, Well glass, S&F Flame proof weather proof rotary switch with cable termination box, S&F Flame proof-weather proof switch socket & plug combined 16 A, S&F Flame proof weather proof switch socket & plug combined 32 A, S&F flame proof weather proof metallic hose conduit 3/4" dia, 300 mm long, S&F flame proof weather proof metallic hose conduit 3/4" dia, 500 mm long
	Searched String: Taking down copper/aluminium point wiring (light, fan, socket or power) Category not available on GeM for the text string uploaded by the buyer Searched String: M&L concealed conduit for one light point wiring with 1.5 Sqmm cable Category not available on GeM for the text string uploaded by the buyer Searched String: M&L concealed conduit for one Ceiling Fan/exhaust fan point , 1.5 CABLE Category not available on GeM for the text string uploaded by the buyer Searched String: M&L concealed conduit for one 3 pin 5 Amps switch socket outlet on same board Category not available on GeM for the text string uploaded by the buyer Searched String: M&L concealed conduit for one 3 pin 5 Amps switch socket outlet Fume Hood (FSSAI) Searched String: M&L concealed conduit for one bell point controlled by one, bell switch 5 Amps Category not available on GeM for the text string uploaded by the buyer Searched String: M&L concealed conduit for one 5/15 amps switch socket cobmination point.

बिड विवरण / Bid Details	Fume Hood (FSSAI)
	Searched String: M&L concealed conduit for one power point metal plug earth socket Category not available on GeM for the text string uploaded by the buyer Searched String: M&L point wiring 1.5 Sqmm for one light point controlled by one switch Category not available on GeM for the text string uploaded by the buyer Searched String: M&L point wiring 1.5 Sqmm for one Ceiling Fan / exhaust fan Category not available on GeM for the text string uploaded by the buyer Searched String: M&L point wiring 1.5 Sqmm for one 3 pin 5 Amps switch socket outlet Fume Hood (FSSAI) Searched String: M&L point wiring 1.5 Sqmm for one 3 pin 5 Amps switch socket outlet Fume Hood (FSSAI) Searched String: M&L point wiring 1.5 Sqmm for one bell point Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 Searched String: M&L Point wiring 2.5 sqmm for 5/15 amps switch SSC Signal/ Triad Cable, Fume Hood (FSSAI), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) Searched String: M&L Point wiring for power point metal plug earth socket Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 Searched String: S&F socket combination flush type multipurpose 2/3 pin 5 amps 2 in 1 Fume Hood (FSSAI) Searched String: S&F switch socket combination flush type multipurpose 2/3 pin 5 amps 2 in 1 Fume Hood (FSSAI) Searched String: S&F switch socket combination 2 in 1 multipurpose 3/5 pin 5/15 amps HDMI Switcher, Fume Hood (FSSAI) Searched String: S&F lamp holder insulated body surface bakelite with back plate Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: S&F switch socket combination flush type multipurpose 2/3 pin 5/15 amps
	Fume Hood (FSSAI) Searched String: S&F switch socket combination 2 in 1 multipurpose 3/5 pin 5/15 amps HDMI Switcher, Fume Hood (FSSAI) Searched String: S&F lamp holder insulated body surface bakelite with back plate Category not available on GeM for the text string uploaded by the buyer Searched String: S&F new energy saving rechargeable LED bulb 9 Watt Category not available on GeM for the text string uploaded by the buyer Searched String: M&L SPN enclosure with a two pin and earth plug and socket ,MCB 20 A Category not available on GeM for the text string uploaded by the buyer Searched String: M&L in repair SPN enclosure with a two pin and earth plug and socket ,MCB 20 A Category not available on GeM for the text string uploaded by the buyer Searched String: Taking down the existing unserviceable main switch/ cut out DBs of any type Category not available on GeM for the text string uploaded by the buyer Searched String: S&F sheet metal enclosure for VT DB TPN, MCB DB TFN 4 way Category not available on GeM for the text string uploaded by the buyer Searched String: S&F sheet metal enclosure for MCB, DB, TPN 415 Velts, IP-43 , 4way Category not available on GeM for the text string uploaded by the buyer Searched String: S&F sheet metal enclosure for MCB, DB, SPN, 240 Volts,8 way Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032 Searched String: S&F sheet metal enclosure for MCB, DB, SPN, 240 Volts,4 way Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032 Searched String: S&F in repair sheet metal enclosures TP and earth plug with socket, 63 A Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	Searched String: Taking down the existing unservicable sub main wiring of any type
	Category not available on GeM for the text string uploaded by the buyer Searched String: S&F Sub main wiring with Four run of single core (3 phase) PVC cable 6.0 Sqmm PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: S&F Sub main wiring of size 6 sqmm 3 core Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266 Searched String: S&F Sub main wiring of size 4 sqmm 3 core Category not available on GeM for the text string uploaded by the buyer Searched String: S&F Sub main wiring of size 10 sqmm 5 core Endotracheal Tube - Sterile (Single Use) Searched String: Supply & fixing in repair Ultra bright LED tube rod18 Watt Category not available on GeM for the text string uploaded by the buyer Searched String: S&F IP66 security light fitting luminaire with high power capacity 25 watt Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 Searched String: S&F Round highway LED light 100 watt operational voltage of 170 to 270 v Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of LED Aviation Obstruction light (Red Colour) LED Rope Light (LED Strip Light) Conforming To IS 10322 (Part 5/Section 9) (Under BIS Scheme - II), Solar Aviation Light, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932 Searched String: S&F of hylam sheet 3 mm thick white in colour of size 130 mm x 180 mm Computer Paper (V3) Conforming to IS 12766 (In Packet), Corrugated Boxes, Labels Stickers (V3) Searched String: S&F of hylam sheet 3 mm thick white in colour of size 120 mm x 170 mm Computer Paper (V3) Conforming to IS 12766 (In Packet), Corrugated Boxes, Labels Stickers (V3)

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	बिड विवरण / Bid Details
	Searched String: S&F of hylam sheet 3 mm thick white in colour of size 230 mm x 280 mm Computer Paper (V3) Conforming to IS 12766 (In Packet), Corrugated Boxes, Labels Stickers (V3) Searched String: S&F of hylam sheet 3 mm thick white in colour round type of size 80 mm Computer Paper (V3) Conforming to IS 12766 (In Packet), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Phenolic Laminated Sheets As per IS 2036 Searched String: S&F of modular switch 1 way 6A, 1 Module Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of modular switch 1 way 16A, 1 Module Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of modular bell switch 1 way, 1 Module Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of modular socket 6A 2/3 Pin combined -2 module Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 Searched String: S&F of modular switch socket combination 16A, 6 Pin combined Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 Searched String: S&F of stepped type Modular electronic fan regulator 1-module, 100 watt Category not available on GeM for the text string uploaded by the buyer Searched String: S&F in repair Modular metal flush box of 1/2 module with white cover plate Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of Modular metal flush box of 3 module with white cover plate Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of Modular metal flush box of 4 module with white cover plate

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: S&F of Modular metal flush box of 6 module with white cover plate Category not available on GeM for the text string uploaded by the buyer Searched String: M&L for earthing complete with GI steel plate electrodes of size600x600x6mm Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 Searched String: S&F LED wall light (Bed side light) fitting for study table including 3 watt Category not available on GeM for the text string uploaded by the buyer Searched String: Attending complaints of Geyser of any capacity any type from exiting position Category not available on GeM for the text string uploaded by the buyer Searched String: M& L for dismantling Geyser of any capacity any type from exiting position Category not available on GeM for the text string uploaded by the buyer Searched String: Supply inner container SS suitable for vertical geyser 50 ltrs cap Category not available on GeM for the text string uploaded by the buyer Searched String: Supply inner container SS suitable for vertical geyser 25 ltrs cap Category not available on GeM for the text string uploaded by the buyer Searched String: Supply only Thermostat 0-75 Degree as per exiting size Hose Clamp as per IS 4762 Searched String: Supply only Heating clement 1.5 KW Split Air Conditioner Including Green AC, Wall Mount Type (V2), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 Searched String: Supply only Heating element 2 KW Hopper Heating Element as per IS 302, IS 4159 Searched String: Supply only Indicator lamp with flexibe copper wire of suitable size Red/Green Category not available on GeM for the text string uploaded by the buyer Searched String: S&F PVC Connection with steel reinforced pipe of size 18" x 1/2"

बिड विवरण/Bid Details	Modular Toilet
	Searched String: Supply only Apperture plate SS suitable for 25/50 ltrs geyser Category not available on GeM for the text string uploaded by the buyer Searched String: Supply and fixing of plug top 15/16 Amps Urinal Bowls as per IS 2556 (Part 6), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2) Searched String: S&F of stop valve but fancy type, chromium plated,(CP) of size 15 mm Check Valve (V2) as per IS 778, Globe Valve as per IS 778 Searched String: M&L of bib taps, cast copper alloy with butterfly handle, screwed down,15 mm Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781 Searched String: M&L for complete servicing of solar hot water system personal safety kit reflective luminous garments, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 Searched String: M&L of thermostate, long body, of solar water heater of cap up to 200 LPD Category not available on GeM for the text string uploaded by the buyer Searched String: M&L of electrical heating element of 1.5/2.0 KW of solar water heater Electronic Weighing Scales Searched String: M&L for replacement in repair hot water pipe insulation with glass wool 20 mm Category not available on GeM for the text string uploaded by the buyer Searched String: M&L for replacement in repair hot water pipe insulation with glass wool 40 mm Category not available on GeM for the text string uploaded by the buyer Searched String: S&F of solar collector plate panel as per existing size, cap upto 200 LPD Category not available on GeM for the text string uploaded by the buyer Searched String: S&F in repair to solar water heater tank as per existing size, cap upto 300 LPD Category not available on GeM for the text string uploaded

बिड विवरण / Bid Details	by the buyer
	Searched String: S&F CIMFR certified LED flame proof batten suitable single T8 tube of 20w Category not available on GeM for the text string uploaded by the buyer Searched String: S&F CIMFR certified LED flame proof bay light, 60 watt, Well glass LED Luminaire for Flood Light, Flame Proof (V2) Searched String: S&F Flame proof weather proof rotary switch with cable termination box Category not available on GeM for the text string uploaded by the buyer Searched String: S&F Flame proof-weather proof switch socket & plug combined 16 A Category not available on GeM for the text string uploaded by the buyer Searched String: S&F Flame proof weather proof switch socket & plug combined 32 A Category not available on GeM for the text string uploaded by the buyer Searched String: S&F flame proof weather proof metallic hose conduit 3/4" dia, 300 mm long Category not available on GeM for the text string uploaded by the buyer Searched String: S&F flame proof weather proof metallic hose conduit 3/4" dia, 500 mm long Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	LED Garden Light (V2)
बीओक्यू शीर्षक /BOQ Title	Electrical items
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	LED Batten Light (LED Tube Light) (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईएमडी राशि/EMD Amount	135000
-----------------------	--------

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SBSO

Commander Works Engineer, Department of Military Affairs, Indian Army, Ministry of Defence
(Gautam Deb)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (220 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Nature of Switch	1 way switch
Switch Classification	Type of Terminal Connection	Screw type terminal, Screwless type terminal
Construction	Current Carrying Contact Material	Brass, Copper

Additional Specification Parameters - Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (220 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F switch piano single pole flush type 5 amps, 230 volts.	complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	220	180

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (23 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Nature of Switch	bell push switch
Switch Classification	Type of Terminal Connection	Screw type terminal, Screwless type terminal
Construction	Current Carrying Contact Material	Brass, Copper

Additional Specification Parameters - Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (23 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F bell push flush type 5 amps, 230 volts.	complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	23	180

Ceiling Rose - IS 371 (395 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification & standards	Warranty	1.0 (year)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Test report to be submitted to the Buyer on Demand	Yes
	Product BIS Marked	No
Construction	Color of socket body	White
	Current carrying material	Brass
	No of Plate	3 plate

Additional Specification Parameters - Ceiling Rose - IS 371 (395 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F ceiling rose three terminal surface bakelite type AC 50 Hz 230 volts of size 65 x 50 mm	complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	395	180

Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (20 pieces) (Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

Additional Specification Parameters - Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F ceiling fan regulator step type, flush type heavy duty suitable to work on 230 volts Ac supply	complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (300 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Nature of Switch	1 way switch
Switch Classification	Type of Terminal Connection	Screw type terminal, Screwless type terminal
Construction	Current Carrying Contact Material	Brass, Copper

Additional Specification Parameters - Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (300 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F in repair switch piano single pole flush type 5 amps, 230 volts	including removal old existing unsv one complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	300	179

Ceiling Rose - IS 371 (300 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification & standards	Warranty	1.0 (year)
	Product BIS Marked	No
Construction	Current carrying material	Copper
	No of Plate	3 plate

Additional Specification Parameters - Ceiling Rose - IS 371 (300 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F in repair ceiling rose three terminal surface bakelite type AC 50 Hz 230 volts of size 65 x 50 mm	including removal old existing unserviceable one complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	300	180

Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (50 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

Additional Specification Parameters - Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F in repair ceiling fan regulator step type, flush type heavy duty suitable to work on 230 volts AC supply	including removal old existing unserviceable one complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Electric Bells And Accessories As Per IS 2268 (20 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Product ISI marked	NO - But conforming to IS:2268
	Type of bell	Buzzer double coil

Additional Specification Parameters - Electric Bells And Accessories As Per IS 2268 (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S&F in repair call bell suitable to work on 230 volts AC supply	including removal of old unserviceable call bell complete all as specified

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Self Ballasted LED Lamps (LED Bulb) (V3) Conforming To IS 16102 (Part 2) (Under BIS Scheme - II) (50 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Wattage (in Watts)	9.0
	BEE Star Rating	1 Star, 2 Star, 3 Star, 4 Star, 5 Star
	Type of LED Lamp Cap	B15d, B22d, E27, E14

Additional Specification Parameters - Self Ballasted LED Lamps (LED Bulb) (V3) Conforming To IS 16102 (Part 2) (Under BIS Scheme - II) (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S&F LED Lamp 9/10 Watt with B22 base complete all as specified	S&F LED Lamp 9/10 Watt with B22 base complete all as specified

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (40 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 3 PP
	Rated Current (in Ampere)	63
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Yes with 1.2 mm thick

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (40 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F MCB TPN 63 to 100 Amps, 415 volts, 10KA, C Series suitable for fixing in MCB DB	incl taking down old Unsiv complete all as specified.

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (20 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 1 PP
	Rated Current (in Ampere)	32
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F MCB SPN, 32-63 Amps, 230 volts 10 KA, C Series suitable for fixing on MCB DB	incl taking down old Unsv complete all as specified

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (250 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	6
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (250 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F MCB SP 6 to 30 Amps 240 volts C Series for fixing on MCB DB's	incl taking down old Unsv complete all as specified.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	250	180

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (4 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	63A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	25 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and fixing of moulded case circuit breaker (MCCB) four pole Adjustable type 415 volt, 50 Cycles, 63 Amps of breaking capacity 25 KA	after and including taking down/dismantling of old existing unserviceable one complete all as specified and as directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (4 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Rated Current (in Ampere)	125A
	Number of Poles	4 Pole
	Rated Breaking Current (in KA)	25 KA

Additional Specification Parameters - Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Supply and fixing of moulded case circuit breaker (MCCB) four pole Adjustable type 415 volt, 50 Cycles, 125 Amps of breaking capacity 25 KA	after and including taking down/dismantling of old existing unserviceable one complete all as specified and as directed.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

LED Batten Light (LED Tube Light) (V2) (300 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Wattage (in Watts)	20.0
	Length of LED Batten Light	3.0, 4.0 (foot)

Additional Specification Parameters - LED Batten Light (LED Tube Light) (V2) (300 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S&F LED light fitting 20W, 4ft, 220 volt AC, having colour temperature day light (6500K), .	Decorative ultra slim square profile LED lighting fixture with extruded polycarbonate incl taking down old unsv complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	300	180

LED Batten Light (LED Tube Light) (V2) (80 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Wattage (in Watts)	10.0
	Length of LED Batten Light	1.0, 2.0 (foot)

Additional Specification Parameters - LED Batten Light (LED Tube Light) (V2) (80 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S&F LED light fitting 9/10W, 2ft, 220 voll AC, having colour temperature day light (6500K),	Decorative ultra slim square profile LED lighting fixture with extruded polycarbonate incl taking down old unsv complete all as specified and directed,

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	80	180

LED Bulkhead Light (15 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Certification and Standard	Confirmity to IEC Compliant	Yes
	CE Certified	Yes
Generic	Material	Plastic
	Protection	IP65
	Driver included	Yes
	Shape	Curve
Power Requirenments	Power	10.0 (Watt)
Performance Parameters	Life Time	50000.0 (hour)
	Protection class IEC	Safety class I (I)
	Correlated Color Temperature	6500.0 (Kelvin)
	Luminous flux (system flux)	1000.0 (lumen)
Dimensions and Size	Depth	110.0 (millimeter)
	Length	200.0 (millimeter)
	Width	110.0 (millimeter)
Warranty	Warranty	2 Or higher (year)

Additional Specification Parameters - LED Bulkhead Light (15 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S&F LED light fitting 1x9W/1X10Wbulkhead luminaires including LED light driver holder connecting up with three core flexible copper conductor cable of suitable size	and taking down old Unsv light complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

LED Garden Light (V2) (6 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Garden Light	Bollard type with Pole and LED lantern/luminaire, Architectural design with pole and LED lantern/luminaire, LED post top lantern/luminaire with pole
	Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)	Aluminium casting, Galvanised Iron, Mild steel, Cast iron, LED post top with out pole. Hence not applicable
	Pole height including lantern/luminaire (in m)	0.5, 1, 1.5, 3, 4, 5, 6, 7, 8, without pole
	No.of lantern/luminaire with each pole (in m)	1, 2, 3, 4, 5, LED post top with out pole. Hence not applicable
LIGHT SOURCE	Type of light source - BEE star rating of LED Bulb	SMD LED Chip
	LED Rating in each lantern/luminaire/lighting system (in Watts)	25.0
	LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)	? 105 and < 120
	In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire	Not applicable (for SMP LED Chip)
PROTECTION	Automatic Lower / Higher Cut off voltage	Yes. Lower cut off 120 V, Higher cut off 300 V
	Protection against surges and transients - External	> / = 10 KV, No Or higher
THERMAL MANAGEMENT	Minimum Operating Temperature (in deg. C)	-10
	Maximum Operating Temperature (in deg. C)	50
LANTERN/LUMINAIRE - CONSTRUCTION	Diffuser Material	UV stabilized - Poly Carbonate
	Impact resistance on diffuser material (in IK)	7
	Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest	65

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length of ISI marked three core connecting wire (Provided along with each lantern/luminaire) - (in m)	1
	Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s)	33
CERTIFICATIONS	Warranty for free replacement of lighting systems including lightsource (in years)	2
ADVANCE SAMPLE	Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)	Yes

Additional Specification Parameters - LED Garden Light (V2) (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S&F in replacement of LED 25 W Post Top Lantern, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with IP66 protection	high power LED as light source incl taking down old Unsv complete all as specified and directed.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	6	180

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II) (30 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	System Wattage (in Watt)	36
	LED Luminaire System Efficacy (in lumen/watt)	80, 90, 100 Or higher
	Shape of the Fixture	Square
	Size of the Fixture	600 mm x 600 mm
	Type of Mounting	Recessed

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II) (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Taking down existing panel light fitting any type and S&F in replacemert LED tuminaire 600 mm x 600 mm. 35/36 watt, 220 V AC, having colour temperature day light (6500K),	Ultra modem recess mounting luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling incl taking down old unsv ight fitting complete all as specified and directed

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II) (10 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	System Wattage (in Watt)	12
	LED Luminaire System Efficacy (in lumen/watt)	80, 90, 100 Or higher
	Shape of the Fixture	Round
	Size of the Fixture	55 mm, 76 mm, 102 mm, 150 mm
	Type of Mounting	Surface

Additional Specification Parameters - LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II) (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
S & F LED downlight recess/Surface mounted nominal power 12 Watt, frequency of 50 Hz, lumen output of minimum 1080, lumen	efficacy of minimum 90 lumens par watt, isolated electronic LED driver with cutput short circuit protection, surge voltage protection upto 2 KVs, complete all as specified and as directed.

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

LED Garden Light (V2) (8 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Garden Light	Bollard type with Pole and LED lantern/luminaire

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked)	Mild steel
	Pole height including lantern/luminaire (in m)	1
	No.of lantern/luminaire with each pole (in m)	1
LIGHT SOURCE	Type of light source - BEE star rating of LED Bulb	SMD LED Chip
	LED Rating in each lantern/luminaire/lighting system (in Watts)	10.0
	LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt)	? 105 and < 120
	In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire	Not applicable (for SMP LED Chip)
PROTECTION	Automatic Lower / Higher Cut off voltage	Yes. Lower cut off 120 V, Higher cut off 300 V
	Protection against surges and transients - External	> / = 10 KV, No Or higher
THERMAL MANAGEMENT	Minimum Operating Temperature (in deg. C)	-10
	Maximum Operating Temperature (in deg. C)	50
LANTERN/LUMINAIRE - CONSTRUCTION	Diffuser Material	UV stabilized - Poly Carbonate
	Impact resistance on diffuser material (in IK)	7
	Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest	65
	Length of ISI marked three core connecting wire (Provided along with each lantern/luminaire) - (in m)	0.5
CERTIFICATIONS	Warranty for free replacement of lighting systems including lightsource (in years)	2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ADVANCE SAMPLE	Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying)	No

Additional Specification Parameters - LED Garden Light (V2) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Taking down old unserviceable light fitting and Supply & fixing in replacement of LED 8 /10W landscape lighting bollard type pressure die cast powder coated housing with PC diffuser	efficient light output LED using 2 core PVC insulated cable aluminium conductor 2.5 Sqmm approx 2 m length complete all as specified and directed. Make: Havells/Crompton/Philips/Orient/HPL

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

Supply And Fixing Socket Combination Flush Type Multipurpose 2 By 3 Pin 5 Amps 2 In 1, 230 Volts All As Specified.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing Switch Socket Combination Flush Type Multipurpose 2 By 3 Pin 5 Amps 2 In 1 230 Volts Complete All As Specified And Directed.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Supply And Fixing Of Switch Socket Combination 2 In 1 Multipurpose 3 By 5 Pin 5 By 15 Amps Flush Type Complete All As Specified

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply And Fixing Lamp Holder Insulated Body Surface Bakelite With Back Plate Suitable For Angle By Batten Fittings Fixed With PVC Round By Square Blocks Complete All As Specified And Directed.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing In Repair Switch Socket Combination Flush Type Multipurpose 2 By 3 Pin 5 By 15 Amps 2 In 1, 230 Volts

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	100	180

Supply And Fixing In Repair Switch Socket Combination 2 In 1 Multipurpose 3 By 5 Pin 5 By 15 Amps Flush Type

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply And Fixing In Repair Lamp Holder Insulated Body Surface Bakelite With Back Plate Suitable For Angle By Batten Fittings Fixed With Wooden Round Blocks

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing New Energy Saving Rechargeable LED Bulb 9 Watt, Base-22, 240 V, CCT-6500K Polycarbonate Body. Lamp Life 15000 Working Hours Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply And Fixing Sheet Metal Enclosure For VT DB TPN, MCB DB TFN 4 Way With Provision For MCCB As INCOMER And MCB As Out Going,

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	2	180

Supply And Fixing Of Sheet Metal Enclosure For MCB, DB, TPN 415 Velts, IP-43, 100 Amps Rated Copper Busbar 4 Way Double Door

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing Of Sheet Metal Enclosure For MCB, DB, SPN, 240 Volts, 100 Amps Rated Busbar, Confirming To IS As Per IEC 61439-3, 8 Way Double Door

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	12	180

Supply And Fixing Of Sheet Metal Enclosure For MCB, DB, SPN, 240 Volts, 100 Amps Rated Busbar, Confirming To IS As Per IEC 61439-3, 4 Way Double Door

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	6	180

Supply And Fixing In Repair Sheet Metal Enclosures Triple Pole And Earth Plug With Socket, As Per IEC 61439 3 Complete With One Four Pole MCB Of Capacity 63 A 3P Plus N Plus E FP, 415 V

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	2	180

Supply And Fixing For Sub Main Wiring With Four Run Of Single Core 3 Phase PVC Insulated Unsheathed Cable 1100 Volts Grade, 6.0 Sqmm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	120	180

All As Per Item No 47 Of BoQ Spec File Here In Before But Of Size 6 Sqmm 3 Core For Single Phase Phase, Neutral And Earth. 2 X 6.0 Sqmm Plus 1 X 6.0 Sqmm Earth Wire

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	180	180

All As Per Item No 47 Of BoQ Spec File Here In Before But Of Size 4 Sqmm 3 Core For Single Phase Phase, Neutral And Earth. 2 X 4.0 Samm Plus 1 X 4.0 Sqmm Earth Wire

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	150	180

All As Per Item No 47 Of BoQ Spec File Here In Before But Of Size 10 Sqmm 5 Core For Three Phase, Neutral And Earth. 4 X 10.0 Sqmm Plsu 1x 10.0 Sqmm Earth Wire

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing In Repair Ultra Bright LED Tube Rod18 Watt G-13 Lamp Holder 240 V, PF 0.90, Colour Temp 6500K

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	80	180

Supply And Fixing Energy Saving New Generation Environmental Friendly Long Life IP66 Security Light Fitting High Power LEDs As Light Source And Electronic Driver Of Capacity 25 Watts

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

Supply And Fix Round Highway LED Light 100 Watt Operational Voltage Of 170 Volts To 270 Volts, Frequency Of 50 Hz, Lumen Efficacy Of Minimum 100 Lumens Per Watt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

Supply And Fix Of LED Aviation Obstruction Light Red Colour Incl Taking Out Old Uis Fitting

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

Supply And Fixing In Repair Hylam Sheet 3 Mm Thick White In Colour Of Size 130 Mm X 180 Mm Including Taking Down Existing Unserviceable Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing In Repair Hylam Sheet 3 Mm Thick White In Colour Of Size 120 Mm X 170 Mm Including Taking Down. Existing Unserviceable Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing In Repair Hylam Sheet 3 Mm Thick White In Colour Of Size 230 Mm X 280 Mm Including Taking Down Existing Unserviceable Complete All As Specified And Directed.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing In Repair Hylam Sheet 3 Mm Thick White In Colour Round Type Of Size 80 Mm Dia Including Taking Down Existing Unserviceable Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing In Repair Modular Switch 1 Way 6A, 1 Module Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	100	180

Supply And Fixing In Repair Modular Switch 1 Way 16A, 1 Module Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply And Fixing In Repair Modular Bell Switch 1 Way, 1 Module Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

Supply And Fixing In Repair Modular Socket 6A 2 By 3 Pin Combined -2 Module

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply And Fixing In Repair Modular Switch Socket Combination 16A, 6 Pin Combined -3 Module

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply And Fixing In Repair Of Stepped Type Modular Electronic Fan Regulator 1-module, 100 Watt Flush Type,

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing In Repair Modular Metal Flush Box Of 1 By 2 Module With White Cover Plate Including Make Good To Match With Existing Surface Complete All As Specified And Directed By EIC

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing In Repair Modular Metal Flush Box Of 3 Module With White Cover Plate Including Make Good To Match With Existing Surface Complete All As Specified And Directed By EIC

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing In Repair Modular Metal Flush Box Of 4 Module With White Cover Plate Including

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing In Repair Modular Metal Flush Box Of 6 Module With White Cover Plate

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Material And Labour For Earthing Complete With Galvanized Steel Plate Electrodes Of Size600x600x6mm Thick

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

Supply And Fixing Of LED Wall Light Bed Side Light Fitting For Study Table Including 3 Watt LED, Aluminium Body,

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply Only Inner Container SS Or As Per Sample Suitable For Vertical Type Geyser 50 Itrs Storage Capacity

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

Supply Only Inner Container SS Or As Per Sample Suitable For Vertical Type Geyser 25 Itrs Storage Capacity

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply Only In Repair Thermostat 0-75 Degree As Per Existing Size As Per OEMs Specifications Complete All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	100	180

Supply Only In Repair Heating Element 1.5 KW, As Per OEMs Specifications All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply Only In Repair Heating Element 2 KW, As Per OEMs Specifications All As Specified And Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Supply Only Indicator Lamp With Flexibe Copper Wire Of Suitable Size Red By Green

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing PVC Connection With Steel Reinforced Pipe For Hot Water Connection Of Size 18 Inches X 1 By 2 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply Only Apperture Plate SS Suitable For 25 By 50 Itrs Geyser Along With Rubber Gasket, Nuts, Bolts, Etc

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply And Fixing In Repairs Plug Top 15 By 16 Amps Suitable For Geyser Socket Outlet Complete All As Specified And As Directed

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply And Fixing In Repair Stop Valve But Fancy Type, Chromium Plated, Screwed Down CP Of Size 15 Mm Fancy Type Complete All As Specified And Directed.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Supply And Fixing In Repair Bib Taps, Cast Copper Alloy With Butterfly Handle, Screwed Down, Screwed For Iron Pipe

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Supply And Fixing Of Solar Collector Plate Panel As Per Existing Size, Specification And Make Of Capacity Upto 200 LPD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

Supply And Fixing Of Solar Water Heater Tank As Per Existing Size, Specification And Make Of Capacity Upto 300 LPD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	4	180

Supply And Fixing Of CIMFR Certified LED Flame Proof Batten Suitable For Single T8 Tube Of 20 Watt, IP 65 Protected

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing CIMFR Certified LED Flame Proof Bay Light, 60 Watt, Well Glass In Die Cast Al Housing With Heat Resistant Toughened Glass, IP 65 Protected. 240 Volt,

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

Supply And Fixing Of Flame Proof Weather Proof Rotary Switch With Cable Termination Box In LM 6 Aluminium Alloy Housing Single Pole 16 Amp, 250 Volts

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	24	180

Supply And Fixing Of Flame Proof-weather Proof Switch Socket And Plug Combined 16 A, 250 V 2P Plus Earth

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

Supply And Fixing Of Flame Proof Weather Proof Switch Socket And Plug Combined 32 A, 500 V 4P Plus Earth

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	5	180

Supply And Fixing Of Flame Proof Weather Proof Metallic Hose Conduit 3 By 4 Inches Dia, M20 By 3 By 4 Inches Conduit MxM By FM X M By Fx F 3 By 4 Inches Dia 300 Mm Long

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	5	180

Supply And Fixing Of Flame Proof Weather Proof Metallic Hose Conduit 3 By 4 Inches Dia, M20 By 3 By 4 Inches Conduit MxM By FMxMFxF 3 By 4 Inches Dia 500 Mm Long

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	5	180

Taking Down Copper By Aluminium Point Wiring Light, Fan, Socket Or Power Complete, Including Fixture And Fittings

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	375	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring With 1.5 Sqmm Nominal Cross-sectional Area PVC Insulated Unsheathed Single Core Copper Cable Working Voltage 1100 Volts Grade

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	90	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring With 1.5 Sqmm PVC Single Core Cable For One Ceiling Fan By Exhaust Fan Point Controlled By One, One Way Switch And Regulator

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring 1.5 Sqmm PVC Single Core Cable For One 3 Point 5 Amps Switch Socket Outlet Point Controlled By One Switch On The Same Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring With 1.5 Sqmm PVC Single Core Cable For One 3 Pin 5 Amps Switch Socket Outlet Point Controlled By One Switch On Independent Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring With 1.5 Sqmm PVC Unsheathed Single Core Cable Working For One Bell Point Controlled By One, Bell Switch 5 Amps

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	8	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring With 2.5 Sqmm PVC Unsheathed Single Core Cable Working For 5 BY 15 Amps Switch Socket Combination Point.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing For Concealed Conduit For One Light Point Wiring With 4.0 Sqmm PVC Unsheathed Single Core Cable Working For Power Point Metal Plug Earth Socket

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	6	180

Supply And Fixing Of Point Wiring Using Approved Colour Coding As Per IS By Using FRLS PVC 1.5 Sqmm Copper Cable For Fixing Switches, Sockets, Regularors, For 1 Light Point Controlled By 1 Switch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	90	180

Supply And Fixing Of Point Wiring Using Approved Colour Coding By FRLS PVC Insulated 1.5 Sqmm Copper Cable For One Ceiling Fan By Exhaust Fan Point Controlled By , One Way Switch And Regulator

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing Of Point Wiring Using Approved Colour Coding By Using FRLS PVC 1.5 Sqmm Copper Cable For One 3 Pin 5 Amps Switch Socket Outlet Point Controlled By 1 Switch On Independent Board

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	10	180

Supply And Fixing Of Point Wiring Using Approved Colour Coding By Using FRLS PVC 1.5 Sqmm Copper Cable For One 3 Pin 5 Amps Switch Socket Outlet Point Controlled By 1 Switch On Independent Board.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	30	180

Supply And Fixing Of Wiring Using Approved Colour Coding As Per IS By Using FRLS PVC 1.5 Sqmm Copper Cable For 1 Bell Point Controlled By 1, Bell Switch 5 Amps

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

Supply And Fixing Of Point Wiring Using Approved Colour Coding By Using FRLS PVC 2.5 Sqmm Copper Cable For 5 By 15 Amps Switch Socket Combination Point

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing Of Point Wiring Using Approved Colour Coding As Per IS By Using FRLS PVC Insulated 4.0 Sqmm Copper Conductor Cable For Power Point Metal Plug Earth Socket

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	6	180

Supply And Fixing Sheet Metal Enclosure With Single Pole And Neutral Enclosure With A Two Pin And Earth Plug And Socket Complete With One Two Pole MCB 20 Amo, 10 KA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	12	180

Supply And Fixing In Repair Sheet Metal Enclosure With Single Pole And Neutral Enclosure With A Two Pin And Earth Plug And Socket

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	15	180

Taking Down The Existing Unserviceable Main Switch By Cut Out DBs Of Any Type By Capacity By Description

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Taking Down The Existing Unservicable Sub Main Wiring Of Any Type By Description As Existing At Site Including Making Good The Disturbed Surfaces To Match With The Existing Finishes All As Specified.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	480	180

Attending Complaints Of Geyser Of Any Capacity Any Type From Exiting Position For Checking Of Heating Element, Thermostat, And All Accessories Incl Electrical Connection Etc

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	100	180

Material And Labour For Dismantling Geyser Of Any Capacity Any Type From Exiting Position For Descaling, Removing Its Accessories Removing The Scale

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	50	180

Material And Labour For Complete Servicing Of Solar Hot Water System Solar Water Heater, Fiate Plate Collector Type, With Cleaning Of Sluge Deposited In Pipe Line Of Solar Pannel

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	40	180

Supply And Fixing In Repair For Replacement Of Thermostate, Long Body, ISI Marked Of Solar Water Heater Of Cap Up To 200 LPD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Supply And Fixing In Repair For Replacement Of Electrical Heating Element Of 1.5 By 2.0 KW ISI Marked Long Thread Type, As Per Existing

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	60	180

Supply And Fixing For Replacement In Repair Hot Water Pipe Insulation With Glass Wool And Aluminium Cladding 20 Mm Bore

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Supply And Fixing For Replacement In Repair Hot Water Pipe Insulation With Glass Wool And Alluminium Cladding 40 Mm Bore

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PASCHIM MEDINIPUR	20	180

Special terms and conditions-Version:1 effective from 11-11-2025 for category Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II)

1. The marking, dimensions and emission (radiated and conducted) of radio frequency disturbances of Self Ballasted LED Lamps (LED Bulb) shall conform to the IS 16102 (Part 2).

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder affidavit to be upload regarding their firm not under liquidation or blacklisted in the past by any organisation for any procedural or sale failure. Affidavit issued date not older than one year from bid published date.
2. Bidder must upload Gem contract copy of similar/ related work done to any Govt organisation as performance.
3. Bidder must upload bank solvency certificate (solvency not older than one year from bid published date) . Bank solvency should mention the name, employee code & mobile number of the issuing authority.
4. Bidder should upload a valid OEM authorisation certificate, and the bid number should be mentioned in the OEM authorisation certificate.
5. EMD/BG should be uploaded by the bidder. If EMD/BG not uploaded by the bidder, the bid should be rejected.

Mandatory Documents to be Submitted:

(a) Valid ISO certificates of the bidder must be uploaded.

(b) Valid GST return of the last Financial Year

6. Bidder must upload BOQ and cat specification file (buyer added bid specific ATC) mentioning all product make, company name and all specifications of the product of this bid, duly mentioned bid number, date and stamp and signature of the firm.
7. Bidder must attend and quote in all items covered in the Bid/ Self declaration for the same must be uploaded.
8. Certificate by the bidder to be uploaded, regarding items will be executed as per direction of engineer-in-charge, complete all as specified and directed.
9. In the Absence of any Certificate/Document/Undertaking as above, the Bidder shall be technically disqualified.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be

determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a

land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---