

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	15-05-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-05-2026 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Health & Family Welfare Department Gujarat
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	General Hospital Nadiad
	Selection of Laboratories for Testing of Products/Material - Hemoglobin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Total leucocyte count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Differential leucocyte count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Platelet count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Complete blood count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Erythrocyte sedimentation rate; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood group and Rh typing; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood cross matching; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Peripheral blood film; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Reticulocyte count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Absolute eosinophil count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Bleeding time and clotting time; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fibrinogen degradation products FDP; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - D Dimer; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Coombs test direct with titre; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Coombs test indirect with titre; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of

बिड विवरण / Bid Details	Products/Material - Sickling Test for screening of Sickle cell anemia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Sickle cell test rapid for screening of Sickle cell anemia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - NESTROFT Test for screening of Thalassemia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - DCIP test for screening HbE hemoglobinopathy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Quantitative test for G6PD enzyme deficiency; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - MP slide method; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Malaria rapid test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Prothrombin Time PT and INR; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Activated partial thromboplastin time; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Mixing study and Factor VIII Assay for Hemophilia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Human chorionic gonadotropin HCG Urine test for pregnancy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine test for ph specific gravity leucocyte esterase glucose bilirubin urobilinogen ketone protein nitrite; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine Microscopy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - 24 hours urinary protein; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine for microalbumin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Stool for ova and cyst; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Stool for Occult Blood; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Semen analysis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for Dengue; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - RPR VDRL test for syphilis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HIV test Antibodies 1 and 2; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Hepatitis B surface antigen test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM antibody to hepatitis B core antigen IgM anti HBc; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HCV Antibody Test Anti HCV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Sputum pus etc for AFB; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Typhoid test IgM; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood sugar; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material -
-------------------------	--

बिड विवरण / Bid Details	Glucose Tolerance test GTT; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of
वस्तु श्रेणी /Item Category	Products/Material - S Bilirubin T; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Bilirubin direct and indirect; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Serum creatinine; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood Urea; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - SGPT; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - SGOT; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Alkaline Phosphatase; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Total Protein; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Albumin and AG ratio; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Globulin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Total Cholesterol; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Triglycerides; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S VLDL; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S HDL; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S LDL; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S GGT; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Uric acid; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Amylase; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Iron; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Total Iron binding capacity; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S LDH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Glycosylated haemoglobin HbA1C; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Sodium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Potassium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Calcium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Ionised Calcium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Chloride; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Magnesium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Arterial blood gas test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Smear for RTI STD; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Smear for

बिड विवरण / Bid Details	Leprosy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Gram staining for clinical specimen; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Throat swab for Diphtheria; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Stool for hanging drop for Vibrio Cholera; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Visual Inspection Acetic Acid VIA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - rK39 for Kala Azar; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Smear for Filaria; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - TB Mantoux; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Japanese Encephalitis IgM Blood CSF confirmatory; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Scrub typhus Test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for Leptospirosis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for Chikungunya; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM for Measles; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM for Hepatitis A plus B77 is to B90; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM for Hepatitis E; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Rapid antigen detection test for Bacterial meningitis Meningococci; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S TSH including for new born screening; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Free T3; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Free T4; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Ferritin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Troponin I; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Troponin T; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Beta HCG; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Prolactin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Anti Mullerian hormone AMH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Alfa Feto protein; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S CA 125; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S CEA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Procalcitonin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S PSA; LAB TEST; NOT
-------------------------	--

बिड विवरण/Bid Details	APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Vitamin B12; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Vitamin D; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - TORCH IgM and IgG; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Thyroid peroxidase antibody; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Anti cyclic citrullinated peptide anti CCP; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - RA factor Quantitative; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - CRP including new born Quantitative; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Anti nuclear antibody ANA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Cytology; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Pap smear; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - CSF analysis Glucose CSF protein ADA cell count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fluid analysis Cell count biochemistry including Glucose Protein LDH and cytology; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Histopathology; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Bone marrow examination; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Immunohistochemistry; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - CD4 count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Viral load count for HCV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Viral load count for HBV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fungal culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Other cultures pus throat swab etc; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Culture for Diptheria; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Culture of stool specimen for Vibrio cholerae and other common bacterial enteropathogens; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Organism identification and antimicrobial sensitivity for cultures; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Mycobacterial culture and DST; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Hemoglobin electrophoresis HPLC; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of
-----------------------	---

बिड विवरण / Bid Details	Products/Material - Protein electrophoresis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for
	Testing of Products/Material - Nucleic Acid Amplification Test NAAT for TB; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Early Infant Diagnostic test for HIV Qualitative HIV 1 DNA PCR ICTC; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Quantitative virological nucleic acid test for HIV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for drug overdose; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S HCO3; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Ammonia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S PTH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Phosphate; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HBsAg ELISA Test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HIV ELISA Test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HCV ELISA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Water Culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Lipid profile; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Bilirubin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fluid LDH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Electrolytes Sodium Chloride; LAB TEST; NOT APPLICABLE; LAB TEST
अनुबंध अवधि /Contract Period	18 Months
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	18 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
इसी तरह की सेवाओं का पिछला आवश्यक अनुभव है/Past Experience of Similar Services required	Yes
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
अनुमानित बिड मूल्य / Estimated Bid Value	900000
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of service delivery acceptance certificate (SDAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	27000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CHIEF DISTRICT MEDICAL OFFICER CUM CIVIL SURGEON
General Hospital Nadiad, Health & Family Welfare Department Gujarat.
(Dr. Kavita U. Shah)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	20
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Years of Past Experience required: The bidder must have experience for number of years as indicated above in bid document (ending month of March prior to the bid opening) of providing similar type of services to any Central / State Govt Organization / PSU. Copies of relevant contracts / orders to be uploaded along with bid in support of having provided services during each of the Financial year.

3. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority: Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid Inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within $L-1+20\%$ of margin of purchase preference /price band defined in relevant policy, then 100% order quantity will be awarded to such

MSE bidder subject to acceptance of L1 bid price.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Experience of Similar Services: The bidder must have successfully executed/completed similar Services over the last three years i.e. the current financial year and the last three financial years(ending month of March prior to the bid opening): -

1. Three similar completed services costing not less than the amount equal to 40% (forty percent) of the estimated cost; or
2. Two similar completed services costing not less than the amount equal to 50% (fifty percent) of the estimated cost; or
3. One similar completed service costing not less than the amount equal to 80% (eighty percent) of the estimated cost.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Payment Terms as applicable:AS PER OUR TENDER DOCUMENT.

Scope of Work including testing schedule , detailed requirements of tests:[1777552046.pdf](#)

Selection Of Laboratories For Testing Of Products/Material - Hemoglobin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Hemoglobin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Total Leucocyte Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)**तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Total leucocyte count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Differential Leucocyte Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Differential leucocyte count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Platelet Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Platelet count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Complete Blood Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Complete blood count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Erythrocyte Sedimentation Rate; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Erythrocyte sedimentation rate
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Blood Group And Rh Typing; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Blood group and Rh typing
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Blood Cross Matching; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Blood cross matching
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Peripheral Blood Film; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Peripheral blood film
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Reticulocyte Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Reticulocyte count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Absolute Eosinophil Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Absolute eosinophil count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Bleeding Time And Clotting Time; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Bleeding time and clotting time
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Fibrinogen Degradation Products FDP; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Fibrinogen degradation products FDP
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - D Dimer; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	D Dimer
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Coombs Test Direct With Titre; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Coombs test direct with titre
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Coombs Test Indirect With Titre; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Coombs test indirect with titre
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Sickling Test For Screening Of Sickle Cell Anemia; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Sickling Test for screening of Sickle cell anemia
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Sickle Cell Test Rapid For Screening Of Sickle Cell Anemia; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Sickle cell test rapid for screening of Sickle cell anemia
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - NESTROFT Test For Screening Of Thalassemia; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	NESTROFT Test for screening of Thalassemia
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - DCIP Test For Screening HbE Hemoglobinopathy; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	DCIP test for screening HbE hemoglobinopathy
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Quantitative Test For G6PD Enzyme Deficiency; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Quantitative test for G6PD enzyme deficiency
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - MP Slide Method; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	MP slide method
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Malaria Rapid Test; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Malaria rapid test
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Prothrombin Time PT And INR; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Prothrombin Time PT and INR
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Activated Partial Thromboplastin Time; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Activated partial thromboplastin time
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Mixing Study And Factor VIII Assay For Hemophilia; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Mixing study and Factor VIII Assay for Hemophilia
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Human Chorionic Gonadotropin HCG Urine Test For Pregnancy; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Human chorionic gonadotropin HCG Urine test for pregnancy
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Urine Test For Ph Specific Gravity Leucocyte Esterase Glucose Bilirubin Urobilinogen Ketone Protein Nitrite; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Urine test for ph specific gravity leucocyte esterase glucose bilirubin urobilinogen ketone protein nitrite
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Urine Microscopy; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Urine Microscopy
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - 24 Hours Urinary Protein; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	24 hours urinary protein
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Urine For Microalbumin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Urine for microalbumin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Stool For Ova And Cyst; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Stool for ova and cyst
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Stool For Occult Blood; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Stool for Occult Blood
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Semen Analysis; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Semen analysis
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Test For Dengue; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Test for Dengue
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - RPR VDRL Test For Syphilis; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	RPR VDRL test for syphilis
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - HIV Test Antibodies 1 And 2; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	HIV test Antibodies 1 and 2
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Hepatitis B Surface Antigen Test; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Hepatitis B surface antigen test
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - IgM Antibody To Hepatitis B Core Antigen IgM Anti HBc; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	IgM antibody to hepatitis B core antigen IgM anti HBc
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - HCV Antibody Test Anti HCV; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	HCV Antibody Test Anti HCV
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Sputum Pus Etc For AFB; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Sputum pus etc for AFB
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Typhoid Test IgM; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Typhoid test IgM
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Blood Sugar; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Blood sugar
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Glucose Tolerance Test GTT; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Glucose Tolerance test GTT
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Bilirubin T; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Bilirubin T
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Bilirubin Direct And Indirect; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Bilirubin direct and indirect
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Serum Creatinine; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Serum creatinine
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Blood Urea; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Blood Urea
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - SGPT; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	SGPT
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - SGOT; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	SGOT
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Alkaline Phosphatase; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Alkaline Phosphatase
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Total Protein; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Total Protein
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Albumin And AG Ratio; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Albumin and AG ratio
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Globulin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Globulin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Total Cholesterol; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Total Cholesterol
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Triglycerides; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Triglycerides
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S VLDL; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S VLDL
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S HDL; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S HDL
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S LDL; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S LDL
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S GGT; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S GGT
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Uric Acid; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Uric acid
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Amylase; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Amylase
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Iron; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Iron
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Total Iron Binding Capacity; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Total Iron binding capacity
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S LDH; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S LDH
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Glycosylated Haemoglobin HbA1C; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Glycosylated haemoglobin HbA1C
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Sodium; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Sodium
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Potassium; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Potassium
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Calcium; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Calcium
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Lonised Calcium; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Lonised Calcium
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Chloride; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Chloride
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Magnesium; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Magnesium
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Arterial Blood Gas Test; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Arterial blood gas test
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Smear For RTI STD; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Smear for RTI STD
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Smear For Leprosy; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Smear for leprosy
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Gram Staining For Clinical Specimen; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Gram staining for clinical specimen
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Throat Swab For Diphtheria; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Throat swab for Diphtheria
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Stool For Hanging Drop For Vibrio Cholera; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Stool for hanging drop for Vibrio Cholera
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Visual Inspection Acetic Acid VIA; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Visual Inspection Acetic Acid VIA
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - RK39 For Kala Azar; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	rK39 for Kala Azar
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Smear For Filaria; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Smear for Filaria
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - TB Mantoux; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	TB Mantoux
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Japanese Encephalitis IgM Blood CSF Confirmatoryx; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Japanese Encephalitis IgM Blood CSF confirmatoryx
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Scrub Typhus Test; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Scrub typhus Test
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Test For Leptospirosis; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Test for Leptospirosis
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Test For Chikungunya; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Test for Chikungunya
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - IgM For Measles; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	IgM for Measles
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - IgM For Hepatitis A Plus B77 Is To B90; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	IgM for Hepatitis A plus B77 is to B90
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - IgM For Hepatitis E; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	IgM for Hepatitis E
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Rapid Antigen Detection Test For Bacterial Meningitis Meningococci; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Rapid antigen detection test for Bacterial meningitis Meningococci
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S TSH Including For New Born Screening; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S TSH including for new born screening
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Free T3; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Free T3
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Free T4; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Free T4
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Ferritin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Ferritin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Troponin I; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Troponin I
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Troponin T; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Troponin T
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Beta HCG; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Beta HCG
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Prolactin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Prolactin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Anti Mullerian Hormone AMH; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Anti Mullerian hormone AMH
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Alfa Feto Protein; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Alfa Feto protein
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S CA 125; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S CA 125
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S CEA; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S CEA
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Procalcitonin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Procalcitonin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S PSA; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S PSA
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Vitamin B12; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Vitamin B12
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Vitamin D; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Vitamin D
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - TORCH IgM And IgG; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	TORCH IgM and IgG
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Thyroid Peroxidase Antibody; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Thyroid peroxidase antibody
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Anti Cyclic Citrullinated Peptide Anti CCP; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Anti cyclic citrullinated peptide anti CCP
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - RA Factor Quantitative; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	RA factor Quantitative
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - CRP Including New Born Quantitative; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	CRP including new born Quantitative
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Anti Nuclear Antibody ANA; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Anti nuclear antibody ANA
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Cytology; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Cytology
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Pap Smear; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Pap smear
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - CSF Analysis Glucose CSF Protein ADA Cell Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	CSF analysis Glucose CSF protein ADA cell count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Fluid Analysis Cell Count Biochemistry Including Glucose Protein LDH And Cytology; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Fluid analysis Cell count biochemistry including Glucose Protein LDH and cytology
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Histopathology; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Histopathology
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Bone Marrow Examination; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Bone marrow examination
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Immunohistochemistry; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Immunohistochemistry
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - CD4 Count; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	CD4 count
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Viral Load Count For HCV; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Viral load count for HCV
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Viral Load Count For HBV; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Viral load count for HBV
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Blood Culture; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Blood culture
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Urine Culture; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Urine culture
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Fungal Culture; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Fungal culture
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Other Cultures Pus Throat Swab Etc; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Other cultures pus throat swab etc
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Culture For Diptheria; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Culture for Diptheria
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Culture Of Stool Specimen For Vibrio Cholerae And Other Common Bacterial Enteropathogens; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Culture of stool specimen for Vibrio cholerae and other common bacterial enteropathogens
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषित/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Organism Identification And Antimicrobial Sensitivity For Cultures; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Organism identification and antimicrobial sensitivity for cultures
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Mycobacterial Culture And DST; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Mycobacterial culture and DST
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Hemoglobin Electrophoresis HPLC; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Hemoglobin electrophoresis HPLC
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Protein Electrophoresis; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Protein electrophoresis
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Nucleic Acid Amplification Test NAAT For TB; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Nucleic Acid Amplification Test NAAT for TB
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Early Infant Diagnostic Test For HIV Qualitative HIV 1 DNA PCR ICTC; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Early Infant Diagnostic test for HIV Qualitative HIV 1 DNA PCR ICTC
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Quantitative Virological Nucleic Acid Test For HIV; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Quantitative virological nucleic acid test for HIV
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Test For Drug Overdose; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Test for drug overdose
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S HCO3; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S HCO3
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Ammonia; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Ammonia
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S PTH; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S PTH
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Phosphate; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Phosphate
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - HBsAg ELISA Test; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	HBsAg ELISA Test
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - HIV ELISA Test; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	HIV ELISA Test
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - HCV ELISA; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	HCV ELISA
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Water Culture; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Water Culture
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Lipid Profile; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Lipid profile
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - S Bilirubin; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	S Bilirubin
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Fluid LDH; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Fluid LDH
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Electrolytes Sodium Potassium Chloride; LAB TEST; NOT APPLICABLE; LAB TEST (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Electrolytes Sodium Potassium Chloride
Technical specifications of product/material selected above	LAB TEST
Measurement Unit	NOT APPLICABLE
Type of tests required	LAB TEST
Details of tests required	LAB TEST
Eligible testing lab	NOT APPLICABLE
Reports required	BLOOD TEST REPORT
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	AT BUYER PREMISES

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Kavita Umesh Shah	387001,General Hospital Behind Kidney Hospital, Petlad Road, Nadiad	1	N/A

क्र.सं. द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1.Only Bid of Local Firm/Authority of Kheda District is acceptable, other Bid expect local Authorities Kheda District are not valid. If Registered Firm/ Authority is out of Kheda District they must show proof Registered Office in Kheda District.
2. Please upload required documents as per our Tender Terms.
3. The Bidder Firm/ Authority has to upload Never have been black listed by any Government organization. Affidavit in this regards to be submitted.
4. Conditional offers will not be considered.
5. The Firm/ Authority has to upload the demand draft of Rs. 27,000/- in the Name of Chief District Medical Officer Cum Civil Surgeon of any Nationalise bank with this Bid. EMD is mandatory of all participants.
6. Other Condition as per our Bid Terms and Conditions document.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it

will over-ride the conditions in the General Terms and Conditions.

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---