

RA Document

RA Details	
RA Start Date/Time	26-06-2026 12:00:00
RA End Date/Time	27-06-2026 12:00:00
Ministry/State Name	Gujarat
Department Name	Health & Family Welfare Department Gujarat
Organisation Name	N/a
Office Name	General Hospital Nadiad
Item Category	Selection of Laboratories for Testing of Products/Material - Hemoglobin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Total leucocyte count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Differential leucocyte count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Platelet count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Complete blood count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Erythrocyte sedimentation rate; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood group and Rh typing; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood cross matching; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Peripheral blood film; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Reticulocyte count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Absolute eosinophil count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Bleeding time and clotting time; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fibrinogen degradation products FDP; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - D Dimer; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Coombs test direct with titre; LAB TEST; NOT APPLICABLE; LAB TEST ,

Selection of Laboratories for Testing of Products/Material - Coombs test indirect with titre; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Sickling Test for screening of Sickle cell anemia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Sickle cell test rapid for screening of Sickle cell anemia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - NESTROFT Test for screening of Thalassemia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - DCIP test for screening HbE hemoglobinopathy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Quantitative test for G6PD enzyme deficiency; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - MP slide method; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Malaria rapid test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Prothrombin Time PT and INR; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Activated partial thromboplastin time; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Mixing study and Factor VIII Assay for Hemophilia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Human chorionic gonadotropin HCG Urine test for pregnancy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine test for ph specific gravity leucocyte esterase glucose bilirubin urobilinogen ketone protein nitrite; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine Microscopy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - 24 hours urinary protein; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine for microalbumin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Stool for ova and cyst; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Stool for Occult Blood; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Semen analysis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for Dengue; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - RPR VDRL test for

syphilis; LAB TEST; NOT APPLICABLE; LAB TEST ,
 Selection of Laboratories for Testing of
 Products/Material - HIV test Antibodies 1 and 2; LAB
 TEST; NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material -
 Hepatitis B surface antigen test; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - IgM antibody to
 hepatitis B core antigen IgM anti HBc; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - HCV Antibody Test Anti
 HCV; LAB TEST; NOT APPLICABLE; LAB TEST ,
 Selection of Laboratories for Testing of
 Products/Material - Sputum pus etc for AFB; LAB
 TEST; NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material -
 Typhoid test IgM; LAB TEST; NOT APPLICABLE; LAB
 TEST , Selection of Laboratories for Testing of
 Products/Material - Blood sugar; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - Glucose Tolerance test
 GTT; LAB TEST; NOT APPLICABLE; LAB TEST ,
 Selection of Laboratories for Testing of
 Products/Material - S Bilirubin T; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - S Bilirubin direct and
 indirect; LAB TEST; NOT APPLICABLE; LAB TEST ,
 Selection of Laboratories for Testing of
 Products/Material - Serum creatinine; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - Blood Urea; LAB TEST;
 NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material - SGPT;
 LAB TEST; NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material - SGOT;
 LAB TEST; NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material - S
 Alkaline Phosphatase; LAB TEST; NOT APPLICABLE;
 LAB TEST , Selection of Laboratories for Testing of
 Products/Material - S Total Protein; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - S Albumin and AG ratio;
 LAB TEST; NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material - S
 Globulin; LAB TEST; NOT APPLICABLE; LAB TEST ,
 Selection of Laboratories for Testing of
 Products/Material - S Total Cholesterol; LAB TEST;
 NOT APPLICABLE; LAB TEST , Selection of
 Laboratories for Testing of Products/Material - S
 Triglycerides; LAB TEST; NOT APPLICABLE; LAB TEST ,
 Selection of Laboratories for Testing of
 Products/Material - S VLDL; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - S HDL; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for
 Testing of Products/Material - S LDL; LAB TEST; NOT
 APPLICABLE; LAB TEST , Selection of Laboratories for

Testing of Products/Material - S GGT; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Uric acid; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Amylase; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Iron; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Total Iron binding capacity; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S LDH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Glycosylated haemoglobin HbA1C; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Sodium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Potassium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Calcium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Ionised Calcium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Chloride; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Magnesium; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Arterial blood gas test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Smear for RTI STD; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Smear for leprosy; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Gram staining for clinical specimen; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Throat swab for Diphtheria; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Stool for hanging drop for Vibrio Cholera; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Visual Inspection Acetic Acid VIA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - rK39 for Kala Azar; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Smear for Filaria; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - TB Mantoux; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Japanese Encephalitis IgM Blood

CSF confirmatoryx; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Scrub typhus Test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for Leptospirosis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for Chikungunya; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM for Measles; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM for Hepatitis A plus B77 is to B90; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - IgM for Hepatitis E; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Rapid antigen detection test for Bacterial meningitis Meningococci; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S TSH including for new born screening; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Free T3; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Free T4; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Ferritin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Troponin I; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Troponin T; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Beta HCG; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Prolactin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Anti Mullerian hormone AMH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Alfa Feto protein; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S CA 125; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S CEA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Procalcitonin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S PSA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Vitamin B12; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Vitamin D; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for

Testing of Products/Material - TORCH IgM and IgG; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Thyroid peroxidase antibody; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Anti cyclic citrullinated peptide anti CCP; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - RA factor Quantitative; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - CRP including new born Quantitative; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Anti nuclear antibody ANA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Cytology; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Pap smear; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - CSF analysis Glucose CSF protein ADA cell count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fluid analysis Cell count biochemistry including Glucose Protein LDH and cytology; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Histopathology; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Bone marrow examination; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Immunohistochemistry; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - CD4 count; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Viral load count for HCV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Viral load count for HBV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Blood culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Urine culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fungal culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Other cultures pus throat swab etc; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Culture for Diptheria; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Culture of stool specimen for Vibrio cholerae and other common bacterial enteropathogens; LAB TEST; NOT APPLICABLE; LAB

	TEST , Selection of Laboratories for Testing of Products/Material - Organism identification and antimicrobial sensitivity for cultures; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Mycobacterial culture and DST; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Hemoglobin electrophoresis HPLC; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Protein electrophoresis; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Nucleic Acid Amplification Test NAAT for TB; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Early Infant Diagnostic test for HIV Qualitative HIV 1 DNA PCR ICTC; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Quantitative virological nucleic acid test for HIV; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Test for drug overdose; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S HCO3; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Ammonia; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S PTH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Phosphate; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HBsAg ELISA Test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HIV ELISA Test; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - HCV ELISA; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Water Culture; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Lipid profile; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - S Bilirubin; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Fluid LDH; LAB TEST; NOT APPLICABLE; LAB TEST , Selection of Laboratories for Testing of Products/Material - Electrolytes Sodium Potassium Chloride; LAB TEST; NOT APPLICABLE; LAB TEST
Auto Extension	If any seller submits the offer price during last 30 minutes of RA end time, then RA will be automatically extended for next 30 minutes from the last participation time. There is no limit on such RA extension cycle.

Contract Period	1 Year(s)
Minimum Average Annual Turnover of the bidder (For 3 Years)	18 Lakh (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No

Participation by the bidder in RA process would be considered as their consent for extension in offer validity by 30 days by the date of RA initiation.

Please refer to Bid document of [GEM/2026/B/7492565](#) for technical specification, terms & conditions and other details.

[This Bid is also governed by the General Terms and Conditions](#)

Service Level Agreement will be applicable for each Service as provided in the Marketplace.

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---