

Item Number	Item Title	Item Description	Item Quantity	Unit of Measure	Consignee ID	Delivery Period (In number of days)
1	Portland Pozzolana Cement (43 Grade)	Portland Pozzolana Cement (PPC) (fresh and lump free, approved make UltraTech / ACC / Ambuja / JK Cement or equivalent)	20	Bags	DC16BN@CONSTRUCTION	15
2	Stone aggregate 20mm nominal size	Machine crushed hard stone aggregate 20 mm nominal size and clean, dust free, angular type	2	Cum	DC16BN@CONSTRUCTION	15
3	Coarse Sand (Zone-III)	Clean river sand Zone-III grading, free from organic impurities	3	Cum	DC16BN@CONSTRUCTION	15
4	Fine sand	Fine river sand suitable for plaster and finishing works	2	cum	DC16BN@CONSTRUCTION	15
5	Ceramic glazed floor tiles of size 300x300 mm	First quality ceramic glazed floor tiles 300x300 mm, minimum 8 mm thick, anti-skid finish, approved make Kajaria / Somany / Johnson or equivalent	250	sqft	DC16BN@CONSTRUCTION	15
6	Wall tiles of size 300x300	Glazed wall tiles 300x300 mm, minimum 6 mm thick, glossy/matt finish, approved make Kajaria / Somany / Johnson or equivalent	200	sqft	DC16BN@CONSTRUCTION	15
7	vittrified tiles 600x600 mm	Double charged / nano polished vittrified tiles 600x600 mm, minimum 8-10 mm thick	200	sqft	DC16BN@CONSTRUCTION	15

8	unplasticised Rigid PVC rain water pipes 110 mm diameter	unplasticised Rigid PVC rain water pipes 110 mm diameter, approved make Supreme / Finolex / Astral or equivalent	200	Mtr	DC16BN@CONSTRUCTION	15
9	Single tee with door 110x110x110 mm	UPVC single tee with door, 110x110x110 mm	25	Nos	DC16BN@CONSTRUCTION	15
10	PVC Bend 87.5° 110 mm bend	PVC bend 87.5 degree, 110 mm dia, selfit/socketed type	25	Nos	DC16BN@CONSTRUCTION	15
11	Water closet (European type W.C. pan)	Water closet (European type W.C. pan) (Cera, Prayag,hindware ,Shakti or equivalent)	2	Nos	DC16BN@CONSTRUCTION	15
12	Indian Style Squatting Pan with Long Pattern	Indian Style Squatting Pan with Long Pattern (Cera, Prayag,hindware ,Shakti or equivalent)	2	Nos	DC16BN@CONSTRUCTION	15
13	Flushing cistern 10 litre capacity - White	Flushing cistern with manually controlled device (handle lever)all fittings and fixtures complete. 10 litre capacity - White	4	Nos	DC16BN@CONSTRUCTION	15
14	water closet (European type W.C. pan) only seat cover	Heavy duty solid plastic duroplast seat cover with hinges suitable for EWC, approved make Hindware / Cera / Parryware	8	Nos	DC16BN@CONSTRUCTION	15
15	Spendil half turn	CP brass spindle half turn type for stop cock ISI marked	50	Nos	DC16BN@CONSTRUCTION	15
16	CP Brass Telephonic wall mixer	CP brass wall mixer with telephonic shower arrangement,	8	Nos	DC16BN@CONSTRUCTION	15

		chromium plated (Make hindware, periware, cera or equavilant)				
17	CP Pillar cock	15 mm dia CP brass pillar cock ISI marked (Make hindware, periware, cera or equavilant)	5	Nos	DC16BN@CONSTRUCTION	15
18	Flexible (coil shaped) PVC waste pipe for sink and wash basin 32mm dia	Flexible (coil shaped) PVC waste pipe for sink and wash basin 32mm dia	30	Nos	DC16BN@CONSTRUCTION	15
19	600x450 mm beveled edge mirror of superior glass complete with 6 mm thick	600x450 mm beveled edge mirror of superior glass complete with 6 mm thick	8	Nos	DC16BN@CONSTRUCTION	15
20	SS Bottle Trap for Wash basin and sink	Stainless steel bottle trap 32 mm dia for Wash basin and sink	8	Nos	DC16BN@CONSTRUCTION	15
21	Gun metal gate valve 25 mm nominal bore	Gun metal gate valve 25 mm nominal bore	4	Nos	DC16BN@CONSTRUCTION	15
22	Ball valve (brass) of 15 mm nominal bore	Ball valve (brass) of 15 mm nominal bore	5	Nos	DC16BN@CONSTRUCTION	15
23	C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	10	Nos	DC16BN@CONSTRUCTION	15
24	PTMT long body bib cock	PTMT long body bib cock 15 mm dia ISI marked approved	30	Nos	DC16BN@CONSTRUCTION	15
25	CP angle valve (Make hindware, periware,	CP angle valve (Make hindware, periware, cera or equavilant)	10	Nos	DC16BN@CONSTRUCTION	15

	cera or equavilant)					
26	P.V.C. connection pipe 15 mm nominal bore with 45 cm length	P.V.C. connection pipe 15 mm nominal bore with 45 cm length	30	Nos	DC16BN@CONSTRUCTION	15
27	concealed cistern full accessories like giblet, cover, valve, lock in toilet	concealed cistern with full accessories like giblet, cover, valve, lock in toilet	20	Nos	DC16BN@CONSTRUCTION	15
28	Float glass panes of nominal thickness 4 mm (weight not less than 10 kg/sqm)	Float glass panes of nominal thickness 4 mm (weight not less than 10 kg/sqm)	20	sqm	DC16BN@CONSTRUCTION	15
29	Water proofing compound Dr. fixit for seepage	Waterproofing compound approved make Dr. Fixit	20	Ltr	DC16BN@CONSTRUCTION	15
30	SS towel rail	SS towel rail 600 mm long	10	Nos	DC16BN@CONSTRUCTION	15
31	CP hand held health faucet of toilet	CP brass health faucet with 1 metre flexible tube and wall hook complete set	10	Nos	DC16BN@CONSTRUCTION	15
32	Synthetic Enamel Paint	Synthetic Enamel Paint (Make Berger , Asian Paint & shalimar or equivalent)	40	Ltr	DC16BN@CONSTRUCTION	15
33	30 mm thick PVC door	Factory made solid PVC door shutter 30 mm thick with frame	90	Sqft	DC16BN@CONSTRUCTION	15
34	Brass hanging type door stopper 150 mm	Heavy duty brass hanging type door stopper 150 mm size with rubber bush	30	Nos	DC16BN@CONSTRUCTION	15

35	P-Trap for toilet	P-trap suitable for WC, conforming to IS standards	8	Nos	DC16BN@CONSTRUCTION	15
36	Solvent	Solvent	4	Ltr	DC16BN@CONSTRUCTION	15
37	White cement for floor tile	White cement based tile joint filler approved make Birla White / JK White or equivalent	8	Kg	DC16BN@CONSTRUCTION	15
38	G.I. pipe 15 mm nominal dia	G.I. pipe 15 mm nominal dia ISI marked	20	Mtr	DC16BN@CONSTRUCTION	15
39	G.I. elbow 15 mm dia	G.I. elbow 15 mm dia	10	Nos	DC16BN@CONSTRUCTION	15
40	G.I Tee for 15 mm nominal dia	G.I Tee for 15 mm nominal dia	10	Nos	DC16BN@CONSTRUCTION	15
41	G.I. socket	G.I. socket	10	Nos	DC16BN@CONSTRUCTION	15
42	Cement based wall putty	Cement based wall putty approved make Birla White / JK Wall Putty / Asian Paints or equivalent	20	Kg	DC16BN@CONSTRUCTION	15