

<u>Buyer's Specification</u>		
Sl. No.	Mat Code	Description
1	JS8129790905	1.5HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 1 of Technical specification of Motor complying to IS 12615:201
2	JS8236290905	15HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 2 of Technical specification of Motor complying to IS 12615:2018
3	JS8236290915	10HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 3 of Technical specification of Motor complying to IS 12615:2018.
4	JS8242290905	2HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 4 of Technical specification of Motor complying to IS 12615:20
5	JS8119590905	0HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 5 of Technical specification of Motor complying to IS 12615:2018
6	JS8107690905	3HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 6 of Technical specification of Motor complying to IS 12615:2018
7	JS8116290905	2HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 7 of Technical specification of Motor complying to IS 12615:2018
8	JS8101890905	5 or 6 HP, 3 phase,Flange Mounted, TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 8 of Technical specification of Motor complying to IS 12615:2018
9	JS8145190905	6.7HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 9 of Technical specification of Motor complying to IS 12615:201

10	JS8132790905	1/2HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 10 of Technical specification of Motor complying to IS 12615:2018.
11	JS8201190905	2HP, 3 phase,Flange Mounted,TEFC,IE 2 Squirrel Cage, Copper Winding Motor as per item 11 of Technical specification of Motor complying to IS 12615:2018
12	JS8101990905	4HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 12 of Technical specification of Motor complying to IS 12615:20
13	JS8110790905	7.5HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 13 of Technical specification of Motor complying to IS 12615:2018
14	JS8260290905	20HP, 3 phase,Flange Mounted,TEFC, IE2 Squirrel Cage, Copper Winding Motor as per item 14 of Technical specification of Motor complying to IS 12615:2018.
15	JS8117590905	1/4 HP Pump with Motor as per RV 80/270 RAJAMANE make as per item 15 of Technical Specification of Motor conforming to applicable IS Standards IS 8034/IS 9079.
16	JS8101990915	1/8 HP Pump with Motor as per RV 40/170 RAJAMANE make as per item 16 of Technical Specification of Motor, conforming to applicable IS Standards IS 8034/IS 9079.

NOTE:1	Qualifying criteria is as per PQR.Duly filled with signed & seal copy of PQR has to be submitted with bid by suppliers along with required documents (copy of PQR attached below)
NOTE:2	INSPECTION TO BE DONE AFTER RECEIPT OF MATERIAL AT STORE OF BHEL JHANSI.
NOTE:3	BIDDER TO CONFIRM & SEAL SIGN TECHNICAL SPECIFICATION ATTACHED WITH THE ENQUIRY
NOTE:4	WARRANTY SHALL BE 1 YEAR FROM THE DATE OF RECEIPT OF MATERIAL AT BHEL JHANSI.
NOTE:5	ALL ITEMS TO BE PROCURED FROM SAME SOURCE AS A PACKAGE SO AS TO ENSURE AVAILABILITY OF ALL ITEMS AT OUR WORKPLACE AS QUANTITY REQUIRED FOR EACH OF THE ITEM AR VERY LOW
NOTE:6	TEST CERTIFICATES TO BE SUBMITTED ALONG WITH SUPPLY.

TECHNICAL SPECIFICATION OF MOTOR

PI Item->		1	2	3	4	Date: 26.05.26
SL NO	Required for -->	Portable drill Machine	Encapsulation Plant	Encapsulation Plant	Heating Oven	Redman Cropping
1	Qty. -->	1	2	2	3	2
2	Power	1.5 HP	15 HP	10 HP	2 HP	10 HP
3	Phase	3	3	3	3	3
4	Voltage	415+/- 10% V	415+/- 10% V	415+/- 10% V	415+/- 10% V	415+/- 10% V
5	Frequency	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ
6	Speed	3000 RPM	1500 RPM	3000 RPM	1500 RPM	1440 RPM
7	Type	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage
8	Winding Material	Copper Winding	Copper Winding	Copper Winding	Copper Winding	Copper Winding
9	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC
10	Frame size/description	90L	HX+160MLD4 (ABB)	132S	M2BA90L4 (ABB)	132M
11	Mounting	Flange Mounted	Base Mounted	Flange Mounted	Base Mounted	Flange + Base Mounted
12	Warranty	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi
13	Make	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETIC OR Equivalnt	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETIC OR Equivalnt	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETIC OR Equivalnt	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETIC OR Equivalnt	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETIC OR Equivalnt

Note : Bidder to confirm and seal sign the Technical specification

Sunay Shrivastava
26/5/26
Sunay Shrivastava
Manager-WEX

TECHNICAL SPECIFICATION OF MOTOR

PI item-->		6	7	8	9	10	11
Required for -->		Splitting Line	Shot Blast Plant	Portable Drill Machine	Portable drill Machine	Cropping Line Soenen	Shot Blast Plant
S No	Qty. -->	1	3	5	1	2	1
1	Power	3 HP	2HP	5/6 HP	6.7 HP	1/2 HP	2 HP
2	Phase	3	3	3	3	3	3
3	Voltage	415+/- 10% V	415+/- 10% V	415+/- 10% V	415+/- 10% V	415+/- 10% V	415+/- 10% V
4	Frequency	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ
5	Speed	1440 RPM	1440 RPM	1500/ 3000 RPM Dual Speed	1500/ 3000 RPM Dual Speed	1410 RPM	1440 RPM
6	Type	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage
7	Winding Material	Copper Winding	Copper Winding	Copper Winding	Copper Winding	Copper Winding	Copper Winding
8	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC
9	Frame size/description	100L	80L	112M	132M	M80 Star Connected	90L
10	Mounting	Flange + Base Mounted	Flange Mounted	Flange Mounted	Flange Mounted	Base Mounted	Face Mounted (B14)
11	Reference Dimension				--	--	Pmax:140. M-PCD:115, Dia N:95 Shaft Dia:19, Shaft Length:55, Key:6x3x22 Open Type
12	IP protection	IP 55	IP 55	IP 55	IP 55	IP 55	IP 55
13	Warranty	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi
14	Make	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalant	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalant	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalant	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalant	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalant	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalant

B. Binistry
 26/5/26
 Sunay Shrivastava
 Manager-WEX
 pg 2 of 3

Note : Bidder to confirm and seal sign the Technical specification

TECHNICAL SPECIFICATION OF MOTOR

PI item-->	12	13	14	15	16
Required for -->	Radial Arm Drill	Horizontal Winding	Vacuum Pump & Winding	Coolant pump for Grinder	Coolant pump for Radial Arm Drill
S No	Qty. -->				
1	Power	1	5	2	10
2	Phase	7.5 HP	20 HP	1/4 HP Pump with Motor	1/8 HP Pump with Motor
3	Voltage	3	3	3	3
4	Frequency	415+/- 10% V	415+/- 10% V	415+/- 10% V	415+/- 10% V
5	Speed	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ	50 +/- 5% HZ
6	Type	1500 RPM	1465 RPM	2800 RPM	2800 RPM
7	Winding Material	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage	IE2 Squirrel Cage
8	TEFC	Copper Winding	Copper Winding	Copper Winding	Copper Winding
9	Frame size/description	TEFC	TEFC	TEFC	TEFC
10	Mounting	M2BA132S4 (ABB)	3HI6L4M3 (BHARAT BIJLEE)	RV 80/270 (RAJAMANE)	RV 40/170 (RAJAMANE)
11	Reference Dimension	Base Mounted	Base Mounted		
12	Flow rate	--	--	--	--
13	IP protection	--	--	80LPM @ 2 meter Head	40LPM @ 2 meter Head
14	Warranty	IP 55	IP 55	IP 55	IP 55
		1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi	1 year from the date of receipt of material at BHEL Jhansi
15	Make	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalnt	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC OR Equivalnt	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC/RAJAMANE OR Equiavlent	ABB/HAVELLS/ L&T /BHARAT BIJLEE /CG /SIEMENS/ HINDUSTAN ELETRIC/RAJAMANE OR Equiavlent

Note : Bidder to confirm and seal sign the Technical specification

S. Shrivastava
20/5/26
Sunny Shrivastava
Manager-WEX



BHARAT HEAVY ELECTRICALS LIMITED, JHANSI-284120
(A Govt. of India Undertaking)
Material Management
Mandatory Sheet

Pre-Qualifying Requirement (PQR)

S N.	DESCRIPTION	Vendor's Confirmation
1	Vendor/Bidder shall be GSTIN Registered Vendor	Vendor/Bidder to furnish GSTIN No. _____
2.	Experience Clause: Bidder should have supplied Industrial Motors (i.e. NOT Desert Cooler/ Fridge / AC Motor) in the last 7 Financial Years from the date of Tender opening date. Matching PO and Invoice copies to be provided for the same. In case of GEM PO's : GEM PO copies + Invoice Copies /GEM CRAC copies to be provided.	Vendor to furnish YES/ NO If YES: Documents submitted are: _____

Sign of Authorized Signatory & Company's Seal :

Contact Detail: Name Cell No.: E-mail: