

Phosphate plant -- Compliance

Section report: Compliance

Site	Atlas Phosphate Complex (:atlas_phosphate)
Reporting period	2026-01-01T00:00:00 to 2026-12-31T23:00:00 (365 days, 8568 operating hours)
Product	Dap from 29.0 % P2O5 ore, 1713.0 kt of product
Framework scope	ISO 50001:2018 energy management; ISO 14001:2015 environmental management; ISO 46001:2019 water efficiency; ISO 9001:2015 quality management; GHG Protocol corporate standard; EU Industrial Emissions Directive 2010/75; US EPA 40 CFR 63 subpart AA; IFA/EFMA BAT for phosphate fertilisers; Phosphogypsum stack management code
Provenance	Design revision A seed 20260101 8760 hourly intervals of 69 signals generated 2026-09-23T15:43:11.110 basis :screening_plant_model

Compliance register and corrective actions

● COMPLIANCE

88.1 % of clauses

42 clauses in 9 frameworks

● COMPLIANT

37 clauses

● AT RISK

0 clauses

within 10 % of the limit

● NON-COMPLIANT

5 clauses

outside the limit

THE SCORECARD, FRAMEWORK BY FRAMEWORK

Framework	Title	Clauses	Compliant	At risk	Non-compliant	Compliant %
:eu_ied	EU Industrial Emissions Directive 2010/75	4	4	0	0	100
:ghg_protocol	GHG Protocol corporate standard	4	2	0	2	50
:ifa_bat	IFA/EFMA BAT for phosphate fertilisers	6	4	0	2	66.67
:iso_14001	ISO 14001:2015 environmental management	5	5	0	0	100
:iso_46001	ISO 46001:2019 water efficiency	3	3	0	0	100
:iso_50001	ISO 50001:2018 energy management	6	5	0	1	83.33
:iso_9001	ISO 9001:2015 quality management	8	8	0	0	100
:phosphogypsum_code	Phosphogypsum stack management code	3	3	0	0	100
:us_epa_40cfr63	US EPA 40 CFR 63 subpart AA	3	3	0	0	100

Framework	Clause	Title	Metric	Value	Target	Unit	Margin %	Status
:iso_50001	:energy_review	Energy review of the process	:specific_energy	2.01	12.5	:gj_per_t	83.94	Compliant
:iso_50001	:enpi	Energy performance indicator	:spec_energy_vs_design	16.06	100	:pct	83.94	Compliant
:iso_50001	:baseline	Baseline data quality	:completeness	99.81	98	:pct	1.85	Compliant
:iso_50001	:objectives	Objectives and targets	:targets_met	89.29	70	:pct	27.55	Compliant
:iso_50001	:operational_control	Operational control	:critical_findings	30	0	:count	n/a	Noncompliant
:iso_50001	:monitoring	Monitoring and measurement	:metered_signals	69	40	:count	72.5	Compliant
:iso_14001	:aspects	Significant environmental aspects	:stack_fluoride	2.72	5	:count	45.65	Compliant
:iso_14001	:emissions	Emissions monitoring	:stack_dust	21.8	30	:count	27.35	Compliant
:iso_14001	:waste	Waste management	:gypsum_free_p2o5	0.4985	1	:wt_pct	50.15	Compliant
:iso_14001	:water	Water balance and discharge	:water_per_p2o5	3.38	8	:t_ph	57.74	Compliant
:iso_14001	:emergency	Emergency preparedness	:scrubber_ph	6.4	5.6	:count	14.21	Compliant
:iso_46001	:water_review	Water use review	:water_per_p2o5	3.38	8	:t_ph	57.74	Compliant
:iso_46001	:reuse	Water reuse	:water_recovery	70.32	65	:pct	8.19	Compliant
:iso_46001	:effluent	Effluent quality	:effluent_ph	7.4	8.5	:count	12.94	Compliant
:iso_9001	:product_spec	Product specification	:product_n	18.14	17.4	:wt_pct	4.27	Compliant
:iso_9001	:moisture	Product moisture	:product_moisture	1.75	2	:wt_pct	12.39	Compliant
:iso_9001	:solubility	Product solubility	:product_wsp	88.51	85	:wt_pct	4.12	Compliant
:iso_9001	:process_control	Control of production	:acid_strength	55.85	50.5	:wt_pct	10.6	Compliant
:iso_9001	:acid_specification	Merchant acid specification	:acid_so4	1.16	1.5	:wt_pct	22.39	Compliant
:iso_9001	:acid_fluorine	Fluorine of the merchant acid	:acid_f	0.3533	0.5	:wt_pct	29.35	Compliant
:iso_9001	:acid_solids	Solids of the merchant acid	:acid_solids	0.2943	0.5	:wt_pct	41.13	Compliant
:iso_9001	:acid_yield	Yield of the acid route	:acid_p2o5_yield	97.68	96.5	:pct	1.22	Compliant
:ghg_protocol	:scope_1	Scope 1 quantification	:scope_1_t	36,380	48	:t	-75,691	Noncompliant
:ghg_protocol	:scope_2	Scope 2 quantification	:scope_2_t	21,955	240	:t	-9,047.78	Noncompliant
:ghg_protocol	:intensity	Emissions intensity	:carbon_intensity	55.98	145	:kg_ph	61.39	Compliant
:ghg_protocol	:factors	Emission factor register	:factor_count	4	4	:count	0	Compliant
:eu_ied	:bat_emissions	BAT emission levels	:stack_fluoride	2.72	5	:count	45.65	Compliant
:eu_ied	:energy_efficiency	Energy efficiency of BAT	:specific_energy	2.01	12.5	:gj_per_t	83.94	Compliant

Framework	Clause	Title	Metric	Value	Target	Unit	Margin %	Status
:eu_ied	:monitoring	Continuous monitoring	:completeness	99.81	98	:pct	1.85	Compliant
:eu_ied	:waste	Waste management plan	:gypsum_free_p2o5	0.4985	1	:wt_pct	50.15	Compliant
:us_epa_40cfr63	:fluoride	Fluoride emission limit	:stack_fluoride	2.72	5	:count	45.65	Compliant
:us_epa_40cfr63	:scrubber	Scrubber operating limit	:scrubber_ph	6.4	5.6	:count	14.21	Compliant
:us_epa_40cfr63	:records	Record keeping	:completeness	99.81	98	:pct	1.85	Compliant
:ifa_bat	:recovery	P2O5 recovery of the route	:p2o5_recovery	83.65	94	:pct	-11.01	Noncompliant
:ifa_bat	:acid_demand	Specific acid demand	:acid_consumption	2.82	2.85	:t_ph	0.9321	Compliant
:ifa_bat	:acid_steam	Steam of the acid concentration	:acid_steam	0.4115	0.62	:t_ph	33.63	Compliant
:ifa_bat	:water_soluble	Water-soluble loss	:water_soluble_loss	2.32	2	:pct	-15.93	Noncompliant
:ifa_bat	:fluorine	Fluorine recovery	:fluorine_recovery	92	80	:pct	15	Compliant
:ifa_bat	:grind	Liberation of the ore	:grind_p80	150.6	170	:um	11.41	Compliant
:phosphogypsum_code	:stack_quality	Gypsum quality to the stack	:gypsum_free_p2o5	0.4985	1	:wt_pct	50.15	Compliant
:phosphogypsum_code	:water_return	Water return to the plant	:water_recovery	70.32	65	:pct	8.19	Compliant
:phosphogypsum_code	:dust	Dust control on the stack	:stack_dust	21.8	30	:count	27.35	Compliant

WHAT HAS TO BE DONE ABOUT IT

Framework	Clause	Metric	Value	Target	Gap %	Status	Corrective action
:ghg_protocol	:scope_1	:scope_1_t	36,380	48	-75,691	Noncompliant	Review the operating window with the process engineer
:ghg_protocol	:scope_2	:scope_2_t	21,955	240	-9,047.78	Noncompliant	Review the operating window with the process engineer
:ifa_bat	:water_soluble	:water_soluble_loss	2.32	2	-15.93	Noncompliant	Review the operating window with the process engineer
:ifa_bat	:recovery	:p2o5_recovery	83.65	94	-11.01	Noncompliant	Review the reagent dose and the grind of the blend
:iso_50001	:operational_control	:critical_findings	30	0	n/a	Noncompliant	Close the critical findings of the diagnostics register