

Polymer Plant Scheduling — Dedicated PE & PP Production Trains

Manufacturing scheduling case study · Julia + JuMP + HiGHS · companion to `notebooks/polymer_pe_pp_scheduling.jl`

This report documents a **production scheduling model** for a polymer plant that manufactures several grades of **polyethylene (PE)** and **polypropylene (PP)**. PE and PP are made on **physically separate trains**: different reactor technology and catalyst systems (e.g. gas-phase/slurry PE reactors vs. Ziegler-Natta/metallocene PP reactors) mean a PE line can never run a PP grade or vice versa. So this is really **two independent single-line scheduling problems, running in parallel** — one per train.

Within a train, switching between grades still costs time and money: color/additive changes and partial purges. The scheduler below decides the order in which each train runs its confirmed orders so as to minimize total changeover cost plus tardiness cost, per train. Each train's sub-problem is a mixed-integer linear program (MILP), built with [JuMP.jl](#) and solved with the open-source [HiGHS](#) solver.

1. Plant data: grades, families, and orders

The plant has **7 confirmed orders** across **5 grades**: three PE grades (HDPE, LLDPE, LDPE) on the PE train, and two PP grades (homopolymer and copolymer) on the PP train. Each order has a quantity, a production rate on its train, and a customer due date (in hours from the scheduling horizon start, $t = 0$).

Order	Grade	Train	Qty (t)	Rate (t/h)	Due (h)	Weight
1	HDPE-5502	PE	120	5.0	30	1.0
2	LLDPE-2020	PE	80	4.5	40	1.0
3	PP-Homo-1100	PP	100	5.5	55	1.5
4	LDPE-1922	PE	60	4.0	65	1.0
5	PP-Copo-3300	PP	90	4.8	80	1.5
6	HDPE-5502	PE	70	5.0	95	1.0
7	PP-Homo-1100	PP	110	5.5	110	1.5

2. Sequence-dependent changeovers (within a train)

Because a train only ever runs grades from one family, the only changeover decision is *within* that family:

Transition	Time (h)	Why
Same grade repeated	0.5	housekeeping only
Different grade, same family	2.5	color/additive change, partial purge

There is no PE $\leftrightarrow$ PP transition to model — that changeover never happens, because it would require re-equipping the whole train.

Cost rates used in this run: changeover **\$450/h**, tardiness **\$300/h** per unit order weight. (The companion Pluto notebook exposes both as live sliders.)

3. MILP formulation (applied once per train)

Each train's orders are scheduled independently. Node 0 is a dummy "train idle" start state; nodes 1.. m are that train's orders. Binary variables x_{ij} indicate that order j runs immediately after node i . Continuous variables C_i and T_i are the completion time and tardiness of order i .

```
minimize    c_co * sum_{i != j} s_ij * x_ij  +  c_tar * sum_i w_i * T_i


subject to  sum_j x_0j = 1
            sum_{i != j} x_ij = 1                for all j
            sum_{j != i} x_ij ≤ 1                for all i
            C_j ≥ C_i + s_ij + p_j - M(1 - x_ij)  for all i != j
            T_i ≥ C_i - d_i,    T_i ≥ 0
            x_ij ∈ {0,1},    C_i, T_i ≥ 0
```

Completion times must strictly increase along any chain of active arcs, so this "big-M timing" formulation rules out sub-tours on its own — no separate subtour-elimination constraints (e.g. MTZ) are needed. The two trains' sub-problems share no variables, so solving them independently with HiGHS is exact, not a heuristic decomposition — both reach global optimality in well under a second.

4. Optimal campaign sequence, per train

Train	Order	Grade	Qty (t)	Start (h)	End (h)	Due (h)	Status
PE	1	HDPE-5502	120	1.0	25.0	30.0	on time
PE	2	LLDPE-2020	80	27.5	45.3	40.0	5.3 h late
PE	4	LDPE-1922	60	47.8	62.8	65.0	on time
PE	6	HDPE-5502	70	65.3	79.3	95.0	on time
PP	5	PP-Copo-3300	90	1.0	19.8	80.0	on time
PP	3	PP-Homo-1100	100	22.3	40.4	55.0	on time
PP	7	PP-Homo-1100	110	40.9	60.9	110.0	on time

5. Gantt chart



Grade blocks are colored by polymer family (**PE** vs. **PP**); triangles mark each order's due date (red = missed). Because the two trains never compete for the same equipment, they run **simultaneously**: overall makespan is the *slower* of the two trains, not the sum of both.

6. Key performance indicators

PE TRAIN MAKESPAN	PP TRAIN MAKESPAN	OVERALL MAKESPAN	TOTAL COST
79.3 h	60.9 h	79.3 h	\$7208

Tardiness: 5.3 h across 1 of 7 orders. PE train cost: \$5408; PP train cost: \$1800.

7. Discussion & extensions

Modeling PE and PP as two **dedicated, parallel trains** — rather than one shared line that pays a family-changeover penalty — matters economically: it removes a changeover that can never actually happen on real equipment, and it lets both product families progress at once instead of queueing behind each other. Natural next steps for a production-grade version:

- **More than one train per family** — e.g. two PE lines with different capability sets; extend the model to a proper parallel-machine assignment problem within a family.
- **Minimum/maximum campaign length** — avoid uneconomically short runs by bounding the number of consecutive orders of the same grade.
- **Exact grade-pair changeover matrix** — replace the flat "0.5 / 2.5 h" rule with real historical purge times per ordered grade pair.
- **Shared upstream/downstream utilities** — if both trains draw from a common feedstock or packaging line, that shared resource needs its own capacity constraint linking the two schedules.
- **Rolling-horizon re-optimization** — re-solve as new orders arrive or priorities change, warm-starting from the current sequence.
- **Robustness** — sample uncertain processing rates / late raw-material arrivals and re-optimize, or solve a chance-constrained variant.

Because each train's model is a compact, independent JuMP program, all of the above are incremental changes to the scheduling function above, not a rewrite. An interactive version of this same model — with live cost-weight sliders — is available as a Pluto.jl notebook at `notebooks/polymer_pe_pp_scheduling.jl` in this repository.