

Do LLM Valuation Agents Read the Filing?

Metamorphic Tests of Filing Fidelity on Korean Listed Firms

Dong Gyu Park
Independent Researcher
parkdong1015@gmail.com

October 2026

Abstract

Large language models (LLMs) are increasingly used to value companies from their filings, but outcome accuracy cannot tell whether a model computes from the filing or recalls what it already knows about the firm. We propose a metamorphic-testing design in which accounting-consistent perturbations of real filings have an exact theoretical effect on per-share value, so the model’s response can be measured against a calibrated target. Using 150 Korean listed firms (50 large caps, 50 mid caps and 50 small caps with in-the-money convertible bonds), FY2025 DART filings and a preregistered protocol, we run about 63,000 model calls, mostly with Gemini 2.5 Flash-Lite. The primary agent delegates the arithmetic to a Python tool. None of the four preregistered primary hypotheses is supported after Holm correction. Large-cap scale elasticity is 0.993 (95% CI 0.951–1.035), so values scale with the statements; the firm-memory effect, its dose-response with memory strength, and convertible-bond dilution under-reaction are inconclusive. Exploratory analyses show that the model carries perturbed items into the valuation bridge almost exactly (median 1.00 of the change in cash or non-operating assets), but its projection assumptions vary so much between runs (enterprise value moves by about ± 4 times the perturbation) that single-item effects are invisible in a single valuation. Pooled across firms, responses are close to theory for share-count changes (1.007) and non-operating assets (0.875), and larger than theory for cash distributions (1.61). Names pull values toward the price at the training cutoff (stale-anchor coefficient 0.245, $p = 0.003$), and agents that compute themselves misreport their own arithmetic in about 98% of runs. Delegating computation and fixing or averaging assumptions are preconditions for filing-faithful LLM valuation.

Keywords: large language models, equity valuation, metamorphic testing, look-ahead bias, memorization, financial filings, convertible bonds, Korea

JEL: G12, G14, C45, M41

1 Introduction

LLM agents are being deployed to read company filings and produce valuations, target prices and research reports [5, 15]. Evaluating these agents by comparing their outputs with realized prices or analyst estimates has an identification problem. A model trained on data that include the firm’s history can produce an accurate value without using the filing at all [3, 4, 10]. Accuracy therefore confounds two abilities: reading and computing from the disclosed numbers, and recalling what is already known about the company.

We sidestep the problem by asking a different question. Instead of “is the value right?” we ask “does the value change by the right amount when the filing changes?” This is a metamorphic test

[1]. We apply perturbations to real filings that preserve accounting identities and have a known theoretical effect on the per-share value of a discounted-cash-flow (DCF) valuation. Examples are scaling every amount by k , paying out part of the cash, doubling the share count, adding non-operating assets, and changing the terms of an outstanding convertible bond (CB). The response ratio, the observed change divided by the theoretical change, is a calibrated measure of filing fidelity. It does not require knowing the “true” value of the firm.

We combine these tests with information conditions that withhold the firm’s name and industry, or replace the name with a fictitious one. These conditions decompose any attenuation of the response into an industry prior, a name effect and a firm-specific memory effect. A memory quiz measures how much the model knows about each firm. Small KOSDAQ firms with convertible bonds provide a setting in which firm-specific memory is weak and the key value driver, dilution, appears only in the filing.

The study is preregistered: hypotheses, sample, prompts, perturbation-size rules and analysis plan were frozen after a pilot (git tag `prereg-v1`), and every later change is logged. We report all four primary hypotheses, the preregistered exploratory analyses and the robustness checks, and we label the analyses added after seeing the results.

Our results are mostly null for the preregistered hypotheses, and informative about why. With computation delegated to a tool, values scale almost exactly with the statements, and the model transfers each perturbed item into the valuation bridge correctly. However, its projection assumptions vary so much from run to run that the effect of a single disclosed item on the final value is hidden in noise. Averaged across firms, the responses are close to theory, except that cash distributions are over-weighted. We also find that the model’s values are pulled toward the firm’s price at the training cutoff, and that agents that do their own arithmetic almost never report numbers consistent with their own assumptions.

Contributions. (i) A calibrated, outcome-free measurement design for filing fidelity of LLM valuation, with accounting-consistent perturbations and theoretical targets. (ii) A decomposition of attenuation into industry, name and firm-memory components, with a memory-strength dose-response test. (iii) Evidence on where the information is lost: the extraction and transfer of perturbed items versus the noise in projection assumptions, and the failure stages of convertible-bond dilution. (iv) A preregistered empirical study on Korean filings (DART), including a memory-poor small-cap setting.

2 Related Work

Knowledge conflicts. NLP work studies how models resolve conflicts between context and parametric memory, typically in single-fact question answering with a binary outcome [9, 13, 14]. Sun et al. [12] show that the effect of conflicts depends on the knowledge requirements of the task. Valuation is a multi-step numerical task in which the size of the response, not only its direction, can be measured against a target.

LLMs in investment analysis. Lee et al. [7] find preferences for technology stocks, large caps and contrarian strategies when models face balanced buy and sell evidence, and attribute part of this to knowledge conflicts. Their outputs are binary decisions on synthetic evidence. Haque et al. [5] benchmark deep-research agents against professional reports and find that AI reports fall short. Zhou et al. [15] build an agent framework for equity research and valuation. We measure the fidelity of the valuation computation itself.

Look-ahead bias and memorization. Glasserman and Lin [4] anonymize headlines and find that company knowledge distracts more than look-ahead bias helps. Lopez-Lira et al. [10] show that forecasts within the training window cannot separate skill from recall, and Gao et al. [3] propose a statistical test for lookahead propensity. For trading agents, Li et al. [8] use counterfactual market perturbations, and Zhu et al. [16] build a memory-controlled benchmark. Our perturbations differ in having exact theoretical response sizes, which yields continuous fidelity measures rather than performance differences.

3 Measurement Design

3.1 Metamorphic relations and metrics

Let V be the per-share value reported by the agent for a firm under a given input. Each perturbation π has a theoretical per-share change ΔV_π^* computed from the agent’s own baseline (its median value V_0 and share count in the unperturbed cell).

Scale elasticity β (E2). Multiplying every monetary amount of the statements by a factor k , with $k \in \{0.5, 0.8, 1, 1.25, 2\}$, leaves margins, growth and leverage unchanged, so a filing-faithful value scales by k . For each firm and condition we estimate $\log V_r = a + \beta \log k_r + e_r$ by OLS over runs, with HC3 standard errors [11]. $\beta = 1$ is full fidelity; $\beta < 1$ is attenuation toward a fixed belief.

Response ratio R (E3). For single-item perturbations, a cash distribution of X (cash $-X$, equity $-X$, dividend line and DPS updated), an addition of non-operating assets X (FVOCI assets $+X$ against accumulated OCI), and a share split ($m = 2$, EPS and DPS divided by 2), we compute

$$R = \frac{\text{median}(V_{\text{pert}}) - \text{median}(V_{\text{base}})}{\Delta V_\pi^*},$$

with a percentile bootstrap CI. For cash, $\Delta V^* = -X/N$; for non-operating assets, $+X/N$; for the split, $V_0/m - V_0$.

Self-consistency ε (E1). The relative gap between the reported value and the value implied by the agent’s own reported cash flows, rates and bridge items.

Decomposition and memory (E4–E6). Each firm is shown in four conditions: A (name and industry withheld), B (industry label only), D (fictitious name and industry), C (real name and industry). With β estimated per condition, total attenuation $\beta_A - \beta_C$ splits into an industry effect $\beta_A - \beta_B$, a name effect $\beta_B - \beta_D$, and a firm-memory effect $E_i = \beta_D - \beta_C$. Memory strength M_i is the mean score of a closed-book quiz (market cap, revenue, operating income, share price, main business, listing market; three repetitions), and identification rates in A, B and D are measured separately (E5).

CB dilution (E8). For small caps with outstanding CBs, variants V0 (actual CB), V1 (CB removed), V2 (outstanding face increased), V3 (conversion price lowered to a floor-consistent level) and two placebos (a redeemed CB, an irrelevant disclosure) are shown in condition C. The dilution response ratio R_{dil} compares V_j with V1 against the if-converted theoretical change, computed from the agent’s own equity value and share count; it is defined when the CB is in the money

for the agent. A failure-stage classification (E9) labels each run as an extraction, reflection or computation failure, or a success.

Stale anchor (E7). Regressing $\log V_C$ on $\log V_A$ and the log share price at the model’s training cutoff P_{old} tests whether the name pulls the value toward the remembered price.

3.2 Perturbation size and repetitions

Perturbations must be large enough to be detected against run-to-run noise σ_i and small enough to remain realistic. The preregistered rule sets X to the larger of a precision bound and 5% of the agent’s equity value, capped at 20% of equity value (and at the firm’s cash for distributions). The precision bound is $\sigma_i \sqrt{2/n}/s^*$ times shares, with target standard error $s^* = 0.2$. The number of repetitions n is raised from 10 in steps of 5 up to 40 if needed. Firms that cannot meet the bound are excluded from the rule-size cell. Tiered sizes of 2%, 5% and 10% of book equity are run for every firm with positive book equity as a size robustness check.

4 Data and Experimental Setup

Sample. The evaluation date is $T_{post} = 2026-04-01$; statements are FY2025 (three years shown). The universe is non-financial KOSPI firms and KOSDAQ convertible-bond issuers. We exclude firms halted on T_{post} (KRX daily data), firms failing reported-statement identities, firms with fewer than three years of statements, impaired firms, and firms whose annual report was not filed by T_{post} . The sample has 50 large caps (KOSPI market-cap ranks 1–50; median market cap KRW 22.9 trillion), 50 mid caps (KOSPI mid band, stratified by filing-based newsworthiness within cap quintiles; median KRW 0.48 trillion) and 50 small caps (KOSDAQ firms with an in-the-money CB at the KRX close on T_{post} , ranked by dilution potential; median KRW 0.09 trillion; dilution median 28.8%).

Input packages. Each prompt contains a company block (name and industry, depending on the condition), the balance sheet, income statement and cash-flow statement as reported (KRW million), share information, a notes summary of borrowings and non-operating assets, and, for E8, a CB disclosure generated from structured data (outstanding series, conversion prices, refixing floors). Prices are never shown. Redaction for conditions A, B and D removes every name variant, group name, investee, ticker, homepage and CEO name; an automated check found no identifier in any A/B/D prompt, and identification rates were low (large caps: 3% in A, 11% in B, 2% in D; zero for mid and small caps).

Model and agent structures. The primary model is `gemini-2.5-flash-lite` (training cutoff January 2025, temperature 0.3, JSON mode, no thinking), chosen because its cutoff precedes T_{post} by 15 months. Three agent structures are compared: P (plain; the model performs the DCF), R (retrieval; the package is chunked and embedded, and only retrieved chunks are shown) and T (tool; the model returns extracted values, assumptions, yearly FCFF inputs and the dilution decision in one structured call, and Python computes FCFF, end-of-year discounting, a Gordon terminal value, the equity bridge, per-share value and if-converted dilution). The comparison model is `gemini-3.7-flash`.

Table 1: Runs. Validity is the share of runs passing schema validation after up to two retries.

Phase	Content	Unique calls	Validity
Pilot	3 rounds, 10 L + 10 S firms	$\approx 6,000$	99.8–100%
Main (T, v1.2)	150 firms: E0/E2 (4 conditions $\times$ 5 $k \times$ 10), E3, E5, E6, E7, E8	46,670	99.4–100%
Extensions	30 firms (+20 small caps for E8): structures P, R; instruction; E10	7,480	99.7–99.9%
Comparison model	30 firms, conditions C and D, structure T	3,000	100%

Table 2: Primary hypotheses (structure T, primary model). p values are one-sided.

	Statistic	Estimate	95% CI	p	p_{Holm}	n	Verdict
H1	DL mean β_C , large caps (< 1)	0.993	[0.951, 1.035]	0.376	1.000	50	not supported
H2a	median E_i (> 0)	0.020	[−0.046, 0.095]	0.428	1.000	145	inconclusive
H2b	γ_1 on M_i (> 0)	0.096	[−0.550, 0.742]	0.386	1.000	145	inconclusive
H3	DL mean R_{dil} , V0 (< 1)	0.744	[−0.138, 1.626]	0.285	1.000	15	inconclusive

Pilot and preregistration. A pilot on 10 large and 10 small caps (three rounds, about 6,000 calls) evaluated five gates. Under structure P, the median self-consistency gap was 81%, with errors concentrated in discounting, so structure T became the primary structure. Unit slips (amounts reported in billions instead of millions) occurred for the largest firms and were removed by explicit unit rules (prompt v1.1). Most firms report no separate depreciation line, and the model invented depreciation inconsistently, so prompt v1.2 fixes projected depreciation to equal capex. The measurability gate failed (few firms satisfy the size rule), and the preregistered fallback restricts rule-size cells to accepted firms. The hypotheses, sample hash, prompt hashes, size rules and analysis plan were then frozen. Table 1 summarizes the runs.

Analysis. Primary tests (one-sided, $\alpha = 0.05$, Holm correction across four hypotheses [6]): H1, large-cap $\beta_C < 1$, DerSimonian–Laird random-effects weighted mean [2]; H2a, median $E_i > 0$ (Wilcoxon signed-rank); H2b, $\gamma_1 > 0$ in $E_i = \gamma_0 + \gamma_1 M_i + \gamma_2 \ln(\text{cap}_i) + \text{industry FE} + \gamma_3 \text{id_rate}_i^D$ (WLS with weights $1/\text{se}(E_i)^2$, HC3); H3, small-cap $R_{dil} < 1$ for V0 among firms whose CB is in the money for the agent (DL weighted mean). Firms whose baseline median value is not positive are excluded from log-based measures. A primary hypothesis is “not supported” when its 95% CI excludes effects of practical size (for H1 and H3, a lower bound above 0.9).

5 Results

5.1 Primary hypotheses

Table 2 reports the four primary tests. **H1 is not supported.** Large-cap values scale with the statements (Figure 1): the weighted mean of β_C is 0.993, the unweighted mean 0.948 and the median 0.981. Under structure T this result has a specific meaning: the model does not change its projection assumptions (growth, margins, discount rate) when the firm becomes larger or smaller, so the delegated arithmetic transmits the scaling.

H2a and H2b are inconclusive. For large caps, total attenuation $\beta_A - \beta_C$ averages 0.165 and splits evenly into industry (0.050), name (0.053) and firm-memory (0.062) components, but every component’s CI includes zero (Figure 2). Memory strength rises with size (M_i : 0.33 large,




Figure 1: Scale elasticity β_C (real name) by size group; bars are medians, the dashed line is $\beta = 1$.




Figure 2: Decomposition of attenuation by group (mean, 95% bootstrap CI over firms).




Figure 3: Firm-memory effect E_i versus memory strength M_i .

0.28 mid, 0.17 small), yet its relation with E_i is weak ($\gamma_1 = 0.096$, $R^2 = 0.11$; Figure 3). **H3 is inconclusive.** Only 15–17 of the 50 small caps have a CB that is in the money at the agent’s own value, so power is very low; unweighted estimates are dominated by sign flips around near-zero values.


5.2 Preregistered exploratory results

Table 3 summarizes the exploratory hypotheses. Two results stand out. First, the stale-anchor coefficient is positive and significant: with the real name, values are pulled toward the firm’s share price at the training cutoff, controlling for the anonymous value. Second, placebo disclosures (a redeemed CB, an unrelated filing) move values beyond the noise band in most cells, which shows that irrelevant text also perturbs the assumptions.

Agent structures (H4). On the same 30 firms, structures P and R deviate more from $\beta = 1$ than T (median paired $|1 - \beta_C|$ differences 0.060 and 0.030, $p = 0.17$ and 0.13). The clearest difference lies in arithmetic. P and R report values inconsistent with their own assumptions, with

Table 3: Exploratory hypotheses (no multiplicity correction).

	Result	Assessment
H1b	Pooled slope difference small – large $b_S = 0.287$ $[-0.001, 0.574]$, $p = 0.025$ (large-cap slope 1.012)	small caps over-react to scale
H1c	ε large – small (structure P): -0.148 , $p = 0.85$	not supported
H2c	Stale anchor $b_2 = 0.245$ $[0.069, 0.420]$, $p = 0.003$, $n = 114$	supported
H2d	Industry effect $\beta_A - \beta_B$: median 0.006, $p = 0.25$	not supported
H3b	Failure stages (T, in-the-money small caps): 0% extraction, reflection or computation failures	no failures
H3c	Dose-response slope: mean -0.26 $[-2.16, 1.65]$	inconclusive
Placebos	27% of firm $\times$ placebo cells equivalent within $\pm\sigma_i$	values move with irrelevant text
E10	CB block at the front vs. inside a 13,000-character filler: difference -6.5 KRW, $p = 0.90$	no position effect

**Figure 4:** E9 failure stages by agent structure (CB variants, small caps; firm means).

median ε of 0.76 and 0.77, and the failure-stage classification attributes 98.5% (P) and 97.8% (R) of runs to computation failures, against 0% for T (Figure 4).

5.3 Response fidelity to single disclosed items (added after the results)

The central question of the study is whether values change by the right amount when a disclosed item changes. Firm-level response ratios are too imprecise to answer it firm by firm. Run-to-run variation of the baseline value has a median coefficient of variation of 26% for large caps, 36% for mid caps and 103% for small caps, against perturbations of 2–20% of equity. In addition, only 8 (cash) and 28 (non-operating) firms met the size rule. During this analysis we also found that the tier runs, preregistered for every firm, had been attached only to rule-size firms; the missing 6,790 calls were run before the analyses below. We report two analyses that were *not* preregistered.

Pooled response ratios. Each firm-cell R has a bootstrap CI; we take its width divided by 3.92 as the standard error, combine a firm’s cells by inverse variance, and pool firms with the DL random-effects mean (Table 4, Figure 5). Share-count changes are reflected exactly ($R = 1.007$, homogeneous across firms). Non-operating assets are reflected on average (0.875; large caps 0.64, below 1 at $p = 0.04$). Cash distributions are over-weighted on average (1.61, above 1 at $p = 0.012$,

Table 4: Pooled response ratios across firms (DL random effects; exploratory). Tests are two-sided.

Perturbation	$\bar{R}$	95% CI	p vs. 1	p vs. 0	Firms	I^2
Share split ($m = 2$)	1.007	[0.995, 1.018]	0.26	<0.001	122	0.00
Non-operating assets	0.875	[0.609, 1.141]	0.36	<0.001	122	0.86
large caps	0.637	[0.286, 0.988]	0.04	<0.001	46	0.87
Cash distribution	1.612	[1.134, 2.089]	0.012	<0.001	119	0.81
rule-size cells	1.068	[0.837, 1.298]	0.57	<0.001	8	0.37
CB dilution V0	0.744	[-0.138, 1.626]	0.57	0.10	15	0.60
CB dilution V2 (face up)	0.361	[-0.332, 1.054]	0.07	0.31	15	0.76
CB dilution V3 (price down)	1.145	[0.311, 1.979]	0.73	0.007	16	0.72




Figure 5: Pooled response ratios (DL random effects, 95% CI); 1 is full reflection.

with high heterogeneity, $I^2 = 0.81$). Rule-size cash cells, the most precise, give 1.07 [0.84, 1.30]. CB dilution remains undetermined.

Channel decomposition. Under structure T, equity value equals enterprise value (EV) minus net debt plus non-operating assets. Net debt and non-operating assets are read from the filing, and EV follows from the model’s projection assumptions. Dividing the change between perturbed and baseline cells by X :

- **Cash distributions.** The change in net debt has median 1.00 (IQR 1.00–1.00; 390 cells).
- **Non-operating assets.** The change in the non-operating assets added in the bridge has median 1.00 (at least 0.9 in 95.8% of 478 cells).
- **Enterprise value.** EV changes with a median near zero (0.14 and -0.00) but an IQR of about $\pm 4X$ for both perturbations.

The disclosed change therefore reaches the right place in the computation. The imprecision of R comes from assumption noise in EV, not from a failure to read or apply the filing.

6 Robustness

All primary conclusions survive the preregistered robustness checks:

- **R1, identified firms.** Excluding firms with identification rate ≥ 0.5 (1–2 firms) leaves H2a and H2b unchanged.
- **R2, perturbation size.** Tier size and R are uncorrelated (Spearman 0.04, $p = 0.22$, 832 cells).
- **R3, half the repetitions.** Large-cap mean β_C falls to 0.855 [0.597, 1.043], showing the instability of fewer repetitions.
- **R4, anomaly-flagged runs.** Excluding them (45% of runs) gives H1 0.996 and H2a 0.029.
- **R5, comparison model.** On 30 firms the comparison model gives median β_C 0.979 ($p = 0.03$ for < 1) and median E_i 0.033 ($p = 0.14$).
- **R6, instruction.** An instruction to use only the provided data lowers β_C under structure P by 0.28 ($p = 0.036$).
- **R8, low-validity cells.** Excluding them changes nothing.
- **R9, median-based β .** The large-cap mean is 1.009.

The robustness check that excludes complex CBs (R7) could not be run because call and net-settlement features are not available in structured form. For the memory quiz, H2b’s γ_1 is 0.23 without the main-business item, 0.44 with automatically drafted keywords and 0.10 with researcher-reviewed keywords; all CIs include zero.

7 Discussion

What the agent gets right. With arithmetic delegated, the model extracts the disclosed numbers, keeps its assumptions stable under proportional scaling, and transfers single-item changes into the valuation bridge almost exactly. This is a meaningful form of filing fidelity: the information in the filing reaches the computation.

What hides it. The projection assumptions are re-drawn in every run, and irrelevant text moves them too, as the placebo results show. The resulting noise in enterprise value is several times larger than the effect of a typical disclosed item, so a single valuation cannot be said to reflect a 5% change in the balance sheet, even though the computation does. For practitioners, this argues for three practices: (i) delegating arithmetic to tools; (ii) fixing or externally setting the assumptions, or reporting medians over many runs; (iii) auditing intermediate quantities (net debt, non-operating assets, diluted shares) rather than the final value.

Memory. The decomposition and dose-response tests do not establish a firm-memory effect on how values respond to the filing. However, the stale-anchor result shows that the name moves the level of the value toward remembered prices. Memory thus appears to affect where the value sits more than how it responds.

Limitations.

- **Scope.** One primary model, which is closed-weight (a deviation from our plan for an open-weight model), one valuation method (five-year FCFF DCF), and one evaluation date.

- **Depreciation.** Projected depreciation equal to capex is a researcher-imposed assumption, and the model complied in 68% of pilot runs.
- **Anomaly flags.** The model flagged “data anomalies” in 54–87% of runs, including unperturbed inputs, so the flags carry no information about manipulation detection.
- **Comparison model.** Its training cutoff (March 2026) is close to T_{post} , so it is a robustness check, not a time-based identification.
- **Convertible bonds.** The CB analyses are under-powered because few CBs are in the money at the agent’s own values.
- **Exclusions.** An administrative-issue exclusion rule was not applied.
- **Memory quiz.** The main-business item was scored against keywords drafted from annual reports by an LLM and reviewed by the author, who often added the model’s own phrasing; its correct rates (96%, 84% and 32% for large, mid and small caps) should be read as upper bounds.
- **Post-hoc analyses.** The pooled and channel analyses were not preregistered.

8 Conclusion

Metamorphic tests with calibrated targets make it possible to measure whether an LLM valuation agent uses the filing, without relying on outcome accuracy. In a preregistered study of 150 Korean firms, a tool-assisted agent read and transferred disclosed changes correctly and scaled values with the statements. Its run-to-run assumption noise, however, hid single-item effects in any single valuation, and the firm’s name pulled values toward the price at the training cutoff. Filing-faithful LLM valuation requires delegated computation and controlled assumptions, and it should be evaluated on intermediate quantities as well as on final values.

Data, code and preregistration

The preregistration (docs/preregistration.md, git tag `prereg-v1`), decisions log, prompts with SHA-256 hashes, analysis code and derived firm-level data accompany this paper (repository: <https://github.com/caxios/llm-FSA-evaluation>). Raw DART and KRX data are not redistributed and can be re-fetched with the provided scripts.

Use of AI tools

LLMs are the object of study. In addition, the author used an AI coding assistant for software development, data processing and drafting. The author designed the study, reviewed all code, results and text, and takes full responsibility for the content.

References

- [1] Tsong Yueh Chen, Fei-Ching Kuo, Huai Liu, Pak-Lok Poon, Dave Towey, T. H. Tse, and Zhi Quan Zhou. Metamorphic testing: A review of challenges and opportunities. *ACM Computing Surveys*, 51(1):1–27, 2018.

- [2] Rebecca DerSimonian and Nan Laird. Meta-analysis in clinical trials. *Controlled Clinical Trials*, 7(3):177–188, 1986.
- [3] Zhenyu Gao, Wenxi Jiang, and Yutong Yan. Detecting lookahead bias in LLM forecasts. *arXiv preprint arXiv:2512.23847*, 2025.
- [4] Paul Glasserman and Caden Lin. Assessing look-ahead bias in stock return predictions generated by GPT sentiment analysis. *arXiv preprint arXiv:2309.17322*, 2023.
- [5] Mirazul Haque, Antony Papadimitriou, Samuel Mensah, Zhiqiang Ma, Zhijin Guo, Joy Prakash Sain, Simerjot Kaur, Charese Smiley, and Xiaomo Liu. Deep FinResearch bench: Evaluating AI’s ability to conduct professional financial investment research. *arXiv preprint arXiv:2604.21006*, 2026.
- [6] Sture Holm. A simple sequentially rejective multiple test procedure. *Scandinavian Journal of Statistics*, 6(2):65–70, 1979.
- [7] Hoyoung Lee, Junhyuk Seo, Suhwan Park, Junhyeong Lee, Wonbin Ahn, Chanyeol Choi, Alejandro Lopez-Lira, and Yongjae Lee. Your AI, not your view: The bias of LLMs in investment analysis. In *Proceedings of the ACM International Conference on AI in Finance (ICAIF)*, 2025. arXiv:2507.20957.
- [8] Xiangyu Li, Yawen Zeng, Xiaofen Xing, Jin Xu, and Xiangmin Xu. Profit mirage: Revisiting information leakage in LLM-based financial agents. *arXiv preprint arXiv:2510.07920*, 2025.
- [9] Shayne Longpre, Kartik Perisetla, Anthony Chen, Nikhil Ramesh, Chris DuBois, and Sameer Singh. Entity-based knowledge conflicts in question answering. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, 2021.
- [10] Alejandro Lopez-Lira, Yuehua Tang, and Mingyin Zhu. The memorization problem: Can we trust LLMs’ economic forecasts? *arXiv preprint arXiv:2504.14765*, 2025.
- [11] James G. MacKinnon and Halbert White. Some heteroskedasticity-consistent covariance matrix estimators with improved finite sample properties. *Journal of Econometrics*, 29(3):305–325, 1985.
- [12] Kaiser Sun, Fan Bai, and Mark Dredze. Task matters: Knowledge requirements shape LLM responses to context-memory conflict. *arXiv preprint arXiv:2506.06485*, 2025.
- [13] Jian Xie, Kai Zhang, Jiangjie Chen, Renze Lou, and Yu Su. Adaptive chameleon or stubborn sloth: Revealing the behavior of large language models in knowledge conflicts. In *International Conference on Learning Representations (ICLR)*, 2024.
- [14] Rongwu Xu, Zehan Qi, Zhijiang Guo, Cunxiang Wang, Hongru Wang, Yue Zhang, and Wei Xu. Knowledge conflicts for LLMs: A survey. *arXiv preprint arXiv:2403.08319*, 2024.
- [15] Tianyu Zhou, Pinqiao Wang, Yilin Wu, and Hongyang Yang. FinRobot: AI agent for equity research and valuation with large language models. *arXiv preprint arXiv:2411.08804*, 2024.
- [16] Taojie Zhu, Wentao Zhao, Rui Sun, Beidi Luan, Jiacheng Lu, Sinuo Wang, Jing Li, Daxin Jiang, Yonghong He, and Zuo Bai. From knowing to doing: A memory-controlled benchmark for LLM trading agents on stock markets. *arXiv preprint arXiv:2605.28359*, 2026.