Codebook

Employment, Peer Support, and Advocacy in an Online Social Work Community: A Computational Text Analysis of 135,000 Messages from Türkiye

---

Version 1.0

1 Purpose and scope

This codebook was used to code a year-stratified random sample of 600 messages drawn from the deduplicated text set (n = 131,466). Each message was coded along two dimensions: communication function and topic area. Coding was carried out in Turkish on the original messages.

Unit of coding. A single message. Messages are coded on their own content; where the meaning of a message depends on a preceding message that is not visible, the coder assigns the category that best fits the message as it stands.

Coders. The first round of coding was carried out with the support of a large language model. A second, independent human coder coded a random subsample of 70 messages, from which intercoder agreement was calculated using Cohen's kappa.

2 Dimension 1: communication function

Each message receives one function code. Where more than one function is present, the coder assigns the category that carries the centre of gravity of the message.

Code	Definition
Information request (*bilgi talebi*)	Asks a question or requests information or help
Information giving (*bilgi verme*)	Answers a question, provides information or an explanation, directs the reader
Announcement (*duyuru*)	Advertisement, regulation, news, results, link sharing; neither a request nor an answer
Mobilisation (*mobilizasyon*)	Call to action or campaign text (post a hashtag, sign a petition, write to an institution)
Evaluation (*degerlendirme*)	Comment, criticism, discussion, opinion, prediction
Emotional expression and support (*duygu_destek*)	Expression of frustration, encouragement, congratulation, solidarity
Conversation (*sohbet*)	Greeting, thanks, joke, emoji, single-word agreement
Other (*diger*)	Group administration, membership, advertising, surveys, unintelligible text

Illustrative examples, constructed for this codebook and not drawn from the dataset:

- “When will the interview results be announced?” → information request
- “The results will be published on the 15th; it is in the examination board’s calendar.” → information giving
- “This evening at eight we are posting the hashtag; let us all take part.” → mobilisation
- “In my view there will be no recruitment round this year.” → evaluation

2.1 Collapsed four-category scheme

Intercoder agreement for the eight-category scheme was insufficient (κ = 0.59). The categories were therefore collapsed into four, and this scheme was used in the analyses (κ = 0.67; 75.8 per cent agreement). The reduction was made before any corpus-level analysis was carried out.

Collapsed category	Original categories
Information request	Information request
Information and announcement	Information giving, announcement
Mobilisation	Mobilisation
Commentary and conversation	Evaluation, emotional expression and support, conversation, other

3 Dimension 2: topic area

Each message receives one topic code.

Code	Definition
Employment (*istihdam*)	Appointment, posts, recruitment rounds, interviews, contract positions, placement
Examination and scores (*sinav_puan*)	Preparation for the KPSS, scores, rankings, placement preferences
Education and academia (*egitim_akademik*)	Undergraduate and postgraduate study, open education, courses, theses, internships
Professional practice (*uygulama_vaka*)	Practice, cases, service users, how work is carried out in institutions
Conditions of service and regulation (*ozluk_mevzuat*)	Professional title, conditions of service, salaries, transfers, regulation, unions
Social events (*toplumsal_olay*)	Earthquakes and disasters, current events, social problems
Group matters (*grup_ici*)	The functioning of the group itself, membership, rules, setting up groups
Unclear (*belirsiz*)	Topic cannot be determined, or falls outside the categories above

Intercoder agreement on this dimension was low (κ = 0.23). The topic distribution is therefore not reported from human coding; topics are reported from the unsupervised topic model described in the article.

4 Decision rules

1. Where more than one function is present, code the centre of gravity of the message.
2. A question mark does not in itself indicate an information request; rhetorical questions are coded by their function.
3. A message that answers a question is information giving; a message shared on the coder's own initiative is an announcement.
4. A message that discusses a campaign without calling for action is evaluation, not mobilisation.
5. Where a decision cannot be reached, the coder records "?" and the message is excluded from the calculation.

5 Advocacy coding

A separate coding task was used to validate the rule-based advocacy measure. A stratified sample of 150 flagged and 100 unflagged messages was coded with a single binary question:

Does this message form part of an action directed outside the community?

Yes where the message:

- is itself a campaign text (a demand tagging a ministry or minister, a petition or letter template);
- calls for action (post, tag, sign, write to the state petition system, comment, open an account, give support, continue, take part);
- organises or directs a campaign (planning an event, proposing a hashtag, tactical instructions, reminders); or
- asks how to take part.

No where the message:

- discusses campaigns without calling for action;
- asks about the status of a campaign;
- announces a panel, webinar, training or live broadcast;
- shares a job advertisement, a research survey, news or regulation; or
- consists of conversation.

Intercoder agreement on a subsample of 60 messages was κ = 0.71 (86.2 per cent agreement). Precision of the rule-based criterion against this coding was 79.6 per cent, and advocacy content was found in 10.0 per cent of unflagged messages, so the criterion provides a lower-bound estimate.

6 Note on examples

All examples in this codebook are constructed for illustration. No message from the dataset is reproduced verbatim here or in the article.