#### Rake

Friday, February 10, 12

# ruby make

- Written by Jim Weirich
- Inspired by make
- Written in ruby
- Not just for ruby projects
  - C, Java, .NET, and more

EdgeCase}

### The Rakefile

- specify tasks
- describe dependencies
- group tasks into namespaces
- just write ruby!
  - classes, modules, etc.

EdgeCase}

Friday, February 10, 12

3

### tasks

```
desc "delete backup files"
task :clean do
   Dir['*~'].each { |fname| rm fname rescue nil }
end
```

EdgeCase}

#### tasks

```
desc "delete backup files"

task : clean do
    Dir['*~].each { | fname| rm fname rescue nil }
end

(optional) task description

$ rake -T
    rake clean # delete backup files

EdgeCase
```

Friday, February 10, 12

### tasks

```
desc "delete backup files"
task :clean do
  Dir['*~'].each { |fname| rm fname rescue nil }
end
```

task target, a symbol or a quoted string

EdgeCase}

#### tasks

```
desc "delete backup files"
task :clean do
    Dir['*~'].each { | fname | rm fname rescue nil }
end

task body, code to be executed
```

Friday, February 10, 12

## task dependencies

```
task :clobber => [:clean] do
  rm_r "tempdir"
end
```

```
$ rake clobber
# running task :clean
...
# running task :clobber
```

EdgeCase}

EdgeCase}

### task:default

```
task :default => :test
task :test do
   ...
end
```

```
$ rake
# running task :test
```

EdgeCase}

Friday, February 10, 12

·

### namespacing

```
namespace :deploy do
  task :test
    ...
  end
  task :production
    ...
  end
end
```

\$ rake deploy:production

EdgeCase}

## invoking tasks

```
task deploy
...
Rake::Task[:test].invoke
...
end
```

EdgeCase}

Friday, February 10, 12

1:

# using the environment

```
task deploy
  if ENV["TARGET"] == "production"
   ...
  end
end
```

\$ rake deploy TARGET=production

EdgeCase}

### Resources

- https://github.com/jimweirich/rake
- <a href="http://rake.rubyforge.org/">http://rake.rubyforge.org/</a>

EdgeCase}