Tabelas (4)

| I abcias | <u>\ </u> | |
|------------|--|--|
| Nome | Tipo | Esquema |
| person | | CREATE TABLE person(cpf INTEGER NOT NULL, name TEXT NOT NULL, PRIMARY KEY(cpf)) |
| cpf | INTEGER | "cpf" INTEGER NOT NULL |
| name | TEXT | "name" TEXT NOT NULL |
| seats | | CREATE TABLE seats(id INTEGER NOT NULL, building TEXT NOT NULL, floor INTEGER NOT NULL, "table" INTEGER NOT NULL, section TEXT NOT NULL, status TEXT NOT NULL, PRIMARY KEY(id)) |
| id | INTEGER | "id" INTEGER NOT NULL |
| building | TEXT | "building" TEXT NOT NULL |
| floor | INTEGER | "floor" INTEGER NOT NULL |
| table | INTEGER | "table" INTEGER NOT NULL |
| section | TEXT | "section" TEXT NOT NULL |
| status | TEXT | "status" TEXT NOT NULL |
| user | | CREATE TABLE user(email TEXT NOT NULL, person_cpf INTEGER NOT NULL, pass TEXT NOT NULL, status TEXT NOT NULL, PRIMARY KEY(email), CONSTRAINT person_user FOREIGN KEY (person_cpf) REFERENCES person (cpf)) |
| email | TEXT | "email" TEXT NOT NULL |
| person_cpf | INTEGER | "person_cpf" INTEGER NOT NULL |
| pass | TEXT | "pass" TEXT NOT NULL |
| status | TEXT | "status" TEXT NOT NULL |
| user_seat | | CREATE TABLE user_seat(user_email TEXT NOT NULL, seats_id INTEGER NOT NULL, date BLOB NOT NULL, CONSTRAINT user_user_seat FOREIGN KEY (user_email) REFERENCES user (email), CONSTRAINT seats_user_seat FOREIGN KEY (seats_id) REFERENCES seats (id)) |
| user_email | TEXT | "user_email" TEXT NOT NULL |
| seats_id | INTEGER | "seats_id" INTEGER NOT NULL |
| date | BLOB | "date" BLOB NOT NULL |

Índices (0) Nome Tipo Esquema

Vistas (0)

Nome Tipo Esquema

Gatilhos (0)

Nome Tipo Esquema