

GF In The Field — Atlas Project Handoff Brief

To: Atlas

From: Ben

Project: GF In The Field

Domain: gfinthefield.com.au  Registered

Date: May 2026

Status: Ready to build — V1

What This Is

A mobile-first web platform for Field Sales Managers (FSMs) at Goodman Fielder to conduct and record structured coaching observations on their Regional Sales Managers (RSMs) in the field. The FSM selects an RSM, rates them across 9 coaching areas (1–5), adds comments, and the platform uses the Claude AI API to generate a professional coaching summary. That summary is emailed to the FSM.

This is a **separate, standalone side project** — not connected to any other work in progress. Treat it as its own independent build with its own infrastructure, accounts, and cost tracking from day one.

Project Isolation — Critical Requirement

This project must be kept **completely separate** from all other projects:

- **New GitHub repository:** `gf-in-the-field` — do not add to any existing repo or monorepo
- **New Supabase project:** Create a dedicated Supabase project named `gf-in-the-field` — do not share DB with any other project
- **New Vercel project:** Separate deployment, separate environment variables
- **New Railway/Render service:** Separate backend instance
- **New Resend account or sending domain:** `coach@gfinthefield.com.au` only
- **Separate Anthropic API usage tracking:** Use a distinct API key if possible, or tag all

requests with metadata `project: gf-in-the-field` so usage can be isolated in billing

- **Dedicated `.env` files:** Never mix environment variables with other projects

The reason: this project has commercial scale potential and needs clean cost visibility from the start.

Cost Tracking — Build It In From Day One

Ben wants to be able to see what this platform costs to run at any point — both now (internal use, ~5 FSMs) and at scale (commercial SaaS). Please structure infrastructure so costs are visible and attributable.

Current V1 Running Cost Estimate (5 FSMs, ~35 RSMs)

Service	Plan	Est. Monthly Cost
Supabase	Free tier	\$0
Vercel	Free tier (Hobby)	\$0
Railway/Render	Free tier or Starter	\$0–\$5
Resend	Free tier (3,000 emails/mo)	\$0
Anthropic Claude API	~50 observations/mo × ~\$0.02/summary	~\$1–2
Domain (gfinthefield.com.au)	Annual	~\$2/mo amortised
Total V1		~\$3–9/month

Scale Cost Model (Future SaaS — 50 companies, 250 FSMs, 1,750 RSMs)

Service	Plan	Est. Monthly Cost
Supabase	Pro (\$25/mo)	\$25
Vercel	Pro (\$20/mo)	\$20
Railway	Starter (\$10/mo)	\$10

Resend	Scale plan	~\$20
Anthropic Claude API	~2,500 obs/mo × \$0.02	~\$50
Total at Scale		~\$125/month

At \$49/month per company (10 seats), 50 companies = \$2,450 MRR against ~\$125 costs. Strong margin.

What Atlas Should Do:

- Add a `platform_costs` note in the README with the above estimates
- Structure Supabase so that a `organisations` table exists even in V1 (even if only one org is used) — this is the scale hook
- Do not hardcode anything that would require a rebuild to serve multiple organisations

Tech Stack

Layer	Choice
Frontend	React (Vite) + Tailwind CSS
Backend	Node.js + Express
Database	Supabase (PostgreSQL + Auth)
AI	Anthropic Claude API (<code>claude-sonnet-4-20250514</code>)
Email	Resend — sender: <code>coach@gfinthefield.com.au</code>
Hosting	Vercel (frontend) + Railway or Render (backend)

Users & Roles

Role	Count	Access
Admin (Ben)	1	Full read across all FSMs, RSMs, observations. Cannot submit observations.

FSM	5	Sees own state's RSMs only. Submits and views observations.
RSM	~35	No login. Coaching is about them, not by them.

Role stored as `role` field on `fsm_profiles`: 'admin' | 'fsm'

Database Schema

organisations

```

id            uuid (PK)
name          text      -- e.g. "Goodman Fielder"
created_at    timestamp

```

Include this now even though V1 has only one org. It's the multi-tenancy hook for future SaaS.

users (Supabase Auth)

```

id            uuid (PK)
email         text
created_at    timestamp

```

fsm_profiles

```

id            uuid (PK)
user_id       uuid (FK → users.id)
org_id        uuid (FK → organisations.id)
name          text
state         text      -- 'NSW' | 'VIC' | 'QLD' | 'WA' | 'SA' | 'NT' | 'TAS' |
role          text      -- 'fsm' | 'admin'
created_at    timestamp

```

rsms

```

id            uuid (PK)
org_id        uuid (FK → organisations.id)
fsm_id        uuid (FK → fsm_profiles.id)
name          text
email         text

```

```
state          text
created_at     timestamp
```

observation_areas

```
id             uuid (PK)
org_id         uuid (FK → organisations.id)
order_index    integer
group_name     text          -- 'Visit Prep & Data' | 'In-Store'
label          text
description    text
is_active      boolean
created_at     timestamp
```

observations

```
id             uuid (PK)
org_id         uuid (FK → organisations.id)
fsm_id         uuid (FK → fsm_profiles.id)
rsm_id         uuid (FK → rsms.id)
visit_date     date
location       text
status         text          -- 'draft' | 'generated' | 'sent'
ai_summary     text
edited_summary text
created_at     timestamp
updated_at     timestamp
```

observation_scores

```
id             uuid (PK)
observation_id  uuid (FK → observations.id)
area_id        uuid (FK → observation_areas.id)
score          integer       -- 1-5
comments       text
```

Observation Areas — Seed Data

```
INSERT INTO observation_areas (order_index, group_name, label, description, is_ac
(1, 'Visit Prep & Data', 'Visit Preparation',      'Reviews prior notes, requiremen
```

(2, 'Visit Prep & Data', 'Commercial Insight', 'Identifies relevant trends, gap
(3, 'Visit Prep & Data', 'Conversation Planning', 'Defines objective, success meas
(4, 'Visit Prep & Data', 'Engagement Readiness', 'Prepares supporting data/materi
(5, 'In-Store', 'Visit Setup', 'Communicates clear visit purp
(6, 'In-Store', 'Store Observation', 'Identifies compliance, rangin
(7, 'In-Store', 'Commercial Engagement', 'Uses data and insights to sup
(8, 'In-Store', 'Execution', 'Completes to required standar
(9, 'In-Store', 'Follow-through/Hygiene', 'Confirms next steps and captu

Application Screens

Login Page

- Goodman Fielder logo centred (placeholder until Ben supplies asset)
- “GF In The Field” platform name below logo
- Email + password fields
- “Login” button — full width
- “Forgot password?” link → Supabase reset email
- No self-registration — admin creates all accounts
- Footer: `gfinthefield.com.au`
- Design: white, clean, corporate-minimal

Password Management

- Forgot password (login page): email → reset link → new password
- Change password (in-app): profile menu → Change Password → current + new + confirm
- Both via Supabase Auth natively

FSM Dashboard

- Header: FSM name + state
- “Start New Observation” button — prominent at top
- RSM cards (one per team member) showing:

- Name, total visits, last visit date, last visit avg score
- Colour dot:  < 2.5 |  2.5–3.9 |  4.0+
- Tap card → RSM history view

New Observation Flow

1. Select RSM (tappable list with search)
2. Enter date (default: today) + optional location/store name
3. Observation form — 9 areas across 2 grouped sections:

```

— VISIT PREP & DATA —
[ Area label ]
[ Behaviour description — small grey text ]
  1=Needs Dev  2=Developing  3=Competent  4=Proficient  5=Expert
  (large pill buttons, full width)
[ Key observations / examples... ] ← optional free text

— IN-STORE —
[ ... same pattern ... ]

```

4. Progress indicator: “6 of 9 areas scored”
5. “Generate Report” button — activates only when all 9 scored
6. AI generates coaching summary (5–10 sec spinner)
7. Review screen: score table + editable AI summary
8. “Send to My Email” → email fires → redirect to dashboard with success toast

RSM History View

- All past observations for selected RSM (date, location, avg score)
- Tap any observation → read-only view of scores + summary

Admin View (/admin route)

- Platform-wide stats: total visits, avg score, most/least active FSM
- All 5 FSMs listed with: total obs, team size, last activity
- Drill into FSM → their team + all observations (read-only)
- Drill into RSM → all observations across time (read-only)

- Admin cannot submit observations

AI Prompt

System Prompt

You are an expert field sales coach writing a post-visit coaching summary for a Regional Sales Manager in an FMCG field sales team. Your tone is direct, professional, and constructive – like a respected leader who genuinely wants to develop their team. You never use corporate jargon or filler phrases. Write in second person ("you demonstrated", "your approach to..."). This summary is for the Field Sales Manager's coaching records only – it is a development tool, not a formal performance review.

User Prompt Template

You have just completed a field observation with [RSM Name] on [Date][, at [Locat

The observation covers two phases: Visit Prep & Data (pre-store preparation) and In-Store (performance during the visit).

VISIT PREP & DATA

Area: Visit Preparation | Score: X/5 (Label) | Comments: "..."

Area: Commercial Insight | Score: X/5 (Label) | Comments: "..."

Area: Conversation Planning | Score: X/5 (Label) | Comments: "..."

Area: Engagement Readiness | Score: X/5 (Label) | Comments: "..."

IN-STORE

Area: Visit Setup | Score: X/5 (Label) | Comments: "..."

Area: Store Observation | Score: X/5 (Label) | Comments: "..."

Area: Commercial Engagement | Score: X/5 (Label) | Comments: "..."

Area: Execution | Score: X/5 (Label) | Comments: "..."

Area: Follow-through/Hygiene | Score: X/5 (Label) | Comments: "..."

Overall average: X.X/5

Visit Prep & Data average: X.X/5

In-Store average: X.X/5

Write a coaching summary (3-4 paragraphs) that:

1. Opens with an overall read of the visit (reference both phases if they differ)
2. Calls out genuine strengths (4-5 scores) by name, with reference to comments
3. Names 1-2 development areas (lowest scores) as opportunities, not criticisms

4. Closes with a specific, observable coaching focus for next visit

Tone by average: 1.0-2.4 empathetic/honest | 2.5-3.4 balanced | 3.5-4.4 encouraging

Rules: Connected paragraphs only. No bullets. No "overall", "in conclusion", "moving forward"
If prep vs in-store averages differ by >1.0 point, name that contrast – it's the

Email

From: coach@gfinthefield.com.au

Subject: GF In The Field | Coaching Observation – [RSM Name] – [Date]

Hi [FSM Name],

Here is your coaching summary from today's field visit.

RSM: [Name]
Date: [Date]
Location: [Location or "Not recorded"]

VISIT PREP & DATA

Visit Preparation	X/5 – Label
Commercial Insight	X/5 – Label
Conversation Planning	X/5 – Label
Engagement Readiness	X/5 – Label
Group Average:	X.X/5

IN-STORE

Visit Setup	X/5 – Label
Store Observation	X/5 – Label
Commercial Engagement	X/5 – Label
Execution	X/5 – Label
Follow-through/Hygiene	X/5 – Label
Group Average:	X.X/5

Overall Average: X.X/5

COACHING SUMMARY

[AI summary paragraphs here]

API Endpoints

POST	/api/auth/login	
GET	/api/dashboard	FSM team + visit summary
GET	/api/rsms	FSM's RSMs
GET	/api/rsms/:id/history	Past observations for RSM
POST	/api/observations	Create draft observation
GET	/api/observations/:id	Get observation
PUT	/api/observations/:id	Update scores/comments
POST	/api/observations/:id/generate	Trigger Claude AI summary
POST	/api/observations/:id/send	Send email + mark sent
GET	/api/areas	Active observation areas
-- Admin only		
GET	/api/admin/overview	Platform-wide stats
GET	/api/admin/fsms	All FSMs + activity
GET	/api/admin/fsms/:id	FSM detail + team
GET	/api/admin/rsms/:id	RSM full history

Mobile UI Requirements

- Minimum 44px tap targets on all interactive elements
- Score buttons: large pill-style, full row width, clearly labelled
- Font minimum 16px on inputs (prevents iOS auto-zoom)
- No horizontal scrolling on any screen
- Sticky CTA button at bottom of long screens
- Loading states on all async actions (AI generation, email send)
- Toast notifications for success/error states

Seed & Test Data

Admin: admin@gfinthefield.com.au / Admin1234! ← Ben changes on first login
FSM NSW: fsm.nsw@test.com / Test1234!
FSM VIC: fsm.vic@test.com / Test1234!
FSM QLD: fsm.qld@test.com / Test1234!
FSM WA: fsm.wa@test.com / Test1234!
FSM SA: fsm.sa@test.com / Test1234!

- 2–3 RSMs per FSM
- 2–3 sample completed observations per RSM with realistic scores and AI summaries
- Dashboard and history views must render real data from first login

Environment Variables

```
SUPABASE_URL=  
SUPABASE_ANON_KEY=  
SUPABASE_SERVICE_ROLE_KEY=  
ANTHROPIC_API_KEY=  
RESEND_API_KEY=  
FROM_EMAIL=coach@gfinthefield.com.au  
NODE_ENV=production
```

V1 Scope

Feature	V1	V1.1	Future
Email/password login	✓		
FSM self-serve password change	✓		
Forgot password reset	✓		
FSM state-scoped view	✓		
Admin full visibility	✓		
9-area observation form	✓		
AI coaching summary (Claude)	✓		

FSM edits summary pre-send	✓		
Email to FSM on send	✓		
FSM dashboard + RSM cards	✓		
RSM observation history	✓		
Score trend charts per RSM		✓	
Observation area management UI		✓	
HTML email template		✓	
PDF export of coaching report		✓	
Multi-org / SaaS mode			✓
SSO / Goodman Fielder auth			✓
Native mobile app			✓
RSM receives email copy	✗ Not in scope		

Scale & Monetisation — Build With This In Mind

This platform is being built initially for internal use at Goodman Fielder (1 organisation, 5 FSMs, ~35 RSMs). However, Ben intends to scale and commercialise this as a SaaS product for FMCG and field sales teams across Australia.

The `organisations` table must exist in V1 even if only one org is used. This is non-negotiable — it is the foundation of multi-tenancy and avoids a costly rebuild later.

Future commercial model:

- Per-organisation subscription (e.g. \$49–99/month per company)
- Tiered by number of FSMs/RSMs
- White-label potential (rebrand per client)
- Data stays isolated per org via `org_id` on all tables

What this means for the build:

- All DB queries must filter by `org_id` — never return cross-org data

- Auth middleware must validate `org_id` matches the logged-in user's org
 - No hardcoded org names, colours, or logos in the codebase — everything config-driven
 - Observation area labels are per-org (different companies can have different frameworks)
-

GitHub Repository Structure

```
gf-in-the-field/  
├─ client/           ← React frontend (Vite)  
├─ server/           ← Node.js Express backend  
├─ supabase/         ← DB migrations + seed files  
├─ .env.example      ← Template (no real secrets)  
├─ README.md         ← Setup instructions + cost notes  
└─ COSTS.md          ← Running cost breakdown (keep updated)
```

DNS Setup (Once Deployed)

Domain is registered via Squarespace (gfinthefield.com.au). Once Vercel deployment is live:

1. Add Vercel's nameservers or A/CNAME records to Squarespace DNS
 2. Configure Resend sending domain: add SPF + DKIM records for `gfinthefield.com.au`
 3. Verify email sending works before going live
-

Definition of Done — V1

Atlas should consider V1 complete when:

- All 5 FSM test accounts can log in and submit a full observation
- AI summary generates successfully and is editable
- Email delivers to FSM email address with correct content
- Admin account can view all FSMs, RSMs, and observations
- Password change and forgot password both work
- Dashboard renders correct visit counts and colour indicators

- RSM history shows all past observations
 - Mobile layout works correctly on iPhone (Safari) and Android (Chrome)
 - All environment variables documented in `.env.example`
 - README includes local setup instructions
 - COSTS.md exists with running cost estimate
-

Brief prepared by Ben / Claude — May 2026

Domain: gfinthefield.com.au  secured

This is a standalone commercial side project — keep all infrastructure separate.