



PENRITH SELECTIVE HIGH SCHOOL

2020 HSC TRIAL EXAMINATION

Mathematics Advanced

General Instructions

- Reading time – 10 minutes
- Working time – 3 hours
- Write using black pen
- Calculators approved by NESA may be used
- A reference sheet is provided with this paper
- For questions in Section II, show relevant mathematical reasoning and/or calculations

Total marks: 100

Section I – 10 marks (pages 2–5)

- Attempt Questions 1–10
- Allow about 15 minutes for this section

Section II – 90 marks (pages 6–25)

- Attempt Questions 11–33
- Allow about 2 hours and 45 minutes for this section

Topic	Functions	Trig. Functions	Differential Calculus / App. of Differentiation	Integral Calculus	Financial Maths	Statistical Analysis	Total
MC Q.1-10	10 / 1	4 / 1	1, 3 / 2	5, 7 / 2	2, 9 / 2	6, 8 / 2	
Section II Q.11-18	11, 13, 14 / 10	18 / 6	15 / 3		17 / 3	12, 16 / 8	
Section II Q.19-25			19, 20, 21, 23 / 16	22, 24 / 9	25 / 3		
Section II Q.26-33		29 / 3	32, 33 / 9	27, 31 / 7	28 / 5	26, 30 / 8	
Total	/ 11	/ 10	/ 30	/ 18	/ 13	/ 18	/ 100

Student Number: _____ Teacher Name: _____

This paper **MUST NOT** be removed from the examination room

Section I

10 marks

Attempt Questions 1–10

Allow about 15 minutes for this section

Use the multiple-choice answer sheet for Questions 1–10.

1 The derivative of $\tan(e^{2x})$ is:

- A. $2e^{2x} \tan(e^{2x})$
- B. $2e^{2x} \sec^2(e^{2x})$
- C. $\sec^2(2e^{2x})$
- D. $2\sec^2(e^{2x})$


2 For what values of x does the series $1 + (x - 1) + (x - 1)^2 + (x - 1)^3 + \dots$ have a limiting sum?

- A. $-1 < x < 1$
- B. $-2 < x < 0$
- C. $0 < x < 2$
- D. $x < 1$

3 For what values of x is the curve $y = x^4 - 2x^3 + 5$ concave down?

- A. $0 < x < 1$
- B. $x < 0$ or $x > 1$
- C. $x = 0$ or $x = 1$
- D. All real numbers

- 4 Which of the following equations best describes the graph shown below?



- A. $y = \tan\left(\frac{x}{6}\right)$
- B. $y = -\tan\left(\frac{x}{3}\right)$
- C. $y = \tan\left(x - \frac{\pi}{6}\right)$
- D. $y = -\tan(3x)$
- 5 When the tap of a water tank is turned on, water flows out at a rate of $\frac{dV}{dt} = 24 + 10t - t^2$ litres per minute, where t is the time in minutes. When does the water stop flowing out of the tank?
- A. 5 minutes
- B. 6 minutes
- C. 12 minutes
- D. 24 minutes

- 6 Which one of the following descriptions of a Pareto chart is incorrect?
- A. A Pareto chart has two vertical axes. Frequencies on the left and cumulative percentage on the right.
 - B. A Pareto chart consists of three graphs drawn on the same chart.
 - C. A Pareto chart is useful for displaying categorical data from the most to the least important.
 - D. The columns of the frequency histogram in a Pareto chart are arranged in descending order.

7 Find $\int \frac{x}{x^2 - 1} dx$.

- A. $\ln(x^2 - 1) + C$
- B. $2 \ln(x^2 - 1) + C$
- C. $\ln(2x) + C$
- D. $\frac{1}{2} \ln(x^2 - 1) + C$

- 8 A group of university students were asked if they regularly drink green tea. The table below shows the results of the survey.

	Regularly drinks green tea	Doesn't drink green tea	Total
Male	6	84	
Female	33	75	
Total			


What is the probability that a randomly chosen female student will be a regular drinker of green tea?

- A. $\frac{1}{6}$
- B. $\frac{25}{66}$
- C. $\frac{11}{36}$
- D. $\frac{1}{18}$

- 9 The common ratio of a geometric sequence is 3 and the fifth term is 324. Find the second term.

A. 12
B. 4
C. 36
D. 108

- 10 The graph of $y = f(x)$ is shown below. For what values of k does the equation $f(x) = k$ have 3 solutions?



A. $k = 4$ or -2
B. $k > 4$ or $k < -2$
C. $-1 < k < 1$
D. $-2 < k < 4$

Section II

90 marks

Attempt Questions 11–33


Allow about 2 hours and 45 minutes for this section

- Answer the questions in the spaces provided.
 - Your responses should include relevant mathematical reasoning and/or calculations.
-

Question 11 (4 marks)

- (a) Sketch $y = x^2 + x - 2$ and $y = 1 - x$ on the same number plane, clearly showing their points of intersection.

3



.....

.....

.....

.....

.....

.....

.....

.....

- (b) Use the graphs to solve $x^2 + x - 2 > 1 - x$.

1

.....

.....

Question 12 (3 marks)

A farmer harvests peaches to supply to a local food manufacturer. Peaches that weigh under 155 grams are rejected and in this year 97.5% of the harvested peaches are accepted. Peaches that are greater than 182 grams are sold as premium peaches and 16% of this year's peaches are categorised as premium. If the weight of the peaches is normally distributed, find the mean and standard deviation of the weights of the peaches.

3

[illegible]

Question 13 (4 marks)

Consider $y = \frac{1}{x-1}$.

(a) State the equation of the vertical and horizontal asymptotes.

2

.....

.....

.....


.....

.....

.....

(b) Sketch the graph of $y = \frac{1}{x-1}$, showing the asymptotes and the y-intercept.

2



Question 14 (2 marks)

Describe a suitable sequence of transformations that turns $f(x) = \frac{1}{x^2}$ into

2

$$g(x) = -\frac{1}{(x-1)^2} + 3.$$

.....

.....

.....

.....

.....

Question 15 (3 marks)

Consider the function $f(x) = x^2 - 8x$.

(a) Show that $\frac{f(x+h) - f(x)}{h} = 2x + h - 8$.

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Hence differentiate $f(x) = x^2 - 8x$ from First Principles.

1

.....

.....

.....

.....

.....

Question 16 (5 marks)

Let X be a random variable with probability density function $f(x)$ given by

$$f(x) = \begin{cases} \frac{k}{\sqrt{x}}, & 1 \leq x \leq 9 \\ 0, & \text{otherwise} \end{cases}$$

(a) Show that $k = \frac{1}{4}$.

2

.....

.....

.....

.....

.....

.....

.....

(b) Show that the cumulative distribution function is $F(x) = \frac{1}{2}(\sqrt{x} - 1)$

2

.....

.....

.....

.....

.....

.....

.....

(c) Hence, or otherwise, find the median value of X .

1

.....

.....

.....

.....

.....

Question 17 (3 marks)

The table below, gives the future value of an annuity of \$1 at the given interest rates for different periods. The contributions are made at the end of each period.

Future value of an annuity of \$1						
Period	Interest rate per period					
	1%	2%	3%	4%	5%	6%
1	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
2	2.0100	2.0200	2.0300	2.0400	2.0500	2.0600
3	3.0301	3.0604	3.0909	3.1216	3.1525	3.1836
4	4.0604	4.1216	4.1836	4.2465	4.3101	4.3746
5	5.0101	5.2040	5.3091	5.4163	5.5256	5.6371

- (a) Use the table to find the future value of an annuity of \$3400 per year for 5 years at 3% per annum, compounding annually.

2

.....

.....

.....

.....

- (b) The interest rate increases to 8% per annum, compounding annually, for the 6th year and the holder of the annuity account decides to extend the investment by one additional year. Calculate the balance of the annuity account after the 6th contribution is made.

1

.....

.....

.....

.....

Question 18 (6 marks)

Tides at a location vary over time and can be modelled by a cosine function of the form $h(t) = k \cos at + c$, where k , a and c are constants and t represents the number of hours after midnight. On a particular day, a low tide of 0.5 metres occurred at 6:00 am followed by a high tide of 3.5 metres at midday.

(a) Determine the value of k , a and c . Hence write the rule of $h(t)$.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Sketch the graph of $h(t)$ for the time span from midnight to midday on the day.

2



(c) At what time does the second low tide occur?

1

.....

.....

Question 19 (3 marks)

For $y = \ln \left(\frac{1 - \cos x}{1 + \cos x} \right)$, show that $\frac{dy}{dx} = 2 \operatorname{cosec} x$.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

Question 20 (2 marks)

The graph of $y = f(x)$ is given below. On the same number plane, sketch the graph of its derivative $y = f'(x)$.

2



Question 21 (8 marks)

A function is given by $y = 2x^3 + 3x^2 - 12x - 4$.

(a) Find the stationary points and determine their nature.

3

[illegible]

Question 21 continues on page 15

Question 21 (continued)

(b) Find the point of inflection of the function $y = 2x^3 + 3x^2 - 12x - 4$.

2

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

(c) Sketch the curve, showing the stationary points, point of inflection and the y -intercept.

2



(d) Determine the global maximum of the function in the domain $[-4, 3]$.

1

.....

.....

.....

.....

Question 22 (3 marks)

(a) Find $\frac{d}{dx}(x^2 - 9)^5$.

1

.....

.....

.....

.....

(b) Hence, or otherwise, find $\int x(x^2 - 9)^4 dx$

2

.....

.....

.....

.....

.....

Question 23 (3 marks)

If $y = xe^x$, show that $\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + y = 0$

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 24 (6 marks)

The velocity of a particle moving along a straight line is given by $v = 4 - 4t$, where t is time in seconds. Initially the particle is 6 units to the right of the origin.

- (a) Show that the particle is initially moving to the right? 1

.....

.....

.....

.....

- (b) Show that the displacement function is $x = 6 + 4t - 2t^2$. 2

.....

.....

.....

.....

.....

.....

.....

- (c) When is the particle at the origin? 2

.....

.....

.....

.....

.....

.....

.....

.....

Question 24 continues on page 18

Question 24 (continued)

- (d) Explain why the particle continues to move to the left and never changes direction as $t \rightarrow \infty$.

1

.....

.....

.....

.....

Question 25 (3 marks)

x , $8x$ and $3x^2$ are three consecutive terms of an arithmetic sequence.

- (a) Show that $3x^2 - 15x = 0$

1

.....

.....

.....

.....

- (b) Find the value of the 4th term.

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 26 (5 marks)

A group of young children were surveyed to find if there was a correlation between a child's age and height. The results are shown in the table.

Age in years (x)	8	5	2	6	12	11
Height in cm (h)	124	113	85	121	153	144

- (a) Find the correlation coefficient (r) using your calculator, correct to 2 decimal places.

1

.....

.....

- (b) Using your calculator, find the equation of the least-squares regression line in the form $h = Bx + A$; where A and B are **integers**.

1

.....

.....

- (c) Use your equation to estimate the height of a child who is 7 years old.

1

.....

.....

.....

- (d) Is this equation a good model to use to make a valid estimate of a 50 year-old person's height? Justify your answer.

2

.....

.....

.....

.....

.....


.....

.....

.....

Question 27 (4 marks)

The diagram below shows the graph of $y = x^2$, $y = \sqrt{x}$ and $x = 3$.



(a) Show that the x -coordinate of the point A is 1.

1

.....

.....

.....

.....

.....

(b) Calculate the area of the shaded region, correct to one decimal place.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 28 (5 marks)

Tim borrows \$700 000 at an interest rate of 3.12% per annum over 25 years, compounded monthly. The loan is to be repaid in equal monthly repayments. Let M be the monthly repayment and A_n be the balance of the loan after n months.

(a) Show that $A_{300} = 700\,000 \times 1.0026^{300} - \frac{M(1.0026^{300} - 1)}{0.0026}$.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Hence find the value of M to pay off the loan in 25 years.

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 29 (3 marks)

Solve $\tan(2x) = \sqrt{3}$ for $0 \leq x \leq 2\pi$.

3

.....

.....

.....

.....

.....

.....

.....

.....

Question 30 (3 marks)

A student scored 71 in a Physics test and 88 in a Chemistry test. In the Physics test, the mean was 64 and the standard deviation was 4. In the Chemistry test, the mean was 78 and the standard deviation was 6.

(a) Find the z-scores for the student's Physics mark and Chemistry mark.

1

.....

.....

.....

.....

.....

.....

(b) Hence determine in which test the student did better. Justify your answer.

2

.....

.....

.....

.....

.....

Question 31 (3 marks)

Use the trapezoidal rule with four subintervals to estimate $\int_1^3 \ln(x^2) dx$, correct to 2 decimal places.

3

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

Question 32 (5 marks)

A cone has a slant height of 6 cm as shown in the diagram below.



(a) Show that the volume of the cone is $V = \frac{\pi}{3}(36h - h^3)$

2

.....

.....

.....

.....

.....

.....

Question 32 continues on page 24

Question 32 (continued)

(b) Find the maximum volume of the cone.

3

[illegible]

Question 33 (4 marks)

Let $f(x) = P \sin x + Q \cos x$, where P and Q are constants. If $f\left(\frac{\pi}{6}\right) = \frac{4 - 3\sqrt{3}}{2}$ and $f'\left(\frac{\pi}{6}\right) = \frac{4\sqrt{3} + 3}{2}$, find the value of P and Q .

4

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

End of paper