```
No.     Time                           Source                Destination           Protocol Length Info
    111 2023-02-13 19:50:33.557748    10.162.31.137         128.119.245.12        HTTP     638    GET /wireshark-labs/HTTP-wireshark-file2.html
HTTP/1.1
Frame 111: 638 bytes on wire (5104 bits), 638 bytes captured (5104 bits) on interface \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC})
        Interface name: \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}
        Interface description: Ethernet
    Encapsulation type: Ethernet (1)
    Arrival Time: Feb 13, 2023 19:50:33.557748000 Eastern Standard Time
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1676335833.557748000 seconds
    [Time delta from previous captured frame: 0.132015000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
    [Time since reference or first frame: 4.373618000 seconds]
    Frame Number: 111
    Frame Length: 638 bytes (5104 bits)
    Capture Length: 638 bytes (5104 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Micro-St_06:51:9e (00:d8:61:06:51:9e), Dst: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
    Destination: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        Address: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        Address: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 10.162.31.137, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 624
    Identification: 0x66de (26334)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x0000 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 10.162.31.137
    Destination Address: 128.119.245.12
Transmission Control Protocol, Src Port: 57111, Dst Port: 80, Seq: 1, Ack: 1, Len: 584
    Source Port: 57111
    Destination Port: 80
    [Stream index: 6]
    [Conversation completeness: Incomplete (28)]
    [TCP Segment Len: 584]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 2932569178
    [Next Sequence Number: 585    (relative sequence number)]
    Acknowledgment Number: 1    (relative ack number)
    Acknowledgment number (raw): 1804408024
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
        .... 0... .... = Congestion Window Reduced: Not set
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·····AP···]
    Window: 1026
    [Calculated window size: 1026]
    [Window size scaling factor: -1 (unknown)]
    Checksum: 0xa211 [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    [Timestamps]
        [Time since first frame in this TCP stream: 0.335834000 seconds]
        [Time since previous frame in this TCP stream: 0.335710000 seconds]
    [SEQ/ACK analysis]
        [Bytes in flight: 584]
```

```
        [Bytes sent since last PSH flag: 584]
    TCP payload (584 bytes)
Hypertext Transfer Protocol
    GET /wireshark-labs/HTTP-wireshark-file2.html HTTP/1.1\r\n
        [Expert Info (Chat/Sequence): GET /wireshark-labs/HTTP-wireshark-file2.html HTTP/1.1\r\n]
            [GET /wireshark-labs/HTTP-wireshark-file2.html HTTP/1.1\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Request Method: GET
        Request URI: /wireshark-labs/HTTP-wireshark-file2.html
        Request Version: HTTP/1.1
    Host: gaia.cs.umass.edu\r\n
    Connection: keep-alive\r\n
    Cache-Control: max-age=0\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/109.0.0.0 Safari/537.36\r\n
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.9\r\n
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: en-US,en;q=0.9\r\n
    If-None-Match: "173-5f48f61cf3191"\r\n
    If-Modified-Since: Mon, 13 Feb 2023 06:59:02 GMT\r\n
    \r\n
    [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file2.html]
    [HTTP request 1/1]
    [Response in frame: 116]
No.     Time                           Source                Destination           Protocol Length Info
    116 2023-02-13 19:50:33.582569     128.119.245.12        10.162.31.137         HTTP     294    HTTP/1.1 304 Not Modified
Frame 116: 294 bytes on wire (2352 bits), 294 bytes captured (2352 bits) on interface \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC})
        Interface name: \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}
        Interface description: Ethernet
    Encapsulation type: Ethernet (1)
    Arrival Time: Feb 13, 2023 19:50:33.582569000 Eastern Standard Time
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1676335833.582569000 seconds
    [Time delta from previous captured frame: 0.000268000 seconds]
    [Time delta from previous displayed frame: 0.024821000 seconds]
    [Time since reference or first frame: 4.398439000 seconds]
    Frame Number: 116
    Frame Length: 294 bytes (2352 bits)
    Capture Length: 294 bytes (2352 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Routerbo_eb:56:c3 (08:55:31:eb:56:c3), Dst: Micro-St_06:51:9e (00:d8:61:06:51:9e)
    Destination: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        Address: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        Address: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 10.162.31.137
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 280
    Identification: 0x1b77 (7031)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 49
    Protocol: TCP (6)
    Header Checksum: 0x8dba [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 128.119.245.12
    Destination Address: 10.162.31.137
Transmission Control Protocol, Src Port: 80, Dst Port: 57111, Seq: 1, Ack: 585, Len: 240
    Source Port: 80
    Destination Port: 57111
    [Stream index: 6]
    [Conversation completeness: Incomplete (28)]
    [TCP Segment Len: 240]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 1804408024
    [Next Sequence Number: 241    (relative sequence number)]
    Acknowledgment Number: 585    (relative ack number)
```

```
    Acknowledgment number (raw): 2932569762
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
        .... 0... .... = Congestion Window Reduced: Not set
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·······AP···]
    Window: 238
    [Calculated window size: 30464]
    [Window size scaling factor: 128]
    Checksum: 0xaa86 [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    [Timestamps]
        [Time since first frame in this TCP stream: 0.360655000 seconds]
        [Time since previous frame in this TCP stream: 0.000268000 seconds]
    [SEQ/ACK analysis]
        [Bytes in flight: 240]
        [Bytes sent since last PSH flag: 240]
    TCP payload (240 bytes)
Hypertext Transfer Protocol
    HTTP/1.1 304 Not Modified\r\n
        [Expert Info (Chat/Sequence): HTTP/1.1 304 Not Modified\r\n]
            [HTTP/1.1 304 Not Modified\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Response Version: HTTP/1.1
        Status Code: 304
        [Status Code Description: Not Modified]
        Response Phrase: Not Modified
    Date: Tue, 14 Feb 2023 00:50:32 GMT\r\n
    Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.33 mod_perl/2.0.11 Perl/v5.16.3\r\n
    Connection: Keep-Alive\r\n
    Keep-Alive: timeout=5, max=100\r\n
    ETag: "173-5f48f61cf3191"\r\n
    \r\n
    [HTTP response 1/1]
    [Time since request: 0.024821000 seconds]
    [Request in frame: 111]
    [Request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file2.html]
No.     Time                           Source                Destination           Protocol Length Info
    267 2023-02-13 19:51:03.023756    10.162.31.137         128.119.245.12        HTTP     638    GET /wireshark-labs/HTTP-wireshark-file2.html
HTTP/1.1
Frame 267: 638 bytes on wire (5104 bits), 638 bytes captured (5104 bits) on interface \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC})
        Interface name: \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}
        Interface description: Ethernet
    Encapsulation type: Ethernet (1)
    Arrival Time: Feb 13, 2023 19:51:03.023756000 Eastern Standard Time
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1676335863.023756000 seconds
    [Time delta from previous captured frame: 0.000676000 seconds]
    [Time delta from previous displayed frame: 29.441187000 seconds]
    [Time since reference or first frame: 33.839626000 seconds]
    Frame Number: 267
    Frame Length: 638 bytes (5104 bits)
    Capture Length: 638 bytes (5104 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Micro-St_06:51:9e (00:d8:61:06:51:9e), Dst: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
    Destination: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        Address: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        Address: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 10.162.31.137, Dst: 128.119.245.12
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 624
```

```
    Identification: 0x66e5 (26341)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: TCP (6)
    Header Checksum: 0x0000 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 10.162.31.137
    Destination Address: 128.119.245.12
Transmission Control Protocol, Src Port: 57114, Dst Port: 80, Seq: 1, Ack: 1, Len: 584
    Source Port: 57114
    Destination Port: 80
    [Stream index: 8]
    [Conversation completeness: Complete, WITH_DATA (31)]
    [TCP Segment Len: 584]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 2136821031
    [Next Sequence Number: 585    (relative sequence number)]
    Acknowledgment Number: 1    (relative ack number)
    Acknowledgment number (raw): 1567877228
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
        .... 0... .... = Congestion Window Reduced: Not set
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·······AP···]
    Window: 1026
    [Calculated window size: 262656]
    [Window size scaling factor: 256]
    Checksum: 0xa211 [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    [Timestamps]
        [Time since first frame in this TCP stream: 29.465102000 seconds]
        [Time since previous frame in this TCP stream: 29.441758000 seconds]
    [SEQ/ACK analysis]
        [iRTT: 0.023344000 seconds]
        [Bytes in flight: 584]
        [Bytes sent since last PSH flag: 584]
    TCP payload (584 bytes)
Hypertext Transfer Protocol
    GET /wireshark-labs/HTTP-wireshark-file2.html HTTP/1.1\r\n
        [Expert Info (Chat/Sequence): GET /wireshark-labs/HTTP-wireshark-file2.html HTTP/1.1\r\n]
            [GET /wireshark-labs/HTTP-wireshark-file2.html HTTP/1.1\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Request Method: GET
        Request URI: /wireshark-labs/HTTP-wireshark-file2.html
        Request Version: HTTP/1.1
    Host: gaia.cs.umass.edu\r\n
    Connection: keep-alive\r\n
    Cache-Control: max-age=0\r\n
    Upgrade-Insecure-Requests: 1\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/109.0.0.0 Safari/537.36\r\n
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.9\r\n
    Accept-Encoding: gzip, deflate\r\n
    Accept-Language: en-US,en;q=0.9\r\n
    If-None-Match: "173-5f48f61cf3191"\r\n
    If-Modified-Since: Mon, 13 Feb 2023 06:59:02 GMT\r\n
    \r\n
    [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file2.html]
    [HTTP request 1/1]
    [Response in frame: 271]
No.     Time                        Source                Destination           Protocol Length Info
    271 2023-02-13 19:51:03.047311    128.119.245.12        10.162.31.137         HTTP     294    HTTP/1.1 304 Not Modified
Frame 271: 294 bytes on wire (2352 bits), 294 bytes captured (2352 bits) on interface \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC})
        Interface name: \Device\NPF_{1DD7923C-13AB-467D-9439-E2A4D71AF3BC}
        Interface description: Ethernet
    Encapsulation type: Ethernet (1)
    Arrival Time: Feb 13, 2023 19:51:03.047311000 Eastern Standard Time
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1676335863.047311000 seconds
    [Time delta from previous captured frame: 0.000434000 seconds]
    [Time delta from previous displayed frame: 0.023555000 seconds]
```

```
    [Time since reference or first frame: 33.863181000 seconds]
    Frame Number: 271
    Frame Length: 294 bytes (2352 bits)
    Capture Length: 294 bytes (2352 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
    [Coloring Rule Name: HTTP]
    [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Routerbo_eb:56:c3 (08:55:31:eb:56:c3), Dst: Micro-St_06:51:9e (00:d8:61:06:51:9e)
    Destination: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        Address: Micro-St_06:51:9e (00:d8:61:06:51:9e)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        Address: Routerbo_eb:56:c3 (08:55:31:eb:56:c3)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 10.162.31.137
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 280
    Identification: 0x6c7b (27771)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 48
    Protocol: TCP (6)
    Header Checksum: 0x3db6 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 128.119.245.12
    Destination Address: 10.162.31.137
Transmission Control Protocol, Src Port: 80, Dst Port: 57114, Seq: 1, Ack: 585, Len: 240
    Source Port: 80
    Destination Port: 57114
    [Stream index: 8]
    [Conversation completeness: Complete, WITH_DATA (31)]
    [TCP Segment Len: 240]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 1567877228
    [Next Sequence Number: 241    (relative sequence number)]
    Acknowledgment Number: 585    (relative ack number)
    Acknowledgment number (raw): 2136821615
    0101 .... = Header Length: 20 bytes (5)
    Flags: 0x018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
        .... 0... .... = Congestion Window Reduced: Not set
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·······AP···]
    Window: 238
    [Calculated window size: 30464]
    [Window size scaling factor: 128]
    Checksum: 0x3dab [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    [Timestamps]
        [Time since first frame in this TCP stream: 29.488657000 seconds]
        [Time since previous frame in this TCP stream: 0.000434000 seconds]
    [SEQ/ACK analysis]
        [iRTT: 0.023344000 seconds]
        [Bytes in flight: 240]
        [Bytes sent since last PSH flag: 240]
    TCP payload (240 bytes)
Hypertext Transfer Protocol
    HTTP/1.1 304 Not Modified\r\n
        [Expert Info (Chat/Sequence): HTTP/1.1 304 Not Modified\r\n]
            [HTTP/1.1 304 Not Modified\r\n]
            [Severity level: Chat]
            [Group: Sequence]
        Response Version: HTTP/1.1
        Status Code: 304
        [Status Code Description: Not Modified]
        Response Phrase: Not Modified
    Date: Tue, 14 Feb 2023 00:51:01 GMT\r\n
```

```
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.33 mod_perl/2.0.11 Perl/v5.16.3\r\n
Connection: Keep-Alive\r\n
Keep-Alive: timeout=5, max=100\r\n
ETag: "173-5f48f61cf3191"\r\n
\r\n
[HTTP response 1/1]
[Time since request: 0.023555000 seconds]
[Request in frame: 267]
[Request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file2.html]
```