

INSTALL ECLIPSE

Access: <https://eclipse.org/downloads/packages/release/Neon/3>

Eclipse Neon 3 Packages



Eclipse IDE for Java EE Developers

304 MB - Downloaded 1,430,448 Times



Eclipse IDE for Java Developers

161 MB - Downloaded 718,082 Times



Eclipse IDE for C/C++ Developers

182 MB - Downloaded 214,850 Times



Eclipse for Android Developers (includes Incubating components)

246 MB - Downloaded 149,231 Times



Eclipse for PHP Developers

168 MB - Downloaded 93,035 Times



Eclipse IDE for Eclipse Committers

251 MB - Downloaded 47,152 Times

Select “Eclipse IDE for Eclipse Committers”



Eclipse IDE for Eclipse Committers

251 MB - Downloaded 47,152 Times

Press “Windows 64-bit” or “Windows 32-bit” (according to your operation system) for downloading



Eclipse IDE for Eclipse Committers

Package Description

Package suited for development of Eclipse itself at Eclipse.org; based on the Eclipse Platform adding PDE, Git, Marketplace Client, source code and developer documentation.

Click [here](#) to file a bug against Eclipse Platform.

Click [here](#) to file a bug against Eclipse Git team provider.

Download Links

Windows 32-bit

Windows 64-bit

Mac OS X (Cocoa) 64-bit


Linux 32-bit

Linux 64-bit


Then, press “download”.



In Downloads folder, extract files.




In ..\eclipse-committers-neon-3-win32-x86_64, execute "Eclipse" type app.







Set workspace folder as wanted.



Open Eclipse




If you already had installed Eclipse, select "Check for Updates".



INSTALL HANA COMPONENTS FOR ECLIPSE

Select “Install New Software”



Access link for additional sap hana downloads:


Neon - <https://tools.hana.ondemand.com/neon/>

Select following softwares then click on “Next”.




Review


Accept the terms.



Wait for completion of installation




If the message below shows up, just skip it, pressing ok.




If security message shows up, allow it.

- ☒ Redes públicas, como as de aeroportos e cafeterias (não recomendado porque essas redes sempre têm menos ou nenhuma segurança)


[Quais são os riscos de permitir um aplicativo através de um firewall?](#)




Restart Eclipse after installation has completed.



After restarting, go to:




Then.




ADD SYSTEM FOR HANA DB

In SAP HANA Development perspective, in “Systems” section, anywhere in blank space, right button:



Insert data as below.



System

Specify System

Specify the host name and instance number of the system.

Host Name:

Instance Number:

Mode:

- ☐ Single container
- ☒ Multiple containers
 - ☒ Tenant database
 - Name:
 - ☐ System database

Description:

Locale:

Hostname: hana.rsolution.inf.br


Instance number: 93

Mode: Multiple Containers\Tenant database\ S4H

Description: free description

Insert user and password according to the credentials given.

In first logon, change the password.



A screenshot of a Windows-style dialog box titled "Change Password" with a close button (X) in the top right corner. The dialog box has a light gray background. Inside, there is a message: "To change the password for user CBASTO, enter and confirm a new password". Below this message are three text input fields. The first field is labeled "Old Password*:" and contains ten black dots. The second field is labeled "Password*:" and also contains ten black dots. The third field is labeled "Confirm*:" and contains ten black dots. At the bottom right of the dialog box are two buttons: "OK" and "Cancel". The "OK" button is highlighted with a blue dotted border.

Change Password

To change the password for user CBASTO, enter and confirm a new password

Old Password*:

Password*:

Confirm*:

OK Cancel