

AUDI 201 - Sound Reinforcement Systems

Comprehensive Course Glossary Terms Only

Scope: Terms-only course glossary rebuilt from the original AUDI 201 first-pass extraction and expanded for commercial audio installation, distributed 70V/100V systems, assistive listening systems, ADA-related technician terminology, and vehicle audio.

Verification metrics: Master terms reviewed: 936. Original first-pass AUDI 201 terms: 421. Final terms: 572. Duplicates detected: 0. Added external expansion terms retained: 151.

Course Term List

1. 1/3-octave display
2. 1/48-octave display
3. 1/8-Inch Mono Jack Requirement
4. 100V Amplifier
5. 100V Distributed Audio System
6. 100V Speaker Line
7. 110 dB Minimum Output
8. 118 dB Maximum Output
9. 18 dB Minimum Signal-to-Noise Ratio
10. 2010 ADA Standards for Accessible Design
11. 50 dB Volume Control Range
12. 70V Amplifier
13. 70V Distributed Audio System
14. 70V Speaker Line
15. A-weighting
16. Absorption
17. Absorption coefficient
18. Acceptance Testing
19. Accessible Design
20. Acoustic baffle
21. Acoustic cloud
22. Acoustic coupling
23. Acoustic environment
24. Acoustic Feedback / Howlround / Ringing
25. Acoustic isolation
26. Acoustic overload
27. Acoustic panel
28. Acoustic Treatment
29. Acoustics
30. Active ribbon microphone
31. Active trace
32. ADA Title II
33. ADA Title III
34. AES3 / AES-EBU
35. AES67
36. AFL & PFL (monitor bus modes)
37. AFL (After-Fade Listen)
38. Aftermarket Head Unit
39. all-pass filter
40. Alternator Whine
41. Americans with Disabilities Act (ADA)
42. Amplifier
43. amplifier classes
44. Amplifier Headroom Factor
287. Known-good substitution
288. Labeling Convention
289. LAeq
290. Large-diaphragm capsule
291. Large-Diaphragm Microphone (LD Mic)
292. Late reverberation
293. Lavalier Microphone (Lapel Mic / Lav)
294. Leq
295. Limiter
296. Line Level
297. Line level (+4 dBu
298. Line Output Converter
299. Linkwitz-Riley Crossover
300. Load impedance
301. Lobar pattern
302. Locked trace
303. Loop Driver
304. Loop Receiver
305. Loopback measurement
306. Lossy Compression
307. Loudspeaker (Speaker)
308. Loudspeaker processor
309. Low-cut filter
310. Low-Impedance Speaker Line
311. Low-Pass Filter (LPF / High-Cut Filter)
312. low-pass,
313. Low-Voltage Wiring
314. LUFS (Loudness Units Full Scale)
315. LUFS / LKFS
316. LUFS meter
317. M&E; Track (Music and Effects Track)
318. M/S (mid-side) recording
319. MADI (Multichannel Audio Digital Interface)
320. Magnitude trace
321. Main PA
322. Mains Hum Frequencies
323. Matched pair
324. matrix mixer
325. Matrix output
326. Maximum SPL
327. Measurement channel
328. Measurement configuration
329. Measurement engine
330. Measurement interface

45. Amplifier Rack
46. Anechoic
47. Antenna distribution
48. ARC / eARC (Audio Return Channel / Enhanced Audio Return Channel)
49. Architectural acoustics
50. As-Built Documentation
51. Assembly Area
52. Assistive Listening Device (ALD)
53. Assistive Listening Signage
54. Assistive Listening System (ALS)
55. Asymmetrical clipping
56. Audience absorption
57. Audio Emitter
58. Audio Induction Loop
59. Audyssey / Auto Room Calibration
60. automatic mic mixer
61. Aux-fed subwoofer
62. Auxiliary Aid
63. Auxiliary Aids and Services
64. AV Receiver (AVR)
65. AV-over-IP (AVoIP)
66. Back Box
67. Background Music System
68. Background noise criterion
69. Baffle Backcan
70. Balanced Connection
71. Balanced line
72. Balanced output
73. band-limiting filters
74. Bandpass Filter
75. Barrier Strip
76. Bass trap
77. Bessel crossover
78. Bidirectional / Figure-8
79. Bidirectional Microphone (Figure-8)
80. Big Three Upgrade
81. BNC
82. BNC Connector (Bayonet Neill-Concelman)
83. boost/cut equalizer
84. Boundary microphone
85. BPM (Beats Per Minute)
86. buffer amplifier
87. Bus
88. Butterworth filter / crossover
89. Buzz
90. C-weighting
91. C50
92. C80
93. Cable capacitance
94. Cable Certification
95. Cable Dress
96. Cable Labeling
97. Cable Management
98. Cable Pull
99. Cable Raceway
100. Cable Schedule
331. Measurement microphone
332. Measurement position
333. Measurement tab
334. MEMS microphone
335. Mic cable
336. Mic Level
337. Microphone (Mic)
338. Microphone output transformer
339. Microphone Polar Patterns Summary
340. Microphone preamp
341. Microphone sensitivity (mV/Pa)
342. Microphone types
343. Mix bus
344. Mixer / Mixing Console
345. monitor mixer
346. Monitor Speakers (Studio Monitors)
347. Mono Block Amplifier
348. Moving-coil dynamic microphone
349. Multi-engine measurement
350. Multi-Zone Audio System
351. Multipin tube mic cable
352. NC rating
353. Near-field measurement
354. Neckloop
355. Network audio clock
356. Network Audio I-O
357. Noise Gate
358. Notch Filter
359. Off-Axis
360. Off-axis coloration
361. Omnidirectional
362. Omnidirectional Microphone (Omni)
363. On-axis
364. op-amp (operational amplifier)
365. Optimization
366. ORTF technique
367. out of phase
368. Output impedance
369. Paging Microphone
370. Paging System
371. pan (panoramic) control
372. Pan / Panning
373. Parametric EQ
374. parametric equalizer
375. Passive ribbon microphone
376. Peak Clipping Level
377. Pendant Loudspeaker
378. PFL (Pre-Fade Listen)
379. Phantom Power (+48V)
380. Phantom power fault
381. Phase
382. Phase & polarity
383. Phase cancellation
384. Phase inverter
385. Phase shift
386. Phase trace

101. Cable Tray
102. Cables (audio)
103. Calibration
104. Calibration offset
105. Calibrator
106. Capsule
107. Capsule contamination
108. Capsule leakage
109. Capsule polarization voltage
110. Capsule-to-grid connection
111. Car Audio
112. Cardioid
113. Cardioid Microphone
114. Ceiling cloud
115. Ceiling Loudspeaker
116. Center-terminated capsule
117. Channel delay
118. Channel Strip
119. Characteristic curves
120. Class 2 Speaker Cable
121. Class 3 Speaker Cable
122. Clipping
123. CMP Plenum Cable
124. Coaxial Speaker
125. CobraNet
126. Cochlear Implant Compatibility
127. Coherence
128. Coherence trace
129. Comb filter
130. Comb Filtering
131. Commercial Audio System
132. Commercial Sound System
133. Commissioning Checklist
134. Common-mode rejection
135. Compander
136. Component Speaker
137. Compression / Compressor
138. Compression Driver
139. Compressor
140. Condenser
141. Condenser Microphone
142. Conduit
143. Connector strain relief failure
144. Connectors
145. Constant-Voltage Audio System
146. Continuity test
147. Corrugated ribbon
148. Critical Distance
149. Crossover
150. Crossover alignment
151. Crossover Frequency
152. Crossover Network
153. Cue / Cue Light
154. Curtain absorption
155. Daisy-Chained Speaker Wiring
156. Dante
157. Dash Kit
387. Phase unwrapping
388. Phase wrapping
389. phaser
390. Piezo / Piezo Microphone
391. Pin 2 hot
392. Pink Noise
393. Pink-noise generator
394. plenum cable
395. Plenum Rating
396. Plosive
397. Polar Pattern (Pickup Pattern)
398. Polarity (inverted)
399. Polarity check
400. Polarity test
401. Pop filter
402. Porous absorber
403. Ported Enclosure
404. Power Distribution Block
405. Powered loudspeaker
406. Preamp gain staging
407. Precedence effect
408. Primary impedance
409. Priority Paging
410. Production Sound Mixer
411. propagation delay
412. Proximity Effect
413. psychoacoustics
414. Public Address System
415. Punch Block
416. PVC cable
417. Rack Elevation Drawing
418. Rack Rail
419. RCA
420. RCA Pre-Out
421. Re-recording Mixer
422. Receiver Count Requirement
423. Receiver Jack
424. Reflection path
425. Reflector / Reflectors
426. Remote Turn-On Lead
427. reverb / reverberation
428. Reverberant field
429. Reverberation / Reverb
430. Reverberation time (RT60)
431. RF Assistive Listening System
432. RF filtering
433. Ribbon
434. Ribbon element
435. Ribbon Microphone
436. Ribbon motor
437. Ribbon sag
438. Ribbon transformer
439. Room Correction
440. Room mode
441. router (audio matrix switcher)
442. RT60
443. RT60 table

- 158. dB SPL
- 159. dB SPL
- 160. De-esser
- 161. delay
- 162. Delay alignment
- 163. Delay compensation
- 164. Delay field
- 165. Delay finder
- 166. Delay Locator
- 167. DI box (direct injection)
- 168. Diagnostic measurement
- 169. Diffraction
- 170. Diffuser
- 171. Diffusion
- 172. digital audio data compression
- 173. Direct-Wired Assistive Listening System
- 174. Distortion measurements
- 175. Distributed Loudspeaker System
- 176. distribution amplifier
- 177. Door Speaker
- 178. Double DIN
- 179. DSP (Digital Signal Processor)
- 180. DSP Tuning
- 181. DTS / DTS
- 182. Dual-channel FFT
- 183. Dual-diaphragm capsule
- 184. Ducker
- 185. Dynamic
- 186. Dynamic Microphone
- 187. Dynamic Range
- 188. Dynamics processors
- 189. Early decay time (EDT)
- 190. Early reflection
- 191. Echo
- 192. echo canceller
- 193. Edge-terminated capsule
- 194. EDT
- 195. Effective Communication
- 196. Effective Communication Requirement
- 197. effects loop / insert loop
- 198. Electret
- 199. Electret condenser microphone
- 200. Emergency Override
- 201. EQ (equalizer)
- 202. EQ boost
- 203. EQ cut
- 204. Equalizer
- 205. Equalizer Q behavior
- 206. Equipment Rack
- 207. Expander
- 208. Expander increases dynamic range below a threshold
- 209. Externally polarized condenser
- 210. Factory Integration
- 211. Fader
- 212. Fast Fourier Transform (FFT)
- 213. feedback suppressor
- 444. RTA (Real-Time Analyzer)
- 445. RTA view
- 446. Sabin
- 447. Schroeder frequency
- 448. Sealed Enclosure
- 449. Secondary impedance
- 450. Section 216.10 Assistive Listening Signs
- 451. Section 219 Assistive Listening Systems
- 452. Section 706 Assistive Listening Systems
- 453. Self-noise
- 454. Send / Return (Aux Send / Aux Return)
- 455. sensitivity (dB SPL/mW) / Loudspeaker sensitivity (dB SPL/1W/1m)
- 456. Sensitivity (rated under standard conditions)
- 457. Service Loop
- 458. shelving filter
- 459. Shock mount
- 460. Shotgun microphone
- 461. Show/hide trace
- 462. Signal Chain (Signal Path)
- 463. Signal Probe
- 464. Signal-to-Noise Ratio (SNR)
- 465. Signal-to-Noise Ratio Requirement
- 466. Single DIN
- 467. Single-channel measurement
- 468. Single-diaphragm capsule
- 469. Smaart LE
- 470. Smaart RT
- 471. Smaart SPL
- 472. Smaart Suite
- 473. Small-diaphragm capsule
- 474. Small-Diaphragm Microphone (Pencil Mic)
- 475. Snake
- 476. Sound Deadening Material
- 477. Sound isolation
- 478. Sound Pressure Level (SPL)
- 479. Sound Pressure Level Requirement
- 480. Sound transmission class (STC)
- 481. Speaker cable
- 482. Speaker Load Calculation
- 483. Speaker Polarity
- 484. Speakon
- 485. Spectrogram
- 486. Spectrum
- 487. Spectrum measurement
- 488. Specular reflection
- 489. Speech intelligibility
- 490. Speech Peak Clipping
- 491. SPL (sound pressure level)
- 492. SPL history plot
- 493. SPL log
- 494. SPL Mode
- 495. Stagebox
- 496. Standing wave
- 497. Step-Down Transformer
- 498. Step-Up Transformer
- 499. STI

214. Ferrite Core
215. FFT (Fast Fourier Transform)
216. FFT bin
217. FFT size
218. Fill speaker alignment
219. Filter
220. Filter capacitor
221. Find delay workflow
222. FIR filter (finite impulse response)
223. Firestop
224. Floor wedge
225. Flutter Echo
226. FM Assistive Listening System
227. FOH (Front of House)
228. Foreground Music System
229. Frequency-dependent absorption
230. Fuse Holder
231. gain stage / gain staging
232. Gain Staging
233. Gain structure
234. Gate
235. Gate / Noise Gate
236. Generator
237. graphic equalizer
238. Ground / Grounding
239. Ground loop
240. Grounding
241. Grounding Point
242. Group delay
243. groups / subgroups
244. Haas Effect / Precedence Effect
245. HDBaseT
246. HDMI (High-Definition Multimedia Interface)
247. Head Unit
248. Headphone Mix (Cue Mix)
249. Headroom
250. Headset microphone
251. Hearing Aid Compatibility
252. Hearing Loop
253. Hearing-Aid Compatible Receiver
254. High-Impedance Speaker Line
255. High-Pass Filter (HPF / Low-Cut Filter)
256. Horn Loudspeaker
257. HRTF (Head-Related Transfer Function)
258. Hum
259. Hum Components
260. Humidity sensitivity
261. HVAC noise
262. Hypercardioid
263. IEM (In-Ear Monitor)
264. IIR filter (infinite impulse response)
265. Impact isolation
266. Impedance
267. Impedance converter
268. Impulse response
269. Impulse Response Mode
270. Impulse response of a room
500. Stinger
501. STIPA
502. Stored trace
503. Strain Relief
504. Subwoofer
505. Subwoofer Enclosure
506. Supercardioid
507. Surface-Mount Loudspeaker
508. System Documentation
509. System verification
510. T-Coil
511. Table 219.3 Receivers
512. Talkback
513. Tap Selector
514. Target curve
515. Telecoil
516. Ticket Window Signage Exception
517. Tone Generator
518. Tone Generator and Probe
519. Total Wattage Load
520. Trace averaging
521. Trace capture
522. Trace math
523. Transfer function
524. Transfer Function measurement
525. Transformer Tap
526. TRS
527. TRS Connector (Tip-Ring-Sleeve)
528. Trunk Subwoofer
529. TS (1/4")
530. TS Connector (Tip-Sleeve)
531. Tube condenser microphone
532. Tube impedance converter
533. Tube microphone calibration check
534. Tube microphone crackle
535. Tube microphone hum
536. Tube microphone power supply
537. tweeter
538. two-way / three-way crossover
539. Unbalanced Connection
540. Unbalanced line
541. Unbanded spectrum
542. USB microphone
543. Variable acoustics
544. VCA (voltage-controlled amplifier)
545. Vehicle Audio System
546. Voice Evacuation System
547. Voltage Drop
548. Volume acoustics
549. Volume Control Range
550. Wall Plate
551. Wattage Tap
552. Wavelength
553. Weighting filters
554. Weighting selector
555. White Noise
556. Windscreen

- 271. In phase
- 272. Induction Loop
- 273. Infrared Assistive Listening System
- 274. Insert
- 275. Instrument level (varies)
- 276. Integrated Loudness (LKFS / LUFS)
- 277. Interference tube
- 278. Internal acoustic foam
- 279. International Symbol of Access for Hearing Loss
- 280. Interstitial
- 281. Inverse Square Law
- 282. Isolation
- 283. Isolation joint
- 284. Jack Connector (1/4-inch Connector)
- 285. Junction Box
- 286. K-weighted (LUFS)
- 557. Wire Gauge
- 558. Wireless bodypack
- 559. Wireless handheld transmitter
- 560. Wireless microphone
- 561. Wiring Harness Adapter
- 562. woofer
- 563. Word Clock
- 564. X-Y Stereo Technique (Coincident Pair)
- 565. XLR
- 566. XLR Connector
- 567. Y-cable / Y-cord
- 568. Z-weighting
- 569. Zone / Multi-Zone Audio
- 570. Zone Controller
- 571. Zone Mixer
- 572. Zone Paging

Source Basis and Audit Notes

- Base source: Updated_Master_Glossary_Terms_Only.docx, which states a revised official count of 936 unique terms.
- Base course extraction: AUDI_201_Sound_Reinforcement_Systems_Glossary_Terms_Only.docx, 421 first-pass course terms.
- External expansion terms were added only for the course areas specifically identified by the instructor: commercial audio installation, distributed 70V/100V systems, assistive listening systems, ADA-related requirements, and vehicle audio.
- The added terms are not definitions and are intended as term names for future glossary development.

External Source Bibliography

- U.S. Department of Justice. 2010 ADA Standards for Accessible Design. ADA.gov.
- U.S. Access Board. ADA Accessibility Standards, Chapter 7, Section 706 Assistive Listening Systems.
- Hearing Loss Association of America. Summary: 2010 ADA Standards for Accessible Design - Assistive Listening Systems.
- Center for Hearing Access. ADA Standards for Assistive Listening Systems.
- OSD Audio. Commercial 70V Amplifiers.
- Outdoor Speaker Depot. Commercial 70V Speakers / Distributed Audio Background and Paging Applications.
- Sweetwater. 70V Power Amplifiers product category references for 70V/100V direct-drive, DSP, Dante, and hi-Z/lo-Z terminology.
- Extreme Audio. How To Make Sense Of Car Audio Terms.
- Alphasonik. Audio Terminology.

External Expansion Categories Added

Commercial audio and distributed 70V/100V systems: 39 candidate terms before duplicate suppression.

Commercial installation and technician terminology: 36 candidate terms before duplicate suppression.

Assistive listening systems and ADA terminology: 35 candidate terms before duplicate suppression.

ALS technical performance terms: 11 candidate terms before duplicate suppression.

Vehicle audio systems: 30 candidate terms before duplicate suppression.