

AUDI 204 - Permanent Audio System Design and Maintenance

Course-Specific Glossary Terms (Terms Only)

Source reviewed: Updated_Master_Glossary_Terms_Only.docx. Master terms reviewed: 936. Rechecked AUDI 204 terms selected: 328. Duplicates: 0. Selected terms missing from master: 0.

Scope note: This rebuild treats AUDI 204 as permanent/fixed-system design, installation, commissioning, maintenance, commercial AV, distributed audio, acoustics, and measurement. Portable temporary live-sound terms are intentionally minimized because those belong primarily in AUDI 201.

- | | |
|---|--|
| 1. 1/3-octave display | 165. LFE (Low-Frequency Effects) |
| 2. 1/48-octave display | 166. Linear averaging |
| 3. 5.1 / 7.1 Surround Sound | 167. Linkwitz-Riley Crossover |
| 4. A-weighted (dBA) | 168. Live IR |
| 5. A-weighting | 169. Load impedance |
| 6. Absorber / Absorbers | 170. Locked trace |
| 7. Absorption | 171. Logarithmic frequency axis |
| 8. Absorption coefficient | 172. Loopback measurement |
| 9. Acoustic baffle | 173. Loudspeaker (Speaker) |
| 10. Acoustic cloud | 174. Loudspeaker processor |
| 11. Acoustic coupling | 175. Low-Pass Filter (LPF / High-Cut Filter) |
| 12. Acoustic environment | 176. MADI (Multichannel Audio Digital Interface) |
| 13. Acoustic isolation | 177. Magnitude |
| 14. Acoustic panel | 178. Magnitude trace |
| 15. Acoustic Treatment | 179. Mains Hum Frequencies |
| 16. Acoustics | 180. matrix mixer |
| 17. Adaptive Audio | 181. Matrix output |
| 18. AES3 / AES-EBU | 182. Maximum SPL |
| 19. AES67 | 183. Mean free path |
| 20. Alignment window | 184. Measurement channel |
| 21. Amplifier | 185. Measurement configuration |
| 22. amplifier classes | 186. Measurement engine |
| 23. Anechoic | 187. Measurement interface |
| 24. ARC / eARC (Audio Return Channel / Enhanced Audio Return Channel) | 188. Measurement microphone |
| 25. Architectural acoustics | 189. Measurement position |
| 26. Arrival time | 190. Measurement tab |
| 27. Audience absorption | 191. Mic correction curve |
| 28. Audio Bridge | 192. Modal decay |
| 29. Audio Emitter | 193. Multi-engine measurement |
| 30. Audio Frequency | 194. NC rating |
| 31. Audyssey / Auto Room Calibration | 195. Near-field measurement |
| 32. AV Receiver (AVR) | 196. Network audio clock |
| 33. AV-over-IP (AVoIP) | 197. Network Audio I-O |
| 34. Averaging | 198. No output |
| 35. Background noise criterion | 199. Octave |
| 36. Baffle | 200. Octave band |
| 37. balance control | 201. Octave banding control |
| 38. Balanced Connection | 202. Octave smoothing |
| 39. Balanced line | 203. Optimization |
| 40. Balanced output | 204. Period-matched noise |
| 41. band-limiting filters | 205. Phase trace |
| 42. Bandpass Filter | 206. Phase unwrapping |
| 43. Bandwidth | 207. Phase wrapping |
| 44. Bass trap | 208. Phoenix |

45. Bessel crossover	209. Pin 2 hot
46. biamp / biamplified	210. Pink Noise
47. BNC	211. Pink-noise generator
48. BNC Connector (Bayonet Neill-Concelman)	212. Pinout
49. Bode plot	213. plenum cable
50. Butterworth filter / crossover	214. Plot area
51. C-weighted (dBC)	215. Polarity check
52. C-weighting	216. Porous absorber
53. Cable capacitance	217. power-factor-corrected (PFC) supply
54. Cables (audio)	218. Powered loudspeaker
55. Calibration	219. Pressure zone
56. Calibration offset	220. Preventive maintenance
57. Calibrator	221. Pseudorandom setting
58. Ceiling cloud	222. psychoacoustics
59. Channel delay	223. Q (quality factor)
60. Clarity	224. Q Factor (Q)
61. Class 1 capability	225. Rack Unit (U / RU)
62. Class 2 capability	226. Real-Time Mode
63. CobraNet	227. Reference channel
64. Coherence	228. Reference signal
65. Coherence trace	229. Reflection path
66. Cold solder joint	230. Reflector / Reflectors
67. Common-mode rejection	231. Remote viewing
68. Complex averaging	232. Report generation
69. Connector strain relief failure	233. Resonant absorber
70. Connectors	234. reverb / reverberation
71. constant directivity (CD) horn	235. Reverberant field
72. constant-voltage (70V / 100V) distribution	236. Reverberation / Reverb
73. Continuity test	237. Reverberation time (RT60)
74. Control bar	238. RF filtering
75. Coverage map	239. RF interference
76. Critical Distance	240. Room Correction
77. Crossover	241. Room mode
78. Crossover alignment	242. Room ratio
79. Crossover Frequency	243. router (audio matrix switcher)
80. Cursor readout	244. RT band
81. Curtain absorption	245. RT60
82. D50	246. RT60 table
83. damping factor	247. RTA (Real-Time Analyzer)
84. Dante	248. RTA view
85. dB SPL	249. S/PDIF (Sony/Philips Digital Interface)
86. dBSPL	250. Sabin
87. Decay curve	251. Schroeder frequency
88. Decay range	252. Seat-to-seat variance
89. Delay alignment	253. sensitivity (dB SPL/mW) / Loudspeaker sensitivity (dB SPL/1W/1m)
90. Delay compensation	254. Sensitivity (rated under standard conditions)
91. Delay field	255. Shielding
92. Delay finder	256. Show/hide trace
93. Delay Locator	257. Signal levels (nominal)
94. Diagnostic measurement	258. Signal tracing
95. Diffraction	259. Signal-to-Noise Ratio (SNR)
96. Diffuser	260. Single-channel measurement

97. Diffusion	261. Smaart LE
98. Distortion measurements	262. Smaart RT
99. distribution amplifier	263. Smaart SPL
100. Drop IR Data Window	264. Smaart Suite
101. DSP (Digital Signal Processor)	265. Smoothing
102. Dual-channel FFT	266. Sound isolation
103. Early decay time (EDT)	267. Sound level meter view
104. echo canceller	268. Sound Pressure Level (SPL)
105. EDT	269. Sound transmission class (STC)
106. Electrical reference check	270. Source interaction
107. Energy-time curve (ETC)	271. Spatial Audio
108. Euroblock	272. Spatialization
109. Event note	273. Speaker cable
110. Excitation signal	274. Speakon
111. Fast Fourier Transform (FFT)	275. Spectrogram
112. FFT (Fast Fourier Transform)	276. Spectrograph view
113. FFT bin	277. Spectrum
114. FFT size	278. Spectrum measurement
115. Fiber	279. Specular reflection
116. Fill speaker alignment	280. Speech intelligibility
117. Find delay workflow	281. SPL (sound pressure level)
118. FIR filter (finite impulse response)	282. SPL history plot
119. Flutter Echo	283. SPL log
120. Focusing	284. SPL Mode
121. Frequency resolution	285. Standing wave
122. Frequency Response	286. STI
123. Frequency zoom	287. STIPA
124. Frequency-dependent absorption	288. Stored trace
125. Generator	289. Structure-borne sound
126. graphic equalizer	290. Sub-main alignment
127. Ground / Grounding	291. Subwoofer
128. Ground loop	292. Surround Sound (if present)
129. Grounding	293. Surround Sound Formats
130. Group delay	294. System baseline
131. Haas Effect / Precedence Effect	295. System verification
132. HDBaseT	296. T20
133. HDMI (High-Definition Multimedia Interface)	297. T30
134. High-Pass Filter (HPF / Low-Cut Filter)	298. Target curve
135. House curve	299. third-octave (1/3-octave)
136. Hum	300. Time window
137. Hum Components	301. Trace averaging
138. HVAC noise	302. Trace capture
139. IACC	303. Trace math
140. IIR filter (infinite impulse response)	304. Traffic-light meter coloring
141. Impact isolation	305. Transfer function
142. Impulse response	306. Transfer Function measurement
143. Impulse Response Mode	307. Tuning position
144. Impulse response of a room	308. tweeter
145. Integration time	309. Twisted-pair (UTP/STP)
146. Intermittent output	310. two cascaded Butterworth
147. IR ETC view	311. two-way / three-way crossover
148. IR Histogram	312. Unbalanced Connection
149. IR Linear view	313. Unbalanced line

150. IR Log view	314. Unbanded spectrum
151. IR Spectrograph	315. USB audio
152. isochronous	316. Variable acoustics
153. Isolation	317. Volume acoustics
154. Isolation joint	318. Wavelength
155. Known-good substitution	319. Weighting filters
156. L10	320. Weighting selector
157. L50	321. Window function
158. L90	322. woofer
159. LAeq	323. Word Clock
160. Late reverberation	324. XLR
161. LCeq	325. XLR Connector
162. LCpeak	326. Z-weighting
163. LCR (Left-Center-Right)	327. Zobel network
164. Leq	328. Zone / Multi-Zone Audio