## FRAME SEQUENCE 1 > 2 > 1 > 2 > 1 > 3 > 1







Frame 1

Frame 2

- Arm raised 20px
- Bend at elbow


Frame 3

• Eyebrow raise 5px


## FRAME SEQUENCE 1 > 2 > 3 > 4 > 1



Frame 1 Frame 2




• Thumb rotates 18° at base joint



Frame 3

- Hand returns to frame 1 points
- Vector points at top of red lips move up 5px




Frame 4

- Lips same as Frame 3
- Hand same as Frame 2

## FRAME SEQUENCE 1 > 2 > 1 > 3 > 1








Frame 2


- Leg rotates up 2º
- Bend at knee
- Vector points on toes move





Frame 3

- Leg rotates up 1º
- Bend at knee
- Toes same as Frame 1

FRAME SEQUENCE 1 > 2 > 1 > 2 > 1 > 3 > 1







Frame 1

Frame 2

- Blue head rotates -2° (2° in Mobile)
- Bend from back and chest points

Frame 3

 Vector points at corners of beard move up 20px

## FRAME SEQUENCE

1 > 2







Frame 2

- Left leg rotates -3° (-2° in Mobile)
- Right leg rotates 3° (2° in Mobile)
- Both legs move from anchor points at base of frame
- Both legs rotate inward