

01_duplicate_clients

Propietario	© Carlos Roberto
Verificación	Verificada
Etiquetas	Arquitectura de Datos DBA

This Company maintains two independent client data stores - ventas.CLIENTE and facturacion.CLIENTE - with no shared key or synchronization mechanism. This diagnostic validates the extent of fragmentation between both sources to determine the true number of unique legal entities in the system.

This pattern is common in organizations that evolved from spreadsheet-based operations, where each department maintained its own data source with no guarantee of which version was current. Even after adopting formal systems, modules were built independently with their own tables, reconciled through ad-hoc joins and format adjustments rather than a single authoritative source — as demonstrated in this diagnostic.

1.1 Intra-module duplicates inside ventas.CLIENTE

Check if there are duplicate tax identification numbers (NIT) with different names.

```
USE TRANSTRACK;  
GO
```

```
-----  
-----  
-- SECTION 1: Intra-module duplicates inside ventas.CLIENTE  
-- Same NIT registered more than once within Sales module  
-----  
-----
```

```
SELECT 'SECTION 1 - Intra-module NIT duplicates (ventas.CLIENTE)' AS diagnostic_section;
```

```
SELECT
    nit,
    COUNT(*) AS total_records,
    MIN(nombre) AS name_variant_a,
    MAX(nombre) AS name_variant_b,
    MIN(fecha_registro) AS first_registered,
    MAX(fecha_registro) AS last_registered,
    -- If names differ, the same legal entity was typed differently
    CASE
        WHEN MIN(nombre) <> MAX(nombre) THEN 'NAME_CONFLICT'
        WHEN MIN(email) <> MAX(email) THEN 'EMAIL_CONFLICT'
        ELSE 'DATA_CONSISTENT'
    END AS conflict_type
FROM ventas.CLIENTE
GROUP BY nit
HAVING COUNT(*) > 1
ORDER BY total_records DESC;
```

diagnostic_section							
SECTION 1 - Intra-module NIT duplicates (ventas.CLIENTE)							
	nit	total_records	name_variant_a	name_variant_b	first_registered	last_registered	conflict_type
1	NIT-000009	8	Almacenadora del Este S.A. 9	Transportes del Sur	2026-05-31 01:41:44.7166667	2026-05-31 01:41:49.8266667	NAME_CONFLICT
2	NIT-000017	8	Electrodomesticos del Sur 17	Transportes Del Sur SA	2026-05-31 01:41:44.7833333	2026-05-31 01:41:49.8300000	NAME_CONFLICT
3	NIT-000025	8	Exportadora Centroamericana 10024	TRANSPORTES DEL SUR S.A.	2026-05-31 01:41:44.8500000	2026-05-31 01:41:49.8333333	NAME_CONFLICT
4	NIT-000033	8	Farmacutica Central 33	Trans del Sur S.A.	2026-05-31 01:41:44.9600000	2026-05-31 01:41:49.8366667	NAME_CONFLICT
5	NIT-000041	8	Distribuidora Nacional S.A. 10040	Transportes del Sur S.A.	2026-05-31 01:41:45.0366667	2026-05-31 01:41:49.8366667	NAME_CONFLICT
6	NIT-000049	8	Almacenadora del Este S.A. 49	Transportes del Sur	2026-05-31 01:41:45.0866667	2026-05-31 01:41:49.8400000	NAME_CONFLICT
7	NIT-000057	8	Electrodomesticos del Sur 57	Transportes Del Sur SA	2026-05-31 01:41:45.1300000	2026-05-31 01:41:49.8400000	NAME_CONFLICT
8	NIT-000065	8	Exportadora Centroamericana 10064	TRANSPORTES DEL SUR S.A.	2026-05-31 01:41:45.1533333	2026-05-31 01:41:49.8433333	NAME_CONFLICT
9	NIT-000073	8	Farmacutica Central 73	Trans del Sur S.A.	2026-05-31 01:41:45.1800000	2026-05-31 01:41:49.8466667	NAME_CONFLICT
10	NIT-000081	8	Distribuidora Nacional S.A. 12080	Transportes del Sur S.A.	2026-05-31 01:41:45.2166667	2026-05-31 01:41:49.8500000	NAME_CONFLICT
11	NIT-000089	8	Almacenadora del Este S.A. 89	Transportes del Sur	2026-05-31 01:41:45.2500000	2026-05-31 01:41:49.8500000	NAME_CONFLICT
12	NIT-000097	8	Electrodomesticos del Sur 97	Transportes Del Sur SA	2026-05-31 01:41:45.3333333	2026-05-31 01:41:49.8533333	NAME_CONFLICT
13	NIT-000105	8	Exportadora Centroamericana 12104	TRANSPORTES DEL SUR S.A.	2026-05-31 01:41:45.3333333	2026-05-31 01:41:49.8566667	NAME_CONFLICT
14	NIT-000113	8	Farmacutica Central 113	Trans del Sur S.A.	2026-05-31 01:41:45.4066667	2026-05-31 01:41:49.8566667	NAME_CONFLICT
15	NIT-000121	8	Distribuidora Nacional S.A. 10120	Transportes del Sur S.A.	2026-05-31 01:41:45.4100000	2026-05-31 01:41:49.8600000	NAME_CONFLICT
16	NIT-000129	8	Almacenadora del Este S.A. 129	Transportes del Sur	2026-05-31 01:41:45.4100000	2026-05-31 01:41:49.8633333	NAME_CONFLICT
17	NIT-000137	8	Electrodomesticos del Sur 137	Transportes Del Sur SA	2026-05-31 01:41:45.4133333	2026-05-31 01:41:49.8633333	NAME_CONFLICT
18	NIT-000145	8	Exportadora Centroamericana 10144	TRANSPORTES DEL SUR S.A.	2026-05-31 01:41:45.4200000	2026-05-31 01:41:49.8700000	NAME_CONFLICT

1.2 Cross-module duplicates

```

-----
-- SECTION 2: Cross-module duplicates – same NIT in ventas AND
facturacion
-- This is the main governance failure: two modules, same cli
ent, no link
-- Column mapping: ventas.nit = facturacion.nit_cliente
--                  ventas.nombre <-> facturacion.razon_social
-----

```

```

SELECT 'SECTION 2 - Cross-module duplicates (ventas vs factur
acion)' AS diagnostic_section;

```

```

SELECT
    v.nit                AS nit_in_ventas,
    f.nit_cliente        AS nit_in_facturacion,
    v.cliente_id         AS ventas_id,
    f.cliente_fact_id    AS facturacion_id,
    v.nombre             AS name_in_sales,
    f.razon_social       AS name_in_billing,
    v.email              AS email_sales,
    f.correo             AS email_billing,
    v.telefono           AS phone_sales,
    f.telefono_contacto AS phone_billing,
    f.limite_credito,
    f.dias_credito,
    -- Conflict flags
CASE
    WHEN v.nombre <> f.razon_social THEN 'NAME_MI
SMATCH'
    WHEN v.email <> f.correo THEN 'EMAIL_M
ISMATCH'
    WHEN v.telefono <> f.telefono_contacto THEN 'PHONE_M
ISMATCH'

```

```

        ELSE 'DATA_CONSISTENT'
    END
    AS conflict_flag,
    -- Which module has more complete data?
    CASE
        WHEN v.email IS NOT NULL AND f.correo IS NULL
    THEN 'VENTAS_MORE_COMPLETE'
        WHEN v.email IS NULL AND f.correo IS NOT NULL
    THEN 'FACTURACION_MORE_COMPLETE'
        WHEN f.limite_credito IS NOT NULL
    THEN 'FACTURACION_HAS_CREDIT'
        ELSE 'BOTH_PARTIAL'
    END
    AS completeness_winner
FROM ventas.CLIENTE v
INNER JOIN facturacion.CLIENTE f
    ON v.nit = f.nit_cliente    -- This join should NOT be possible without governance
ORDER BY conflict_flag, v.nit;

-- How many clients exist in both modules?
SELECT
    (SELECT COUNT(DISTINCT nit) FROM ventas.CLIENTE)
AS unique_nits_in_sales,
    (SELECT COUNT(DISTINCT nit_cliente) FROM facturacion.CLIENTE)
AS unique_nits_in_billing,
    (
        SELECT COUNT(*)
        FROM ventas.CLIENTE v
        INNER JOIN facturacion.CLIENTE f ON v.nit = f.nit_cliente
    )
AS records_in_both_modules,
    -- These clients have credit limits in billing but no contract in sales
    (
        SELECT COUNT(*)
        FROM facturacion.CLIENTE f

```

```

WHERE NOT EXISTS (
    SELECT 1 FROM ventas.CLIENTE v WHERE v.nit = f.nit
t_cliente
)
)

```

	cliente_id	cliente_fact_id	nit_ventas	nit_facturacion	name_in_sales	name_in_billing	email_sales	email_billing	phone_sales	phone_billing	limite_credito	dias
1	1	1	NIT-000001	1	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 1	contacto1@empresa.gt	facturacion1@empresa.gt	502-20000003	(502) 20000003	15000.00	60
2	1	3000	NIT-000001	1	Grupo Logistico GT 1	DISTRIBUIDORA NACIONAL, S.A. - 3000	contacto1@empresa.gt	facturacion3000@empresa.gt	502-20000003	(502) 20009000	10000.00	30
3	1	6000	NIT-000001	1	Grupo Logistico GT 1	DISTRIBUIDORA NACIONAL, S.A. - 6000	contacto1@empresa.gt	facturacion6000@empresa.gt	502-20000003	(502) 20018000	10000.00	30
4	1	12000	NIT-000001	1	Grupo Logistico GT 1	DISTRIBUIDORA NACIONAL, S.A. - 12000	contacto1@empresa.gt	facturacion12000@empresa.gt	502-20000003	(502) 20036000	10000.00	30
5	1	9000	NIT-000001	1	Grupo Logistico GT 1	DISTRIBUIDORA NACIONAL, S.A. - 9000	contacto1@empresa.gt	facturacion9000@empresa.gt	502-20000003	(502) 20027000	10000.00	30
6	4000	1	NIT-000001	1	Distribuidora Nacional S.A. 4000	GRUPO LOGISTICO GT, S.A. - 1	contacto4000@empresa.gt	facturacion1@empresa.gt	502-20012000	(502) 20000003	15000.00	60
7	4000	3000	NIT-000001	1	Distribuidora Nacional S.A. 4000	DISTRIBUIDORA NACIONAL, S.A. - 3000	contacto4000@empresa.gt	facturacion3000@empresa.gt	502-20012000	(502) 20009000	10000.00	30
8	4000	6000	NIT-000001	1	Distribuidora Nacional S.A. 4000	DISTRIBUIDORA NACIONAL, S.A. - 6000	contacto4000@empresa.gt	facturacion6000@empresa.gt	502-20012000	(502) 20018000	10000.00	30
9	4000	12000	NIT-000001	1	Distribuidora Nacional S.A. 4000	DISTRIBUIDORA NACIONAL, S.A. - 12000	contacto4000@empresa.gt	facturacion12000@empresa.gt	502-20012000	(502) 20036000	10000.00	30
10	4000	9000	NIT-000001	1	Distribuidora Nacional S.A. 4000	DISTRIBUIDORA NACIONAL, S.A. - 9000	contacto4000@empresa.gt	facturacion9000@empresa.gt	502-20012000	(502) 20027000	10000.00	30
11	6000	1	NIT-000001	1	Transportes del Sur S.A.	GRUPO LOGISTICO GT, S.A. - 1	contacto6000@empresa.gt	facturacion1@empresa.gt	502-20018000	(502) 20000003	15000.00	60
12	6000	3000	NIT-000001	1	Transportes del Sur S.A.	DISTRIBUIDORA NACIONAL, S.A. - 3000	contacto6000@empresa.gt	facturacion3000@empresa.gt	502-20018000	(502) 20009000	10000.00	30
13	6000	6000	NIT-000001	1	Transportes del Sur S.A.	DISTRIBUIDORA NACIONAL, S.A. - 6000	contacto6000@empresa.gt	facturacion6000@empresa.gt	502-20018000	(502) 20018000	10000.00	30
14	6000	12000	NIT-000001	1	Transportes del Sur S.A.	DISTRIBUIDORA NACIONAL, S.A. - 12000	contacto6000@empresa.gt	facturacion12000@empresa.gt	502-20018000	(502) 20036000	10000.00	30

TRANSTRACK evolved from a single-branch operation to a multi-module system without establishing a unified client identifier standard. The result:

- `ventas.CLIENTE.nit` stores raw numeric values (1 , 2 , 3 ...)
- `facturacion.CLIENTE.nit_cliente` stores formatted strings (NIT-000013 , NIT-000015 ...)
- These represent the same legal entity but are **unmatchable by any JOIN**
- 13,375 client records in Sales have zero overlap with 10,687 records in Billing
- 12,000 clients were invoiced with no corresponding Sales record

This is not a data entry error — it is the natural consequence of two teams building two systems independently with no data governance layer enforcing a common standard.

	nit	Module
1	NIT-000001	Ventas
2	NIT-000001	Ventas
3	NIT-000001	Ventas
4	NIT-000001	Ventas
5	NIT-000001	Ventas
6	1	facturacion
7	1	facturacion
8	1	facturacion
9	1	facturacion
10	1	facturacion

1.3 SOUNDEX near-duplicate detection

This section attempts to find clients registered more than once with slightly different names within ventas.CLIENTE — same NIT, different name spelling.

```
-- -----  
--  
-- SECTION 3: SOUNDEX near-duplicate detection within ventas.  
CLIENTE  
-- Catches "TRANSPORTES EL SOL" vs "TRANSPORTE EL SOL S.A." –  
same company  
-- -----  
--  
  
SELECT 'SECTION 3 - SOUNDEX near-duplicates (ventas.CLIENTE)'  
AS diagnostic_section;  
  
WITH client_sdx AS (  
    SELECT  
        cliente_id,  
        nit,  
        nombre,  
        categoria,  
        activo,  
        SOUNDEX(nombre) AS sdx  
    FROM ventas.CLIENTE  
)  
SELECT TOP 50  
    a.cliente_id AS id_a,  
    b.cliente_id AS id_b,  
    a.nit AS nit_a,  
    b.nit AS nit_b,  
    a.nombre AS name_a,  
    b.nombre AS name_b,  
    DIFFERENCE(a.nombre, b.nombre) AS similarity_score, -- 4  
= best match  
CASE
```

```

        WHEN a.nit = b.nit AND a.nombre = b.nombre THEN 'EXACT_DUPLICATE'
        WHEN a.nit = b.nit AND a.nombre <> b.nombre THEN 'SAME_NIT_DIFF_NAME'
        WHEN a.nit <> b.nit AND DIFFERENCE(a.nombre, b.nombre) = 4
                                                                    THEN 'SAME_NAME_DIFF_NIT'
        ELSE 'FUZZY_MATCH'
    END
    AS duplicate_classification
FROM client_sdx a
JOIN client_sdx b
    ON a.sdx = b.sdx
    AND a.cliente_id < b.cliente_id
    AND DIFFERENCE(a.nombre, b.nombre) >= 3
ORDER BY similarity_score DESC, duplicate_classification;

-- Same analysis cross-module: ventas.nombre vs facturacion.razon_social
SELECT 'SECTION 3b - Cross-module SOUNDEX (ventas.nombre vs facturacion.razon_social)' AS diagnostic_section;

SELECT TOP 30
    v.cliente_id,
    f.cliente_fact_id,
    v.nit,
    f.nit_cliente,
    v.nombre,
    f.razon_social,
    DIFFERENCE(v.nombre, f.razon_social) AS name_similarity,
    SOUNDEX(v.nombre) AS sdx_ventas,
    SOUNDEX(f.razon_social) AS sdx_facturacion
FROM ventas.CLIENTE v
CROSS JOIN facturacion.CLIENTE f

```

```

WHERE v.nit <> f.nit_cliente          -- Different NITs
but...
    AND SOUNDEX(v.nombre) = SOUNDEX(f.razon_social) -- ...same
phonetic code
    AND DIFFERENCE(v.nombre, f.razon_social) >= 3
ORDER BY name_similarity DESC;

```

Results Messages

diagnostic_section

SECTION 3 - SOUNDEX near-duplicates (ventas CLIENTE)

	id_a	id_b	nit_a	nit_b	name_a	name_b	similarity_score	duplicate_classification
1	3024	9024	NIT-001025	NIT-001025	TRANSPORTES DEL SUR S.A	TRANSPORTES DEL SUR S.A	4	EXACT_DUPLICATE
2	3048	9048	NIT-001049	NIT-001049	Transportes del Sur	Transportes del Sur	4	EXACT_DUPLICATE
3	3072	9072	NIT-001073	NIT-001073	Trans del Sur S.A	Trans del Sur S.A	4	EXACT_DUPLICATE
4	3096	9096	NIT-001097	NIT-001097	Transportes Del Sur SA	Transportes Del Sur SA	4	EXACT_DUPLICATE
5	3120	9120	NIT-001121	NIT-001121	Transportes del Sur S.A	Transportes del Sur S.A	4	EXACT_DUPLICATE
6	3144	9144	NIT-001145	NIT-001145	TRANSPORTES DEL SUR S.A	TRANSPORTES DEL SUR S.A	4	EXACT_DUPLICATE
7	3168	9168	NIT-001169	NIT-001169	Transportes del Sur	Transportes del Sur	4	EXACT_DUPLICATE
8	3192	9192	NIT-001193	NIT-001193	Trans del Sur S.A	Trans del Sur S.A	4	EXACT_DUPLICATE
9	3216	9216	NIT-001217	NIT-001217	Transportes Del Sur SA	Transportes Del Sur SA	4	EXACT_DUPLICATE
10	3240	9240	NIT-001241	NIT-001241	Transportes del Sur S.A	Transportes del Sur S.A	4	EXACT_DUPLICATE
11	3264	9264	NIT-001265	NIT-001265	TRANSPORTES DEL SUR S.A	TRANSPORTES DEL SUR S.A	4	EXACT_DUPLICATE
12	3288	9288	NIT-001289	NIT-001289	Transportes del Sur	Transportes del Sur	4	EXACT_DUPLICATE
13	3312	9312	NIT-001313	NIT-001313	Trans del Sur S.A	Trans del Sur S.A	4	EXACT_DUPLICATE
14	3336	9336	NIT-001337	NIT-001337	Transportes Del Sur SA	Transportes Del Sur SA	4	EXACT_DUPLICATE
15	3360	9360	NIT-001361	NIT-001361	Transportes del Sur S.A	Transportes del Sur S.A	4	EXACT_DUPLICATE
16	3384	9384	NIT-001385	NIT-001385	TRANSPORTES DEL SUR S.A	TRANSPORTES DEL SUR S.A	4	EXACT_DUPLICATE
17	3408	9408	NIT-001409	NIT-001409	Transportes del Sur	Transportes del Sur	4	EXACT_DUPLICATE
18	3432	9432	NIT-001433	NIT-001433	Trans del Sur S.A	Trans del Sur S.A	4	EXACT_DUPLICATE
19	3456	9456	NIT-001457	NIT-001457	Transportes Del Sur SA	Transportes Del Sur SA	4	EXACT_DUPLICATE
20	3480	9480	NIT-001481	NIT-001481	Transportes del Sur S.A	Transportes del Sur S.A	4	EXACT_DUPLICATE
21	3504	9504	NIT-001505	NIT-001505	TRANSPORTES DEL SUR S.A	TRANSPORTES DEL SUR S.A	4	EXACT_DUPLICATE
22	3528	9528	NIT-001529	NIT-001529	Transportes del Sur	Transportes del Sur	4	EXACT_DUPLICATE

Query executed successfully.

c:\lab_db (16.0 RTM) carlos_roberto (52) TRANSTRACK 00:00:07 Row: 1, Col: 1 row

```

-- Same analysis cross-module: ventas.nombre vs facturacion.r
azon_social
SELECT 'SECTION 3b - Cross-module SOUNDEX (ventas.nombre vs f
acturacion.razon_social)' AS diagnostic_section;

SELECT TOP 30
    v.cliente_id,
    f.cliente_fact_id,
    v.nit,
    f.nit_cliente,
    v.nombre,
    f.razon_social,
    DIFFERENCE(v.nombre, f.razon_social) AS name_similarity,
    SOUNDEX(v.nombre) AS sdx_ventas,

```



```

        SOUNDEX(f.razon_social)
n
FROM ventas.CLIENTE v
CROSS JOIN facturacion.CLIENTE f
WHERE v.nit <> f.nit_cliente        -- Different NITs
but...
    AND SOUNDEX(v.nombre) = SOUNDEX(f.razon_social) -- ...same
phonetic code
    AND DIFFERENCE(v.nombre, f.razon_social) >= 3
ORDER BY name_similarity DESC;

```

diagnostic_section									
SECTION 3b - Cross-module SOUNDEX (ventas.nombre)									
	cliente_id	cliente_fact_id	nit	nit_cliente	nombre	razon_social	name_similarity	sdx_ventas	sdx_facturacion
1	1	11401	NIT-000001	11401	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11401	4	G610	G610
2	1	11621	NIT-000001	11621	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11621	4	G610	G610
3	1	11601	NIT-000001	11601	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11601	4	G610	G610
4	1	11581	NIT-000001	11581	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11581	4	G610	G610
5	1	11561	NIT-000001	11561	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11561	4	G610	G610
6	1	11541	NIT-000001	11541	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11541	4	G610	G610
7	1	11521	NIT-000001	11521	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11521	4	G610	G610
8	1	11741	NIT-000001	11741	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11741	4	G610	G610
9	1	11721	NIT-000001	11721	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11721	4	G610	G610
10	1	11701	NIT-000001	11701	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11701	4	G610	G610
11	1	11681	NIT-000001	11681	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11681	4	G610	G610
12	1	11661	NIT-000001	11661	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11661	4	G610	G610
13	1	11641	NIT-000001	11641	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11641	4	G610	G610
14	1	11861	NIT-000001	11861	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11861	4	G610	G610
15	1	11841	NIT-000001	11841	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11841	4	G610	G610
16	1	11821	NIT-000001	11821	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11821	4	G610	G610
17	1	11801	NIT-000001	11801	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11801	4	G610	G610
18	1	11781	NIT-000001	11781	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11781	4	G610	G610
19	1	11761	NIT-000001	11761	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11761	4	G610	G610
20	1	11981	NIT-000001	11981	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11981	4	G610	G610
21	1	11961	NIT-000001	11961	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11961	4	G610	G610
22	1	11941	NIT-000001	11941	Grupo Logistico GT 1	GRUPO LOGISTICO GT, S.A. - 11941	4	G610	G610

diagnostic_section					
1	SECTION 4 - Executive Summary				
	total_ventas_records	total_facturacion_records	total_client_records_system	estimated_truly_unique_clients	excess_duplicate_records
1	15000	12000	27000	13375	13625

✓ Query executed successfully.

c:\lab_db\16.0\RTM\ carlos.roberto (68) TRANSTRACK 00:00:00 Rows: 1 Col: 1 2 rows

1.4 Executive Summary

```

SELECT 'SECTION 4 - Executive Summary' AS diagnostic_section;

SELECT
    (SELECT COUNT(*) FROM ventas.CLIENTE)
AS total_ventas_records,

```

```

        (SELECT COUNT(*) FROM facturacion.CLIENTE)
AS total_facturacion_records,
        (SELECT COUNT(*) FROM ventas.CLIENTE) +
        (SELECT COUNT(*) FROM facturacion.CLIENTE)
AS total_client_records_system,
    (
        SELECT COUNT(*) FROM (
            SELECT CAST(SUBSTRING(nit, 5, 10) AS INT) AS nit_
num FROM ventas.CLIENTE
            UNION
            SELECT CAST(nit_cliente AS INT) FROM facturacion.
CLIENTE
        ) x
    )
AS estimated_truly_unique_clients,
    (SELECT COUNT(*) FROM ventas.CLIENTE) +
    (SELECT COUNT(*) FROM facturacion.CLIENTE) -
    (
        SELECT COUNT(*) FROM (
            SELECT CAST(SUBSTRING(nit, 5, 10) AS INT) AS nit_
num FROM ventas.CLIENTE
            UNION
            SELECT CAST(nit_cliente AS INT) FROM facturacion.
CLIENTE
        ) x
    )
AS excess_duplicate_records;

```

diagnostic_section					
1 SECTION 4 - Executive Summary					
	total_ventas_records	total_facturacion_records	total_client_records_system	estimated_truly_unique_clients	excess_duplicate_records
1	15000	12000	27000	13375	13625

Query executed successfully.

c13lab_db (16.0 RTM) - carlos_roberto (68) - TRANSTRACK - 0000:00 - Row: 1, Col: 1 - 2 rows

The company maintains 27,000 client records across two independent modules - 15,000 in Sales and 12,000 in Billing. After deduplication by NIT, the system contains only 13,375 truly unique legal entities, meaning 13,625 records - over 50% of the total - are redundant or fragmented across modules. As a result, TRANSTRACK cannot accurately answer how many clients it has, what its total credit exposure is, or what the true revenue per client looks like.