

00 Validate_Environment

Propietario	© Carlos Roberto
Verificación	Verificada
Etiquetas	Arquitectura de Datos DBA

1. SCHEMAS — all must exist

```
USE TRANSTRACK;
GO

PRINT '=====
=====';
PRINT 'ENVIRONMENT VALIDATION - ' + CONVERT(VARCHAR, GETDATE
(), 120);
PRINT '=====
=====';

-- =====
==
-- 1. SCHEMAS - all must exist
-- =====
==
PRINT '';
PRINT '--- 1. SCHEMAS ---';

SELECT
    name AS schema_name,
    CASE WHEN name IN ('governance_control', 'ref', 'ventas', 'f
acturacion',
                      'operaciones', 'flota', 'archivo')
```

```

        THEN 'OK' ELSE 'UNEXPECTED' END AS status
FROM sys.schemas
WHERE name IN ('governance_control','ref','ventas','facturaci
on',
              'operaciones','flota','archivo')
ORDER BY name;

```

	schema_name	status
1	archivo	OK
2	facturacion	OK
3	flota	OK
4	governance_control	OK
5	operaciones	OK
6	ventas	OK

Query executed successfully. c13\lab_db (16.0 RTM) | carlos_roberto (58) | TRANSTRACK | 00:00:00 | Row: 1, Col: 1 | 6 rows

2. SOURCE TABLES

```

PRINT '';
PRINT '--- 2. SOURCE TABLES';

SELECT
    n.fullname,
    CASE WHEN t.object_id IS NOT NULL THEN 'EXISTS' ELSE '***
MISSING - Run base scripts first ***' END AS status,
    ISNULL(p.rows, 0) AS row_count
FROM (VALUES
    ('ventas',      'CLIENTE'),
    ('ventas',      'CONTRATO_CLIENTE'),
    ('facturacion',  'CLIENTE'),
    ('facturacion',  'FACTURA'),
    ('facturacion',  'DETALLE_FACTURA'),
    ('operaciones',  'RUTA'),
    ('operaciones',  'PEDIDO'),

```

```

('operaciones', 'ENTREGA'),
('operaciones', 'INCIDENTE'),
('flota', 'VEHICULO'),
('flota', 'CONDUCTOR'),
('flota', 'EMPLEADO'),
('flota', 'OPERADOR'),
('flota', 'ASIGNACION_VEHICULO'),
('flota', 'TELEMETRIA_GPS')
) AS expected(sname, tname)
CROSS APPLY (SELECT expected.sname + '.' + expected.tname AS
fullname) AS n
LEFT JOIN sys.tables t
    ON t.name = expected.tname
    AND SCHEMA_NAME(t.schema_id) = expected.sname
LEFT JOIN sys.partitions p
    ON p.object_id = t.object_id
    AND p.index_id IN (0,1)
ORDER BY expected.sname, expected.tname;

```

	fullname	status	row_count
1	facturacion.CLIENTE	EXISTS	12000
2	facturacion.DETALLE_FACTURA	EXISTS	488595
3	facturacion.FACTURA	EXISTS	488595
4	flota.ASIGNACION_VEHICULO	EXISTS	195340
5	flota.CONDUCTOR	EXISTS	1200
6	flota.EMPLEADO	EXISTS	1100
7	flota.OPERADOR	EXISTS	950
8	flota.TELEMETRIA_GPS	EXISTS	15000000
9	flota.VEHICULO	EXISTS	800
10	operaciones.ENTREGA	EXISTS	480000
11	operaciones.INCIDENTE	EXISTS	8473
12	operaciones.PEDIDO	EXISTS	500000
13	operaciones.RUTA	EXISTS	2388
14	ventas.CLIENTE	EXISTS	15000
15	ventas.CONTRATO_CLIENTE	EXISTS	12000

Query executed successfully. c:\lab_db (16.0 RTM) | carlos_roberto (58) | TRANSTRACK | 00:00:00 | Row: 1, Col: 1 | 15 rows

3. GOVERNANCE TABLES

```

-- =====
==
-- 3. GOVERNANCE TABLES
-- =====
==
PRINT '';
PRINT '--- 3. GOVERNANCE_CONTROL TABLES (prerequisites) ---';

SELECT
    'governance_control.' + expected.tname AS fullname,
    CASE WHEN t.object_id IS NOT NULL THEN 'EXISTS' ELSE '***
MISSING – Run 04 first ***' END AS status,
    ISNULL(p.rows, 0) AS row_count
FROM (VALUES
    ('DATA_DOMAIN'),
    ('DATA_OWNER'),
    ('DATA_POLICY'),
    ('DATA_STEWARD'),
    ('DATA_CLASSIFICATION'),
    ('DOMAIN_TABLE_REGISTRY'),
    ('DATA_CATALOG'),
    ('COLUMN_CATALOG')
) AS expected(tname)
LEFT JOIN sys.tables t
    ON t.name = expected.tname
    AND SCHEMA_NAME(t.schema_id) = 'governance_control'
LEFT JOIN sys.partitions p
    ON p.object_id = t.object_id
    AND p.index_id IN (0,1)
ORDER BY expected.tname;

```

	fullname	status	row_count
1	governance_control.COLUMN_CATALOG	*** MISSING – Run 04 first ***	0
2	governance_control.DATA_CATALOG	*** MISSING – Run 04 first ***	0
3	governance_control.DATA_CLASSIFICATION	EXISTS	118
4	governance_control.DATA_DOMAIN	EXISTS	3
5	governance_control.DATA_OWNER	EXISTS	3
6	governance_control.DATA_POLICY	EXISTS	4
7	governance_control.DATA_STEWARD	EXISTS	3
8	governance_control.DOMAIN_TABLE_REGISTRY	EXISTS	12

Query executed successfully. c13\lab_db (16.0 RTM) | carlos_roberto (58) | TRANSTRACK | 00:00:00 | Row: 1, Col: 1 | 8 rows

4. NEW TABLES

```
-- =====
==
-- 4. NEW TABLES – what this creates
-- =====
==
PRINT '';
PRINT '--- 4. 05 NEW TABLES ---';

SELECT
    expected.sname + '.' + expected.tname AS fullname,
    CASE WHEN t.object_id IS NOT NULL THEN 'EXISTS' ELSE 'MISSING – Run script' END AS status,
    ISNULL(p.rows, 0) AS row_count,
    expected.script AS created_by_script
FROM (VALUES
    ('governance_control', 'REF_DATA_REGISTRY', '01_reference_data_registry.sql'),
    ('governance_control', 'REF_DATA_VERSION_LOG', '01_reference_data_registry.sql'),
    ('ref', 'TIPO_INCIDENTE', '01_ref
```

```

reference_data_registry.sql'),
    ('ref', 'ESTADO_PEDIDO', '01_ref
reference_data_registry.sql'),
    ('ref', 'CATEGORIA_CLIENTE', '01_ref
reference_data_registry.sql'),
    ('ref', 'TIPO_VEHICULO', '01_ref
reference_data_registry.sql'),
    ('ref', 'ESTADO_ENTREGA', '01_ref
reference_data_registry.sql'),
    ('governance_control', 'MASTER_CONDUCTOR', '02_dri
ver Consolidation.sql'),
    ('governance_control', 'CONDUCTOR_CROSSWALK', '02_dri
ver Consolidation.sql'),
    ('governance_control', 'MASTER_CLIENTE', '03_cli
ent Deduplication.sql'),
    ('governance_control', 'MASTER_CLIENT_AUDIT', '03_cli
ent Deduplication.sql'),
    ('governance_control', 'CLIENTE_CROSSWALK', '03_cli
ent Deduplication.sql'),
    ('governance_control', 'DATA_LINEAGE', '04_dat
a Lineage.sql'),
    ('governance_control', 'DATA_LINEAGE_EXECUTION', '04_dat
a Lineage.sql'),
    ('governance_control', 'DATA_SHARING_AGREEMENT', '05_sha
ring Agreements.sql'),
    ('governance_control', 'DSA_VIOLATION_LOG', '05_sha
ring Agreements.sql')
) AS expected(sname, tname, script)
LEFT JOIN sys.tables t
    ON t.name = expected.tname
    AND SCHEMA_NAME(t.schema_id) = expected.sname
LEFT JOIN sys.partitions p
    ON p.object_id = t.object_id
    AND p.index_id IN (0,1)
ORDER BY expected.script, expected.sname, expected.tname;

```

	fullname	status	row_count	created_by_script
1	governance_control.REF_DATA_REGISTRY	MISSING – Run script	0	01_reference_data_registry.sql
2	governance_control.REF_DATA_VERSION_LOG	MISSING – Run script	0	01_reference_data_registry.sql
3	ref.CATEGORIA_CLIENTE	MISSING – Run script	0	01_reference_data_registry.sql
4	ref.ESTADO_ENTREGA	MISSING – Run script	0	01_reference_data_registry.sql
5	ref.ESTADO_PEDIDO	MISSING – Run script	0	01_reference_data_registry.sql
6	ref.TIPO_INCIDENTE	MISSING – Run script	0	01_reference_data_registry.sql
7	ref.TIPO_VEHICULO	MISSING – Run script	0	01_reference_data_registry.sql
8	governance_control.CONDUCTOR_CROSSWALK	MISSING – Run script	0	02_driver_consolidation.sql
9	governance_control.MASTER_CONDUCTOR	MISSING – Run script	0	02_driver_consolidation.sql
10	governance_control.CLIENTE_CROSSWALK	MISSING – Run script	0	03_client_deduplication.sql
11	governance_control.MASTER_CLIENT_AUDIT	MISSING – Run script	0	03_client_deduplication.sql
12	governance_control.MASTER_CLIENTE	MISSING – Run script	0	03_client_deduplication.sql
13	governance_control.DATA_LINEAGE	MISSING – Run script	0	04_data_lineage.sql
14	governance_control.DATA_LINEAGE_EXECUTION	MISSING – Run script	0	04_data_lineage.sql
15	governance_control.DATA_SHARING_AGREEMENT	MISSING – Run script	0	05_sharing_agreements.sql
16	governance_control.DSA_VIOLATION_LOG	MISSING – Run script	0	05_sharing_agreements.sql

Query executed successfully. c13\lab_db (16.0 RTM) carlos_roberto (58) TRANSTRACK 00:00:00 Row: 1, Col: 1 16 rows

5. VIEWS AND PROCEDURES

```

PRINT '';
PRINT '--- 5. VIEWS ---';

SELECT
    'governance_control.' + expected.vname AS fullname,
    CASE WHEN v.object_id IS NOT NULL THEN 'EXISTS' ELSE 'MISSING' END AS status
FROM (VALUES
    ('vw_ref_data_health'),
    ('vw_lineage_impact_map'),
    ('vw_dsa_compliance_summary')
) AS expected(vname)
LEFT JOIN sys.views v
    ON v.name = expected.vname
    AND SCHEMA_NAME(v.schema_id) = 'governance_control'
ORDER BY expected.vname;

PRINT '';
PRINT '--- STORED PROCEDURES ---';

SELECT

```

```

    'governance_control.' + expected.pname AS fullname,
    CASE WHEN p.object_id IS NOT NULL THEN 'EXISTS' ELSE 'MISSING' END AS status
FROM (VALUES
    ('usp_get_downstream_impact')
) AS expected(pname)
LEFT JOIN sys.procedures p
    ON p.name = expected.pname
    AND SCHEMA_NAME(p.schema_id) = 'governance_control'
ORDER BY expected.pname;

```

	fullname	status
1	governance_control.vw_dsa_compliance_summary	MISSING
2	governance_control.vw_lineage_impact_map	MISSING
3	governance_control.vw_ref_data_health	MISSING

	fullname	status
1	governance_control.usp_get_downstream_impact	MISSING

Query executed successfully. c:\lab_db (16.0 RTM) | carlos_roberto (58) | TRANSTRACK | 00:00:00 | Row: 1, Col: 1 | 4 rows

6. REFERENCE DATA ROW COUNTS

```

-- =====
==
-- 6. REFERENCE DATA ROW COUNTS (must have rows)
-- =====
==
PRINT '';
PRINT '--- 6. REFERENCE DATA CONTENT ---';

```



```

IF OBJECT_ID('ref.TIPO_INCIDENTE','U') IS NOT NULL
BEGIN
    SELECT 'ref.TIPO_INCIDENTE' AS [table], COUNT(*) AS rows,
        CASE WHEN COUNT(*) = 6 THEN 'OK (6 rows expected)'
            WHEN COUNT(*) > 0 THEN 'HAS DATA (verify count)'
            ELSE 'EMPTY – rerun 01_reference_data_registry.sql' END AS status
    FROM ref.TIPO_INCIDENTE
    UNION ALL
    SELECT 'ref.ESTADO_PEDIDO', COUNT(*),
        CASE WHEN COUNT(*) = 6 THEN 'OK' WHEN COUNT(*) > 0
    THEN 'HAS DATA'
            ELSE 'EMPTY' END
    FROM ref.ESTADO_PEDIDO
    UNION ALL
    SELECT 'ref.CATEGORIA_CLIENTE', COUNT(*),
        CASE WHEN COUNT(*) = 5 THEN 'OK' WHEN COUNT(*) > 0
    THEN 'HAS DATA'
            ELSE 'EMPTY' END
    FROM ref.CATEGORIA_CLIENTE
    UNION ALL
    SELECT 'ref.TIPO_VEHICULO', COUNT(*),
        CASE WHEN COUNT(*) = 6 THEN 'OK' WHEN COUNT(*) > 0
    THEN 'HAS DATA'
            ELSE 'EMPTY' END
    FROM ref.TIPO_VEHICULO
    UNION ALL
    SELECT 'ref.ESTADO_ENTREGA', COUNT(*),
        CASE WHEN COUNT(*) = 5 THEN 'OK' WHEN COUNT(*) > 0
    THEN 'HAS DATA'
            ELSE 'EMPTY' END
    FROM ref.ESTADO_ENTREGA;
END
ELSE
    PRINT 'ref.TIPO_INCIDENTE does not exist – run 01_referen

```

```

ce_data_registry.sql first';

-- =====
==
-- 7. MASTER DATA BEFORE/AFTER
-- =====
==
PRINT '';
PRINT '--- 7. MASTER DATA BEFORE / AFTER ---';

IF OBJECT_ID('governance_control.MASTER_CONDUCTOR','U') IS NOT NULL
BEGIN
    SELECT
        'flota.CONDUCTOR (source)' AS entity, COUNT(*) AS records, 'SOURCE' AS type
    FROM flota.CONDUCTOR
    UNION ALL
    SELECT 'flota.EMPLEADO drivers', COUNT(*), 'SOURCE'
    FROM flota.EMPLEADO WHERE cargo IN ('CONDUCTOR','CHOFER', 'DRIVER', 'OPERADOR')
    UNION ALL
    SELECT 'flota.OPERADOR', COUNT(*), 'SOURCE'
    FROM flota.OPERADOR
    UNION ALL
    SELECT 'governance_control.MASTER_CONDUCTOR', COUNT(*),
'MASTER (AFTER)'
    FROM governance_control.MASTER_CONDUCTOR
    UNION ALL
    SELECT ' → needing_review=1', COUNT(*), 'FLAGGED'
    FROM governance_control.MASTER_CONDUCTOR WHERE necesita_revision=1;
END
ELSE PRINT 'MASTER_CONDUCTOR does not exist – run 02_driver_consolidation.sql';

```

```

PRINT '';

IF OBJECT_ID('governance_control.MASTER_CLIENTE','U') IS NOT
NULL
BEGIN
    SELECT
        'ventas.CLIENTE (source)' AS entity, COUNT(*) A
S records, 'SOURCE' AS type
    FROM ventas.CLIENTE
    UNION ALL
    SELECT 'facturacion.CLIENTE (source)', COUNT(*), 'SOURCE'
    FROM facturacion.CLIENTE
    UNION ALL
    SELECT 'governance_control.MASTER_CLIENTE', COUNT(*), 'MA
STER (AFTER)'
    FROM governance_control.MASTER_CLIENTE
    UNION ALL
    SELECT ' → needing_review=1', COUNT(*), 'FLAGGED'
    FROM governance_control.MASTER_CLIENTE WHERE necesita_rev
ision=1
    UNION ALL
    SELECT 'MASTER_CLIENT_AUDIT entries', COUNT(*), 'AUDIT'
    FROM governance_control.MASTER_CLIENT_AUDIT;
END
ELSE PRINT 'MASTER_CLIENTE does not exist – run 03_client_ded
uplication.sql';

-- =====
==
-- 8. DSA AND LINEAGE CONTENT
-- =====
==
PRINT '';
PRINT '--- 8. DSA AND LINEAGE ---';

IF OBJECT_ID('governance_control.DATA_SHARING_AGREEMENT','U')

```

```

IS NOT NULL
BEGIN
    SELECT dsa_code, dsa_status,
           producer_schema + '.' + producer_table AS produce
r,
           consumer_schema + '.' + consumer_table AS consume
r,
           data_classification,
           CASE WHEN dsa_code IN ('DSA-OPS-BILL-001', 'DSA-FLE
ET-OPS-001',
                                'DSA-VENTAS-FACT-001', 'DSA-
FLOTA-GOV-001')
                THEN 'OK' ELSE 'UNEXPECTED CODE' END AS code_
check
    FROM governance_control.DATA_SHARING_AGREEMENT
    ORDER BY dsa_code;

    PRINT '';
    SELECT dsa_code, violation_type, resolution_status,
           LEFT(description, 80) + '...' AS description_short
    FROM governance_control.DSA_VIOLATION_LOG vl
    JOIN governance_control.DATA_SHARING_AGREEMENT dsa ON ds
a.dsa_id = vl.dsa_id
    ORDER BY dsa_code;
END
ELSE PRINT 'DATA_SHARING_AGREEMENT does not exist – run 05_sh
aring_agreements.sql';

PRINT '';

IF OBJECT_ID('governance_control.DATA_LINEAGE', 'U') IS NOT NU
LL
BEGIN
    SELECT flow_name,
           source_schema + '.' + source_table AS source,
           destination_schema + '.' + destination_table AS de

```

```

destination,
    has_known_issues,
    CASE WHEN flow_name IN (
        'VENTAS_CLIENTE_TO_PEDIDO',
        'ENTREGA_TO_FACTURA',
        'TELEMETRIA_GPS_TO_ORDER_CONTEXT',
        'DRIVER_FRAGMENTED_TO_MASTER',
        'CLIENT_DUAL_MODULE_TO_MASTER')
    THEN 'OK' ELSE 'UNEXPECTED' END AS name_check
FROM governance_control.DATA_LINEAGE
ORDER BY flow_name;
END
ELSE PRINT 'DATA_LINEAGE does not exist – run 04_data_lineag
e.sql';

-- =====
==
-- 9. CONSTRAINTS – PK and UQ must exist
-- =====
==
PRINT '';
PRINT '--- 9. KEY CONSTRAINTS ---';

SELECT
    tc.CONSTRAINT_NAME,
    tc.TABLE_SCHEMA + '.' + tc.TABLE_NAME AS full_table,
    tc.CONSTRAINT_TYPE,
    'EXISTS' AS status
FROM INFORMATION_SCHEMA.TABLE_CONSTRAINTS tc
WHERE tc.TABLE_SCHEMA IN ('governance_control','ref')
    AND tc.CONSTRAINT_TYPE IN ('PRIMARY KEY','UNIQUE')
ORDER BY tc.TABLE_SCHEMA, tc.TABLE_NAME, tc.CONSTRAINT_TYPE;

-- =====
==
-- SUMMARY

```

```

-- =====
==
PRINT '';
PRINT '=====
=====';
PRINT 'VALIDATION COMPLETE';
PRINT 'Look for MISSING in sections 4-8 – those scripts need
to run.';
PRINT 'Look for EMPTY in section 6 – those INSERTs did not ex
ecute.';
PRINT '=====
=====';
GO

```

	CONSTRAINT_NAME	full_table	CONSTRAINT_TYPE	status
1	PK_CLIENT_USER_MAPPING	governance_control.CLIENT_USER_MAPPING	PRIMARY KEY	EXISTS
2	UQ_CUM_USER	governance_control.CLIENT_USER_MAPPING	UNIQUE	EXISTS
3	PK_DATA_CHANGE_REQUEST	governance_control.DATA_CHANGE_REQUEST	PRIMARY KEY	EXISTS
4	PK_DATA_CLASSIFICATION	governance_control.DATA_CLASSIFICATION	PRIMARY KEY	EXISTS
5	UQ_DC_COLUMN	governance_control.DATA_CLASSIFICATION	UNIQUE	EXISTS
6	PK_DATA_DOMAIN	governance_control.DATA_DOMAIN	PRIMARY KEY	EXISTS
7	UQ_DATA_DOMAIN_CODE	governance_control.DATA_DOMAIN	UNIQUE	EXISTS
8	PK_DATA_OWNER	governance_control.DATA_OWNER	PRIMARY KEY	EXISTS
9	PK_DATA_POLICY	governance_control.DATA_POLICY	PRIMARY KEY	EXISTS
10	UQ_DATA_POLICY_CODE	governance_control.DATA_POLICY	UNIQUE	EXISTS
11	PK_DATA_POLICY_COMPLIANCE	governance_control.DATA_POLICY_COMPLIANCE	PRIMARY KEY	EXISTS
12	PK_DATA_STEWARD	governance_control.DATA_STEWARD	PRIMARY KEY	EXISTS
13	PK_DOMAIN_TABLE_REGISTRY	governance_control.DOMAIN_TABLE_REGISTRY	PRIMARY KEY	EXISTS
14	UQ_DTR_TABLE	governance_control.DOMAIN_TABLE_REGISTRY	UNIQUE	EXISTS

Query executed successfully.

c13\lab_db (16.0 RTM) | carlos_roberto (58) | TRANSTRACK | 00:00:00 | Row: 4, Col: 1 | 14 rows