Counter-Strike Match Data Machine Learning Analysis

Authored by: Connor McHugh

Introduction

This project is an exploratory data analysis of Counter-Strike 2 match results ,spanning from the start of 2024 to the end of January 2026, using machine learning techniques such as XGBoost, regression, and clustering. Counter-Strike 2 is an online tactical first-person shooter created by Valve. In the game, two sides, Counter-Terrorist and Terrorist, are pitted against each other in objective-based game modes, with the first team to reach 13 rounds winning. The game averages roughly 1,000,000 concurrent players and has a robust professional scene, with many teams from different continents competing in various tournaments. Throughout the year, there are numerous big tournaments, referred to as S-Tier tournaments, where the best teams in the world face off. These tournaments are usually accompanied by a large prize pool, leading teams to take them incredibly seriously and often prepping for weeks before a tournament. Each tournament organizer has its own setup for how they run the tournament, but it usually involves a group stage followed by playoffs. Most matches in the Group Stages are Best of 1s or Best of 3s, with some tournament organizers having the final be a Best of 5.

The main goal of this project was to analyze match data to answer two main questions: what contributes to a team winning matches, and how many rounds a team wins their matches by. This is important because analytics is increasingly used by professional Counter-Strike teams to develop more strategic tournament game plans. This project is important because it would allow a coach or player to identify, after a match, why the outcome was as it was. Inputs for this project are scraped data from HLTV and include features such as average player rating, the maximum kill count in a match, the number of multi-kills a team achieved, and their round differential, among others. HLTV is the premier statistics and news website for professional Counter-Strike, and has information on matches played at every major tournament, which is why it was chosen as a data source. There are numerous outputs from this project. First, there are decision trees visualizing which features the data is split on. Then, there are regression models that indicate how a feature affects a team's win rate or round differential. Next, there will be an output of expected class (Win or Not Win) and an expected round differential based on the training and test splits. The main response variables for this project will be the ‘Win’ and ‘Round Different’ columns, with some per-map ratio response variables being extracted from these columns.

Related Work

There are a few studies that have examined what features drive team success and round differential. These studies found that ensemble models, such as XGBoost, outperformed Logistic Regression and single Decision Trees, suggesting that non-linear models may be better suited to capture the underlying complexities of the game. However, given that these studies relied on

features like player health and spatial positioning, their findings may not be directly applicable to this project

Terminology

Measure	Feature/s	Definition
Rounds Won by Side	T Rounds Won, CT Rounds Won, Opp T Rounds Won, Opp CT Rounds Won	Number of rounds won while playing as Terrorist (T) or Counter-Terrorist (CT) side for each team
Average Player Rating	Average Player Rating, Opp Average Player Rating	Average HLTV rating for a team during a match, calculated using a weighted formula factoring in kills, damage, impact, and consistency
Multi-Kills	Total MK, Opp MK	Number of multi-kills that occurred during a match. A multi-kill occurs when a player achieves two or more kills in a single round
Average Damage per Round (ADR)	Max ADR, Min ADR, ADR Difference, Average ADR, Opp Max ADR, Opp Min ADR, Opp ADR Difference, Opp Average ADR	Average damage dealt per round (total damage/total rounds). Rating scale: <50 = below average, 50-70 = average, 70-90 = good, 90-110 = excellent, >110 = highly elite
Clutches	1vX Num, Opp 1vX Num	Number of clutches during a match. A clutch occurs when one player is left against multiple opponents and wins the round
Trades	Num Trades, Opp Num Trades	Number of trades that occurred during a match. A trade occurs when a teammate kills the enemy who just killed their teammate
Round Streaks	Rounds Streak, Opp Rounds Streak	Number of times a team achieved a round streak (3 or more consecutive round wins) during a match
First Kills	Number of First Kills, Opp First Kills	Number of first kills achieved by each team. A first kill is the first elimination in a round
Maps	Map columns (various)	Records which maps were played during the match

Data Collection Steps

- Created a data scraper using Playwright to dynamically load HLTV, navigate through tournament matches, extract player and team statistics, and output formatted data tables.
    - Using Beautiful Soup to pull the data was attempted, but it did not yield the HLTV data in the desired format because it was not stored in JSON.
    - Because of this, Playwright had to be used. The data is dynamically loaded using JavaScript, so using Playwright allows it to be accessed without issues.
    - Before making the scraper, data had to be manually collected. This involved copying a match stats table and using cell references and formulas in Excel to format the data in the ideal way.
- Playwright opens a Chrome browser, executes JavaScript, clicks through matches, waits for page loads, pulls relevant tables and stats, then navigates back through all matches in the search range.
    - Users can set a search range based on the total number of matches in the tournament. Once this is done, the notebook then needs to be run on the terminal.
    - The code will open a match page (Vitality vs Spirit, for example), click a map played in that match, pull the data, and navigate back to the match stats page, navigating through each map of the match. Once the code has gone through all maps for a match, it will navigate back to the tournament results page and do the same for the next match.
    - After all the data is pulled, the code reformats it into a more usable format. The code aggregates certain statistics, such as trades, while taking the maximum or minimum of other values, such as kills. After this process is complete, the data is output as a formatted CSV file, which can be directly fed into the models.
- A few other people have this data, but not in my exact format. This code saved an estimated 140 hours of manual data collection.
    - The StarLadder Budapest Major data was manually collected before the scraper was created. This tournament, which ended up being 212 rows of data, took 8 hours to collect manually. This scrapper allowed me to spend more time on more valuable tasks, such as fine-tuning my models and their parameters, rather than on data collection.
- Tournament details (name, dates, winner) are included in the appendix; not every team competed in every tournament, though major tournaments typically include most of the world's top 15 teams.

Dataset

Category	Metric	Value
Dataset Overview	Total Rows	3,128
	Total Columns	45 + 13 derived
	Total Matches	1,564
	Unique Teams	84
	Most Common Team	FaZe
Rounds Won	Average T Rounds Won Per Map	5.31
	Average CT Rounds Won Per Map	5.52
Player Rating	Average Player Rating	1.068
Kill Statistics	Average Maximum Kills	22.3
	Average Minimum Kills	7.38
	Average Kill Difference	14.92
ADR Statistics	Average Minimum ADR	45.14
	Average Maximum ADR	103.23
	Average ADR Differential	58.09
Match Performance Metrics	Average Multi-Kills per Map	16.83
	Average Trade per Map	14.47
	Average 1vX Clutches per Map	1.34
	Average First Kills per Map	10.79

Note: Opponent statistics are not included in this table, as they mirror the team statistics due to being derived from the same match data.

Summary Graphs

To visualize the data, the total matches played per team between January 2024 and January 2026 were graphed as a stacked bar chart, with colors representing wins and losses for each team. In addition, the win percentage is displayed at the top of each bar. As seen in Figure

1, FaZe played the most matches, followed by Furia and The MongolZ. What is interesting is that teams that have played fewer matches than FaZe, such as Vitality and Spirit, have much higher winning percentages. This indicates that playing more matches does not necessarily translate to more wins. This makes sense, as dominant teams will likely play fewer matches to advance through a group stage, and top teams may skip early tournament stages automatically due to their world rankings.



Figure 1: Total Matches Won and Lost by Team, Stacked

Next, the teams with the highest and lowest ADR were visualized. As seen in Figure 2, Vitality and Spirit lead by nearly 2 points, followed by MOUZ, Eternal Fire, and The MongolZ. The results align with expectations: the highest ADR teams were among the most successful in 2024-2025.



Figure 2: Highest average ADR by Team

In terms of the lowest ADR, the results make sense given how tournaments are structured. Many of these teams qualify through regional tournaments, where they compete against weaker opposition in their region. Once they reach major tournaments, they face significantly better teams, leading to poor performance and losses. However, as seen in Figure 3, the gap between the lowest and highest average ADR is only about 10 points. This indicates that while these lower-ranked teams lose more often, they remain somewhat competitive against top opponents and aren't completely outclassed in every match.



Figure 3: Lowest average ADR by Team

Next, the average round differential per team was visualized, filtered to include only teams that played at least 15 matches to keep the visual clean. As seen in Figure 4, the high ADR teams such as Vitality, Spirit, and Eternal Fire have some of the highest average round differentials. Vitality's 3+ average round differential reflects their dominant 2025 season, which included 9 major tournament wins, including BLAST.tv Austin Major and StarLadder Budapest Major. The pattern holds on the opposite end: the lowest ADR teams also have the worst round differentials, consistently losing more rounds than they win.



Figure 4: Average Round Differential by Team

Methods

Numerous supervised and unsupervised learning methods were applied during this project, each to two prediction tasks: binary classification (Win) and regression (average round differential per map). Decision trees were first used to identify important features for both outcomes. For the round differential, the initial regression tree achieved an R^2 of 0.81. To capture more of the variation, a Random Forest Regressor was implemented, which increased R^2 to 0.89 by better capturing complex feature interactions.

Next, regression models were created for both outcomes: linear regression for round differential and logistic regression for Win. These models used features identified as important from the decision trees, and were built to examine the strength and direction of relationships between features and outcomes, as well as to compare their pattern capturing against the tree-based models

Then, XGBoost models were built for both classification and regression. XGBoost handles high-dimensional data well and includes built-in feature importance, allowing all collected features to be included without pre-selection. Manual hyperparameter tuning was performed to optimize model performance.

Lastly, clustering techniques were used to group teams based on their statistics, limited to teams that played at least 15 matches. Agglomerative hierarchical clustering was performed using both Ward and complete linkage methods, testing different numbers of clusters. K-means clustering with k = 5 and k = 3 was also applied to compare results. These techniques were compared to identify consistent team groupings across methods and to find a cluster structure with roughly equal cluster sizes, as some approaches produced heavily imbalanced clusters. Of particular interest was whether teams consistently appeared in similar clusters across different methods.

Results

All models performed similarly, so the ones shown here were picked based on what gave the clearest insights. Variables like total rounds were excluded from classification models since they create trivially accurate predictions. For example, winning more rounds obviously means winning more games, which doesn't tell us anything useful. For the regression models predicting expected round differential, both total rounds and rounds per map were excluded for the same reason.

The RandomForestRegressor for round differential used features like Max Kill Count, opp_trade_per_map, and Max ADR. The model achieved an R^2 of 0.89 with a Mean Absolute Error of 1.18, meaning it estimates round differential within about one round on average. Figure 5 shows the model tends to underestimate, especially in blowout games, but overall predicts expected results closely.



Figure 5: RandomForestRegressor Actual values vs. Expected values

The Logistic Regression model used features selected from the decision tree's feature importance, including mk_per_map, avg_ct_round_per_map, and Opp Round Streak. The model achieved 96.5% accuracy on the test set, with T-side rounds (avg_t_round_per_map and opp_avg_t_round_per_map) emerging as the most significant predictors. The confusion matrix is shown in Figure 6.



Figure 6: Logistic Regression Confusion Matrix

The Linear Regression model achieved an R^2 of 0.883, similar to the RandomForestRegressor. Average Round Differential (avg_round_diff) was used as the response variable since per-map round differential was the target output. The model identified features like 1vX_per_map and first_kills_per_map as significant. A one-unit increase in 1vX_per_map led to a 0.6457 increase in average round differential, while a one-unit increase in first_kills_per_map led to a 0.1256 increase. The expected vs actual values showed similar patterns to the RandomForestRegressor, with tight clustering around the expected prediction line.

The XGBoost model achieved the strongest performance with an MAE of 1.11 and an R^2 of 0.915. This is particularly impressive since Counter-Strike matches require a minimum 2-round differential to determine a winner, meaning the model predicts to within about half that margin. The model heavily weighted paired offensive and defensive stats. Figure 7 shows both your team's multikills and the opponent's multikills as the top two features, followed by round streaks for both sides and your team's highest ADR.



Figure 7: XGBoost Regression SHAP Values

Figure 8 reinforces these findings. Fewer multikills creates a large negative impact on round differential, while the opposite is true for opponent multikills. Limiting opponent multikills corresponds to higher round differentials, positioning teams to win by larger margins.



Figure 8: XGBoost Regression Beeswarm Plot

The Hierarchical Clustering model identified 7 distinct clusters. As shown in Figure 9, these clusters align with key performance metrics identified earlier. One cluster contains 3 of the 5 lowest-ADR teams, while another group contains the two highest win-percentage teams, Spirit and Vitality. Interestingly, the model grouped Eternal Fire and Cloud9 together, two teams that both effectively exited competitive Counter-Strike in early 2025 due to roster collapse and disbandment, suggesting the clustering captured teams in organizational decline rather than just poor performance.



Figure 9: Hierarchical Clustering Dendrogram

Figure 10 reveals distinct team archetypes across seven performance clusters. The heatmap displays standardized features to enable fair comparison across different measurement scales, while the descriptions below reference original values for interpretability.



Figure 10: Hierarchical Clustering Heatmap

- **Cluster 1 (Top Contenders):** This cluster contains high-performing teams including FaZe, NAVI, MOUZ, G2, and FURIA, characterized by consistently strong win rates and dominant individual performances. These teams excel across all metrics, with particularly strong average player ratings (1.068+), high ADR differentials (60+), and positive round differentials that demonstrate their ability to outperform opponents. Their superior clutch performance (1.3-1.4 per map), first kill advantage (11+ per map), and overall tactical execution position them as serious championship contenders.
- **Cluster 2 (Elite Tier):** Spirit and Vitality form an ultra-elite group, clearly separated as teams that maximize their own performance while suppressing opponents across all metrics. These teams show exceptional individual skill levels with average player ratings exceeding 1.1 and maximum ADRs above 109, demonstrating the highest round differential advantages (2.8-3.3) in the dataset. Their ability to generate significantly more multi-kills per map (18+) while limiting opponent production distinguishes them as the absolute best teams in competitive Counter-Strike.
- **Cluster 3 (Strong Mid-Tier)**: Teams like Eternal Fire and Cloud9 represent competent mid-tier competitors with balanced statistics but lower overall impact compared to elite teams. These teams show slightly reduced individual performance metrics (ADR

differentials in the mid-50s, player ratings around 1.02-1.05) but maintain reasonable tactical fundamentals with average clutch and trade rates. Their round differentials remain positive but modest (0.6-1.6), suggesting they can compete effectively but lack the consistency to challenge top-tier opponents regularly.

- **Cluster 4 (Competitive Underdogs):** This cluster includes teams like FlyQuest, Imperial, MIBR, Liquid, BIG, and SAW who consistently face stronger opposition, evidenced by their negative round differentials (-0.5 to -2.7) and lower average statistics across most categories. These teams show particular weaknesses in ADR differentials and multi-kill generation while their opponents dominate in maximum kills and damage output. Despite competitive moments (decent clutch rates around 1.2-1.3 per map), these teams struggle to maintain consistency against higher-ranked opponents, resulting in below-average win rates.
- **Cluster 5 (Struggling Tier):** Teams in this cluster, including BetBoom, Lynn Vision, NRG, ENCE, and Wildcard, demonstrate significant performance gaps with notably negative round differentials (-2.0 to -2.4) indicating consistent map losses. These teams face opponents with substantially higher firepower, reflected in opponent ADR values exceeding 74 and opponent maximum kills often surpassing 23. Their own offensive production suffers with lower average ADRs (68-70), reduced first kill success (9.7-10.6 per map), and they consistently yield more multi-kills and trades to opponents than they generate themselves.
- **Cluster 6 (Developing Teams):** This cluster shows the highest opponent trade rate of any group, suggesting teams like M80, Complexity, and Ninjas in Pyjamas frequently make poor positional decisions and push into unfavorable holds. This is reinforced by their above-average 1vX rate, indicating teammates often die early leaving one player to clutch. While these teams demonstrate near-neutral round differentials (-1.0 to +0.3) suggesting occasional competitiveness, their tactical vulnerabilities prevent consistent success against stronger opponents.
- **Cluster 7 (Balanced Middle Pack):** Teams like 3DMAX, B8, Passion UA, Nemiga, and GamerLegion demonstrate balanced but unremarkable statistics with no standout Max ADR, suggesting they lack a star player to carry them through tough matches. These teams show modest negative to neutral round differentials (-0.7 to +0.3), indicating they frequently play close matches against similarly skilled opponents. While their tactical fundamentals remain solid with consistent clutch rates (1.4-1.6 per map), their lack of elite individual talent limits their ceiling in competitive play.

Agglomerative clustering using the elbow method determined 3 clusters as optimal for a simplified team grouping. As seen in Figure 11, this solution consolidates the previous 7 clusters into three clear performance tiers. Cluster 1 contains top-tier teams that regularly compete at major tournaments and rank in the top 10-15 globally. Cluster 2 captures volatile mid-tier teams like Legacy and M80. These teams are inconsistent and can upset higher-ranked opponents on good days but usually fall short, averaging out to middling overall performance. Cluster 3

contains lower-performing teams like Wildcard and Liquid that compete well against similarly-ranked opponents but struggle when matched against elite teams.



Figure 11: Agglomerative Clustering Dendrogram

Figure 12 reveals distinct team archetypes across three performance clusters. The heatmap displays standardized features to enable fair comparison across different measurement scales, while the descriptions below reference original values for interpretability.



Figure 12: Agglomerative Clustering Heatmap

- **Cluster 1 (Elite Tier):** This cluster contains the world's absolute best teams including Spirit, Vitality, FaZe, NAVI, MOUZ, and G2, characterized by exceptional individual skill and dominant round differentials averaging +0.5 to +3.3. These teams demonstrate superior firepower with maximum ADRs exceeding 104 and average ADRs above 73, while simultaneously suppressing opponent production across all metrics. Their tactical excellence is evident through high clutch rates (1.24-1.44 per map), strong first kill advantages (10.9-11.7 per map), and consistent multi-kill generation (17-18.5 per map), establishing them as championship-caliber squads.
- **Cluster 2 (Competitive Mid-Tier):** Teams like 3DMAX, B8, Complexity, GamerLegion, HEROIC, M80, and Virtus.pro occupy a competitive middle ground with relatively balanced statistics and near-neutral round differentials (-0.6 to +0.3). These squads demonstrate solid tactical fundamentals with decent clutch rates (1.3-1.6 per map) and trade execution (14-16 per map), but lack the individual firepower to consistently challenge elite opponents. Their ADR differentials range from 49-58 and stats cluster around average, reflecting their volatile nature where strong performances offset poor ones.
- **Cluster 3 (Struggling Tier):** This cluster includes teams like 9z, BIG, BetBoom, ENCE, FlyQuest, Imperial, Liquid, Lynn Vision, MIBR, NRG, SAW, and Wildcard who not only underperform on their own stats but face opponents with significantly elevated metrics, indicating they frequently lose by large margins. These teams are systematically outmatched in firepower, with opponents posting higher maximum ADRs (103-110 vs 94-104), superior kill counts, and greater multi-kill production (17-19 vs 15-16.3 per map). Their negative round differentials (-0.8 to -2.7) and lower first kill success rates (9.1-11.3 per map) reflect consistent struggles maintaining competitiveness in high-level matches.

Discussion

The clustering models reveal a clear gap between elite teams and the rest of the field. The volatile nature of mid-tier clusters indicates that consistency separates good teams from great ones. Elite teams perform at high levels while suppressing opponents day in and day out, whereas mid-tier teams can upset a top opponent one day and get blown out the next. Lower-tier teams face structural disadvantages, often lacking the star players needed to compete with higher-ranked opponents.

Furthermore, given the importance of Multi Kills in the XGBoost and Regression models, individual star power still matters despite Counter-Strike being a team-based game. These features are interconnected: when a team sets up their star player to get a multikill in one round, that player may catch fire and string together multikills across rounds, leading to round streaks and elevated ADR as they carry their team. This means a team should build around its star player and support them as much as possible, as that player will position them to win. This is evident in practice, where Spirit has one of the best current players, Donk, on its roster. This team's performance is closely tied to Donk's, and they often lose if he doesn't outright carry them.

Figure 13 and 14 reinforce these findings. Figure 13 and Figure 14 display SHAP waterfall plots for Spirit matchups where Donk performed poorly and well, respectively. Figure 13 depicts Spirit's 2-0 loss to Falcons at IEM Chengdu 2025, where Donk posted a 1.02 rating, well below his 2025 average of 1.42. Figure 14 depicts Spirit's 2-0 semifinal victory over Natus Vincere at IEM Katowice 2025, where Donk posted a 1.64 rating. Together, these plots illustrate a clear pattern: when Donk underperforms, nearly every feature pushes Spirit's expected round differential downward, and when he excels, nearly every feature contributes positively.



Figure 13: Spirit vs. Falcons IEM Chengdu 2025 SHAP Waterfall (Loss)



Figure 14: Spirit vs. Natus Vincere IEM Katowice 2025 SHAP Waterfall (Win)

This is also evident in practice with FURIA and their young star, Molodoy. A lot of the team's game plan revolves around getting him the weapon he wants and putting him in a position to get kills, which has worked great for the team, as they catapulted themselves into the top 5 in the world after signing him. As seen in Figure 15, FURIA's world ranking decreased slightly, as the team was figuring out new roles after the signing, then increased sharply after Molodoy was fully integrated into the team.



Figure 15: FURIA World Ranking 01/06/2025 - 02/16/2026

This doesn't mean that the supporting cast is not important. The star player sets a team's ceiling, while the other players set the floor. In addition, the importance of Round Streaks suggests that momentum is not just psychological but creates a measurable, predictive advantage, indicating that teams should focus on breaking opponent streaks as a tactical priority.

The XGBoost feature importance directly mirrors what distinguishes the clusters from each other. Cluster 1 teams excel at exactly what the XGBoost model identified as important, such as achieving a high number of multi-kills per map, stringing multiple rounds together in a row, and having a star player that has a higher ADR. The clustering also reveals that elite teams simultaneously maximize their own stats while minimizing their opponent's stats, validating why opponent stats were critical predictors in the XGBoost model.

Beyond overall performance metrics, the logistic regression model revealed that T-side rounds were more significant predictors of match outcomes than CT-side rounds. This suggests terrorist-side performance is more indicative of overall team strength, likely because T-side play requires more coordinated strategy and execution compared to the more reactionary nature of CT defense. Having to take space is often more difficult than sitting and holding for an enemy push. The linear regression model also identified clutch situations (1vX) and first kills as significant predictors of round differential, highlighting the importance of both opening duels that establish numerical advantages and individual skill in high-pressure situations.

Additionally, it was interesting to see that Hierarchical Clustering placed Spirit and Vitality in the same cluster, separate from all other teams. This speaks to the dominance of these two teams over the past 2 years, consistently ranking in the top 5. However, Eternal Fire and Cloud9 being grouped with Vitality and Spirit during Agglomerative Clustering reveals a

limitation of the models. Both teams had the statistical profile of elite squads before roster collapse and organizational disbandment removed them from competitive play, showing the models capture performance patterns but cannot account for non-statistical factors like organizational stability.

When comparing regression models, it was interesting to see that they all capture similar amounts of variability. This suggests that relationships are relatively linear, despite gameplay complexity. Furthermore, the tree-based model had feature importance similar to that of linear models, indicating overall robustness and generalizable patterns.

The different clustering approaches also provide varying levels of granularity for different audiences. For example, an analyst on a team would benefit from the detailed 7-cluster breakdown to identify specific competitive gaps, whereas a fan may just want to know which performance tier their team falls into.

Conclusion

This project's primary purpose was to explore which features affect a Counter-Strike team's chances of winning a match and by how much, based on factors such as Multi Kills per map and Max Kill Count. To answer this, Decision Trees, Linear and Logistic Regression, and XGBoost models were used to predict expected Win and Round Differential..

Out of all these models, Logistic Regression performed best on classification, achieving 96.5% accuracy, with features such as Multi Kills per map being particularly impactful. This indicates a linear relationship when predicting the binary response variable. For Round Differential, the XGBoost model performed best with a 1.11 MAE, suggesting non-linear patterns that the more complex model captures more effectively. These insights help quantify the factors that separate winning and losing performances, providing an objective framework for performance evaluation. Furthermore, esports analysts and broadcasters could leverage these findings in post-match analysis to contextualize team performance against the statistics most predictive of match outcomes.

Limitations

One limitation of the model is its ability to predict blowouts. Blowouts have a unique pattern, since they often have lower kill counts due to fewer rounds being played. For example, a player will have fewer rounds to acquire kills in a 13-2 win compared to a 13-10 win. As a result, the model was slightly more conservative and struggled to predict when massive blowouts would occur. A potential solution would be adding a feature to measure the overall pace of the game or speed of round wins. In addition to this, the model does not account for external factors such as travel schedules, tournament frequency, and organizational stability. For example, a team may play a tournament in Europe, then four days later need to be in China for another tournament. Given fatigue, travel, and lack of prep, that team may underperform even if their stats suggest otherwise. Accounting for these real-world considerations would create a more comprehensive model of how external factors affect competitive performance.

Works Cited

HLTV.org. https://www.hltv.org/. Accessed 2024-2026.

Appendix

Tournament List		
Tournament	**Dates**	**Winner**
IEM Krakow 2026	Jan 31 - Feb 8, 2026	Vitality
BLAST Bounty 2026 Season 1	Jan 13 - Jan 25, 2026	PARIVISION
StarLadder Budapest Major 2025	Dec 4 - Dec 14, 2025	Vitality
BLAST Rivals 2025 Season 2	Nov 12 - Nov 16, 2025	FURIA
IEM Chengdu 2025	Nov 3 - Nov 9, 2025	FURIA
PGL Masters Bucharest 2025	Oct 26 - Nov 1, 2025	Aurora
Thunderpick World Championship 2025	Oct 15 - Oct 19, 2025	FURIA
ESL Pro League Season 22	Sep 28 - Oct 12, 2025	Vitality
FISSURE Playground 2	Sep 12 - Sep 21, 2025	FURIA
BLAST Open London 2025	Aug 27 - Sep 7, 2025	G2
Esports World Cup 2025	Aug 20 - Aug 24, 2025	The MongolZ
BLAST Bounty 2025 Season 2	Aug 5 - Aug 17, 2025	Spirit
IEM Cologne 2025	Jul 23 - Aug 3, 2025	Spirit
FISSURE Playground 1	Jul 15 - Jul 20, 2025	TYLOO
BLAST.tv Austin Major 2025	Jun 3 - Jun 22, 2025	Vitality
IEM Dallas 2025	May 19 - May 25, 2025	Vitality
PGL Astana 2025	May 10 - May 18, 2025	Spirit
BLAST Rivals 2025 Season 1	Apr 30 - May 4, 2025	Vitality
IEM Melbourne 2025	Apr 21 - Apr 27, 2025	Vitality

PGL Bucharest	Apr 6 - Apr 13, 2025	Falcons
BLAST Open Lisbon 2025	Mar 19 - Mar 30, 2025	Vitality
ESL Pro League Season 21	Mar 1 - Mar 16, 2025	Vitality
PGL Cluj-Napoca 2025	Feb 14 - Feb 23, 2025	MOUZ
IEM Katowice 2025	Jan 29 - Feb 9, 2025	Vitality
BLAST Bounty 2025 Season 1	Jan 14 - Jan 26, 2025	Spirit
Perfect World Shanghai Major 2024	Nov 30 - Dec 15, 2024	Spirit
BLAST Premier World Final 2024	Oct 30 - Nov 3, 2024	G2
IEM Rio 2024	Oct 7 - Oct 13, 2024	Natus Vincere
BLAST Premier Fall Final 2024	Sep 25 - Sep 29, 2024	G2
ESL Pro League Season 20	Sep 3 - Sep 22, 2024	Natus Vincere
IEM Cologne 2024	Aug 10 - Aug 18, 2024	Vitality
Esports World Cup 2024	Jul 17 - Jul 21, 2024	Natus Vincere
BLAST Premier Spring Final 2024	Jun 12 - Jun 16, 2024	Spirit
YaLLa Compass 2024	Jun 5 - Jun 9, 2024	The MongolZ
IEM Dallas 2024	May 27 - Jun 2, 2024	G2
ESL Pro League Season 19	Apr 23 - May 12, 2024	MOUZ
IEM Chengdu 2024	Apr 8 - Apr 14, 2024	FaZe
PGL CS2 Major Copenhagen 2024	Mar 17 - Mar 31, 2024	Natus Vincere
IEM Katowice 2024	Jan 31 - Feb 11, 2024	Spirit